

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
6 May 2005 (06.05.2005)

PCT

(10) International Publication Number  
**WO 2005/040215 A2**

(51) International Patent Classification<sup>7</sup>: **C07K 14/81**

Athens, GA 30605 (US). **WANG, Youliang**; AviGenics, Inc., 111 Riverbend Road, Athens, GA 30605 (US).

(21) International Application Number:  
PCT/US2004/016827

(74) **Agent: YESLAND, Kyle**; Legal Department, AviGenics, Inc., 111 Riverbend Road, Athens, GA 30605 (US).

(22) International Filing Date: 28 May 2004 (28.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/476,596	6 June 2003 (06.06.2003)	US
60/490,452	28 July 2003 (28.07.2003)	US
60/505,562	24 September 2003 (24.09.2003)	US
60/509,122	6 October 2003 (06.10.2003)	US
60/536,677	15 January 2004 (15.01.2004)	US
10/790,455	1 March 2004 (01.03.2004)	US
10/496,731	21 May 2004 (21.05.2004)	US

(81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) **Applicant: AVIGENICS, INC.** [US/US]; Legal Department, 111 Riverbend Road, Athens, GA 30605 (US).

(72) **Inventors: HARVEY, Alex, J.**; AviGenics, Inc., 111 Riverbend Road, Athens, GA 30605 (US). **LEAVITT, Markley, C.**; AviGenics, Inc., 111 Riverbend Road,

[Continued on next page]

(54) Title: OVOMUCOID PROMOTERS AND MEHTODS OF USE



(57) **Abstract:** The present invention includes nucleic acid molecules comprising an artificial chromosome and an avian ovomucoid gene expression controlling region operably linked to the coding sequence of a useful polypeptide.

WO 2005/040215 A2



**Published:**

— without international search report and to be republished  
upon receipt of that report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## OVOMUCOID PROMOTERS AND METHODS OF USE

### Related Application Information

This application is a continuation-in-part of US Patent Application No. \_\_\_\_\_, filed May 21, 2004, which is the National Stage of International  
5 Application No. PCT/US02/38413, filed December 2, 2002, which is a continuation-in-part of US Patent Application No. 09/998,716 filed November 30, 2001. This application is also a continuation-in-part of US Patent Application No. 10/790,455, filed March 1, 2004. The disclosures of each of these three US applications and the international application are incorporated by reference herein  
10 in their entirety.

### Field of the Invention

The present invention relates generally to an avian ovomucoid gene expression control region, for example, from the chicken. More specifically, the  
15 invention relates to recombinant nucleic acids and expression vectors, transfected cells and transgenic animals that comprise the avian ovomucoid gene expression controlling region operably linked to a heterologous polypeptide-encoding nucleic acid.

### Background

The field of transgenics was initially developed to understand the action of a single gene in the context of the whole animal and the phenomena of gene activation, expression, and interaction. This technology has also been used to produce models for various diseases in humans and other animals and is amongst  
25 the most powerful tools available for the study of genetics, and the understanding of genetic mechanisms and function. From an economic perspective, the use of transgenic technology for the production of specific proteins or other substances of pharmaceutical interest (Gordon et al., (1987) Biotechnology 5: 1183-1187; Wilmut et al., (1990) Theriogenology 33: 113-123) offers significant advantages  
30 over more conventional methods of protein production by gene expression.

Heterologous nucleic acids have been engineered so that an expressed protein may be joined to a protein or peptide that will allow secretion of the transgenic expression product into milk or urine, from which the protein may then be recovered. These procedures have had limited success and may require  
5 lactating animals, with the attendant costs of maintaining individual animals or herds of large species, including cows, sheep, or goats.

Historically, transgenic animals have been produced almost exclusively by microinjection of the fertilized egg. The pronuclei of fertilized eggs are microinjected in vitro with foreign, i.e., xenogeneic or allogeneic, heterologous  
10 DNA or hybrid DNA molecules. The microinjected fertilized eggs are then transferred to the genital tract of a pseudopregnant female (See e.g., Krimpenfort et al., in US Pat. No. 5,175,384).

One system that holds potential is the avian reproductive system. The production of an avian egg begins with formation of a large yolk in the ovary of  
15 the hen. The unfertilized oocyte or ovum is positioned on top of the yolk sac. After ovulation, the ovum passes into the infundibulum of the oviduct where it is fertilized, if sperm are present, and then moves into the magnum of the oviduct which is lined with tubular gland cells. These cells secrete the egg-white proteins, including ovalbumin, ovomucoid, ovomucoid, conalbumin, ovomucin and  
20 lysozyme, into the lumen of the magnum where they are deposited onto the avian embryo and yolk.

The hen oviduct offers outstanding potential as a protein bioreactor because of the high levels of protein production, the promise of proper folding and post-translation modification of the target protein, the ease of product recovery,  
25 and the shorter developmental period of chickens compared to other potential animal species. As a result, efforts have been made to create transgenic chickens expressing heterologous proteins in the oviduct.

Chicken oviduct cells, when stimulated by steroid hormones during egg-laying, secrete three principal polypeptides, ovalbumin, ovomucoid and  
30 lysozyme (Tsai et al., (1978) Biochemistry 17: 5773-5779). The mRNA transcript encoding ovalbumin constitutes about 50% of the total mRNA of these cells.



Ovomucoid and lysozyme mRNAs contribute about 6.6% and 3.4% respectively of the total mRNA of the steroid stimulated cells. (Hynes et al. (1977) pp 932).

Detailed restriction enzyme analysis of fragments of chicken genomic DNA have shown that the ovomucoid-encoding sequence includes seven intronic  
5 sequences (Lindenmaier et al. (1979) Nuc. Acid Res. 7:1221-1232; Catterall et al. (1979) Nature 278: 323-327; Lai et al. (1979) Cell 18:829-842). Short stretches of the 5' flanking region of the ovomucoid gene have been sequenced (Lai et al. (1979) Cell 18: 829-842; Genbank Accession No. J00897), but extending only 579 bases upstream of the recognized transcription start site. The 5' flanking  
10 region of the ovomucoid gene has been isolated (Catterall et al. (1979) Nature 278: 323-327; Lai et al. (1979) Cell 18: 829-842), but not generally characterized beyond low-resolution restriction site mapping. Scott et al. (1987) Biochemistry 26: 6831-6840, identified a CR1-like region within the 10 kb chicken genomic DNA located between the ovoinhibitor-encoding region and the downstream  
15 ovomucoid gene. The ovoinhibitor-encoding cDNA and the attached 3'-untranslated region, which extends into the 10 kb ovoinhibitor-ovomucoid region, were also sequenced (Scott et al. (1987) J. Biol. Chem. 262: 5899-5907).

The chicken ovomucoid gene, therefore, is highly expressed in the tubular glands of the mature hen oviduct and represents a suitable candidate for an  
20 efficient promoter for heterologous protein production in transgenic animals, especially animals. The regulatory region of the ovomucoid locus may extend over a nucleic acid region of about 10 kb of DNA 5' upstream of the transcription start site and includes at least one recognized element, CR1.

## 25 **Summary of the Invention**

The present invention relates to nucleic acids comprising an avian ovomucoid gene expression control region, which is useful for the expression of nucleotide sequences encoding a polypeptide of interest in a transfected avian cell such as, for example, an oviduct cell. In one embodiment, the polypeptide is  
30 heterologous, i.e., not the ovomucoid protein product, and may be a mammalian, for example, a human polypeptide. One aspect of the present invention provides a

nucleic acid isolated from a region immediately 5' upstream of a transcription start site of the chicken (or other avian) ovomucoid gene locus. The nucleic acid comprises an avian nucleic acid sequence comprising an ovomucoid gene expression control region comprising at least one avian CR1 repeat element, and a proximal ovomucoid promoter. Interspersed between these constituent elements may be stretches of nucleic acid that may serve at least to organize the gene regulatory elements in an ordered array relative to a polypeptide-encoding region. In one embodiment of the present invention, the ovomucoid gene expression control region is isolated from a chicken. In a specific embodiment, the ovomucoid gene expression control region has a nucleotide sequence of SEQ ID NO: 26. In other embodiments, the ovomucoid gene expression control region is at least 60%, at least 75%, at least 95 %, or at least 99% identical or homologous to SEQ ID NO:26 and directs expression of a polypeptide encoding nucleotide sequence in an avian oviduct cell.

The avian ovomucoid gene expression control region of the present invention is useful for directing tissue-specific expression of a polypeptide-encoding nucleic acid. The avian ovomucoid gene expression control region may be operably linked with a selected nucleic acid insert, wherein the nucleic acid insert encodes a polypeptide, preferably heterologous, desired to be expressed in a transfected cell. The nucleic acid insert may be placed in frame with a nucleotide sequence encoding a signal peptide. Translation initiation may start with the signal peptide and continue through the nucleic acid insert, thereby producing an expressed polypeptide having the desired amino acid sequence.

The recombinant DNA of the present invention may further comprise a polyadenylation signal sequence that will allow the transcript directed by the ovomucoid gene expression control region of the invention to proceed beyond the nucleic acid insert encoding a heterologous polypeptide (i.e., not the ovomucoid protein that is expressed from the endogenous gene containing the ovomucoid gene expression control region) and allow the transcript to further comprise a 3' untranslated region and a polyadenylated tail. Any functional polyadenylation signal sequence may be linked to the 3' end of the nucleic acid insert including the

SV40 polyadenylation signal sequence, bovine growth hormone adenylation sequence or the like. There are many know useful signal sequences including those disclosed in US Patent No. 5,856,187, the disclosure of which is incorporated in its entirety herein by reference.

- 5            Optionally, the nucleic acid of the invention may comprise gene expression control elements, e.g. promoters, enhancers, IRES's, from other than an ovomucoid gene and may even be from a non-avian gene.

            The sequence of the expressed nucleic acid insert may be optimized for codon usage by a host cell. This may be determined from the codon usage of at  
10    least one, and preferably more than one, protein expressed in a chicken cell. For example, the codon usage may be determined from the nucleic acid sequences encoding the proteins ovalbumin, ovomucoid, ovomucin and ovotransferrin of chicken.

            Yet another aspect of the present invention is expression vectors suitable  
15    for delivery to a recipient cell for expression of heterologous protein coding sequences in the vector therein. The expression vector of the present invention may comprise an avian ovomucoid gene expression control region operably linked to a nucleic acid insert encoding a non-ovomucoid polypeptide, and optionally, a polyadenylation signal sequence. The expression vector may further comprise a  
20    bacterial plasmid sequence, a viral nucleic acid sequence, or fragments or variants thereof that may allow for replication of the vector in a suitable host. As also contemplated in the present invention the nucleic acid may be a YAC, BAC, HAC, MAC, bacteriophage-derived artificial chromosome (BBPAC), cosmid or P1 derived artificial chromosome (PAC).

25            The present invention further relates to nucleic acid vectors and transgenes inserted therein that incorporate multiple polypeptide-encoding regions, wherein a first polypeptide-encoding region is operatively linked to a transcription promoter and a second polypeptide-encoding region is operatively linked to an Internal Ribosome Entry Sequence (IRES). For example, the vector may contain coding  
30    sequences for two different heterologous proteins (e.g., the heavy and light chains of an immunoglobulin).

Such nucleic acid constructs, when inserted into the genome of a bird and expressed therein, will generate individual polypeptides that may be post-translationally modified, for example, glycosylated or, in certain embodiments, be present as complexes, such as heterodimers with each other.

5 Another aspect of the present invention is a method of expressing a heterologous polypeptide in a eukaryotic cell by transfecting the cell with a recombinant DNA comprising an avian ovomucoid gene expression controlling region operably linked to a nucleic acid insert encoding the heterologous polypeptide and, optionally, a polyadenylation signal sequence, and culturing the  
10 transfected cell in a medium suitable for expression of the heterologous polypeptide under the control of the avian ovomucoid gene expression control region. In certain embodiments, the polypeptide is a cytokine, growth factor, enzyme, structural protein, and more preferably, an immunoglobulin, or subunit thereof. In other embodiments, the polypeptide is a mammalian, preferably a  
15 human polypeptide or derived from a human or mammalian polypeptide.

Also within the scope of the present invention are recombinant cells, tissues and animals, in for example avians, such as chickens, containing recombinant nucleic acid molecules according to the present invention and described above. In certain embodiments, the level of expression of the  
20 heterologous protein is greater than 5 µg, 10 µg, 50 µg, 100 µg, 250 µg, 500 µg, or 750 µg, more preferably greater than 1 mg, 2 mg, 5 mg, 10 mg, 20 mg, 50 mg, 100 mg, 200 mg, 500 mg, 700 mg, 1 gram, 2 grams, 3 grams, 4 grams or 5 grams in an egg (preferably the egg white) produced by the transgenic avian of the invention. In one embodiment of the present invention, the transformed cell is a  
25 chicken oviduct cell and the nucleic acid comprises the chicken ovomucoid gene expression control region, a nucleic acid insert encoding a heterologous polypeptide of interest, e.g. human interferon α2, which optionally is codon optimized for expression in an avian cell, and an SV40 polyadenylation sequence.

The present invention includes nucleic acid molecules, e.g., DNA, which  
30 comprise an artificial chromosome and an ovomucoid gene expression controlling region and methods of using the nucleic acid molecules.

In one embodiment, the gene expression controlling region of the present invention is a nucleotide sequence that hybridizes to the nucleotide sequence of SEQ ID NO: 26 or a nucleotide sequence that hybridizes to the complement of the nucleotide sequence of SEQ ID NO: 26. In one embodiment, the hybridizations are under stringent conditions. High stringency conditions, when used in reference to nucleic acid hybridization, may comprise conditions equivalent to binding or hybridization at 65°C in a solution consisting of 6xSSPE, 1% SDS, 5xDenhardt's reagent and 100 µg/ml denatured salmon sperm DNA followed by washing in a solution comprising 0.1xSSPE, and 0.1% SDS at 65°C for about 15 to about 20 minutes. In certain embodiments, the wash conditions may include 50% formamide at 42°C instead of 65°C. High stringency washes may include 0.1x SSC to 0.2x SSC and 1% SDS at 65°C for about 15 to about 20 min. (see, Sambrook et al., Molecular Cloning--A Laboratory Manual (2nd ed.) Vol. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor Press, N.Y., 1989, the disclosure of which is incorporated herein in its entirety by reference). Exemplary medium stringency conditions are as described above for high stringency except that the washes are carried out at 55°C or at 37°C when in the presence of 50% formamide.

In one embodiment, the ovomucoid gene expression controlling region is that of SEQ ID NO: 26 or the avian nucleic acid contained in SEQ ID NO: 36. In another embodiment, the ovomucoid gene expression controlling region comprises a functional portion of SEQ ID NO: 26 or a functional portion of the avian nucleic acid contained in SEQ ID NO: 36. The ovomucoid gene expression controlling region may also be the complement of SEQ ID NO: 26 or the complement of the avian nucleic acid contained in SEQ ID NO: 36 or a functional portion of the complement of SEQ ID NO: 26 or a functional portion of the complement of the avian nucleic acid contained in SEQ ID NO: 36.

What is meant by functional portion is a portion of a nucleotide sequence that is effective to control (i.e., facilitate or initiate in whole or in part) gene expression in a cell. Functional portions may be of any useful size. For example, functional portions may be about 20 nucleotides in length to one nucleotide less

than the length of an entire nucleotide sequence, for example, the nucleotide sequence of SEQ ID NO: 26 or SEQ ID NO: 36. Functional portions may include, for example, and without limitation, one or more of a matrix attachment region, a transcription enhancer, a hormone responsive element or a CRI repeat  
5 element.

In one embodiment, a functional portion of SEQ ID NO: 26 is a fragment of SEQ ID NO: 26 which can operate to control transcription of a coding sequence operably attached to the functional portion or fragment while in a cell. For example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ  
10 ID NO: 26 spanning from nucleotide 1 to about nucleotide 2000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from nucleotide 1 to about nucleotide 5000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from nucleotide 1 to about nucleotide 9,000. In another  
15 example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 10 to about nucleotide 1,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 10 to about nucleotide 2,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID  
20 NO: 26 spanning from about nucleotide 50 to about nucleotide 1,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 50 to about nucleotide 5,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 100 to about nucleotide 2,000. In another  
25 example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 200 to about nucleotide 5000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 200 to about nucleotide 8,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID  
30 NO: 26 spanning from about nucleotide 250 to about nucleotide 5000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID

NO: 26 spanning from about nucleotide 250 to about nucleotide 6,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 250 to about nucleotide 8,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 300 to about nucleotide 4000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 300 to about nucleotide 5,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 500 to about nucleotide 5000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 26 spanning from about nucleotide 500 to about nucleotide 8,000.

In one embodiment, the gene expression controlling region comprises a nucleotide sequence that is at least 50% homologous to SEQ ID NO: 26 or to the complement of SEQ ID NO: 26. For example, the gene expression controlling region may comprise a nucleotide sequence that is at least 60% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 70% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 75% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 80% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 85% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 90% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 95% homologous to SEQ ID NO: 26 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence that is at least 99% homologous to SEQ ID NO: 26 or its complement.

In one embodiment, nucleic acid molecules of the invention include an attB site. The use of attB is disclosed in, for example, US Patent Application No. 10/790,455, filed March 1, 2004, the disclosure of which is incorporated in its entirety herein by reference.

5       The nucleic acid molecules of the present invention may also include a signal sequence coding region which may be useful for secretion of a polypeptide product from a cell. In one embodiment, the signal sequence is cleaved from the polypeptide product during the secretion process. For the purposes of the present invention, "signal sequence peptide" refers to amino acid sequences of about 15 to  
10       about 25 amino acids in length which are known in the art to be generally located at the amino terminus of proteins and which are capable of facilitating secretion of a peptide or polypeptide from a cell.

      In one particularly useful embodiment, the nucleic acid molecules of the present invention include an artificial chromosome. Any useful artificial  
15       chromosomes are contemplated for use in the present invention. In one embodiment, an artificial chromosome is a DNA molecule which includes a telomere and is capable of self replication in a cell, for example, in an avian cell. In another embodiment, an artificial chromosome includes a telomere and a centromere. Artificial chromosomes include, without limitation, BACs (bacterial  
20       artificial chromosomes), YACs (yeast artificial chromosomes), HACs (human artificial chromosomes) MACs (mammalian artificial chromosomes), BBPACs (bacteriophage derived artificial chromosomes) or PACs (P1 derived artificial chromosomes) or combinations thereof.

      The present invention also relates to compositions and methods for  
25       expressing certain peptides and polypeptides (e.g., proteins). The compositions can include a nucleic acid molecule comprising an artificial chromosome and an ovomucoid gene expression controlling region, as disclosed herein, which may be operably linked to a nucleotide sequence encoding a polypeptide. The nucleic acid may be inserted into a cell, for example, into a cell of an avian, where the  
30       polypeptide is expressed. In one embodiment, the nucleic acid molecule is present in an oviduct cell, for example, a tubular gland cell of a transgenic avian.



The coding region may encode any useful polynucleotide including pharmaceutical compositions which comprise a polypeptide.

Certain specific examples of pharmaceutical compositions which are contemplated for production as disclosed herein include, with out limitation,

5 Factor VIII (e.g., Recombinate®, Bioclone®, Kogenate®, Helixate® (Centeon), B-domain deleted Factor VIII (e.g., ReFacto®), Factor VIIa (e.g., NovoSeven®), Factor IX (e.g., Benefix®), anticoagulant; recombinant hirudin (e.g., Revasc®, Refludan®) Alteplase, tPA (e.g., Activase®), Reteplase, tPA, tPA – 3 of 5 domains deleted, Ekokinase®, Retavase®, RapiLysin®, insulin (e.g., Humulin®,

10 Novolin®, Insuman®) insulin lispro (e.g., Humalog®), Bio Lysprol, Liprolog®), insulin Aspart, iNovoRapid®, insulin glargine, long-acting insulin analog (e.g., Lantus®), rhGH (e.g., Protropin®, Humatrope®, Nutropin®, BioTropin®, Genotropin®, Norditropin®, Saizen®, Serostim®), glucagons (e.g., Glucagen®), TSH (e.g., Thyrogen®, Gonal F®, Puregon®), follitropin-beta FSH (e.g.,

15 Follistim®), EPO (e.g., Epogen®, Procrit®, Neorecormon®), GM-CSF (e.g., Leukine®, Neupogen®), PDGF (e.g., Regranex®), hormones such as cytokines, IFN alpha2a (e.g., Roferon A®), INF-apha (e.g., Infergen®), IFN alpha2b (e.g., Intron A®, Alfatronol®, Virtron®), ribavirin & INF-alpha 2b (e.g., Robetron®) INF-beta 1b, differs from h protein by C17 to S (e.g., Betaferon®), IFN-beta 1a

20 (e.g., Avonex®, Rebif®), IFN-gamma1b (e.g., Actimmune®), IL-2 (e.g., Proleukin®) rIL-11 (e.g., Neumega®), rHBsAg (e.g., Recombivax®), Combination vaccine containing HBsAg as one component (e.g., Comvax®, Tritarix®, Twinrix®, Primavax®, Procomax®), OspA, a lipoprotein found on the surface of B burgoeri (e.g., Lymerix®), murine MAb directed against t-

25 lymphocyte antigen CD3 (e.g., Orthoclone OKT3®), murine MAb directed against TAG-72, tumor-associated glycoprotein (e.g., OncoScint CR/OV®), FAb fragments derived from chimeric MAb, directed against platelet surface receptor GPII(b)/III(a) (e.g., ReoPro®), murine MAb fragment directed against tumor-associated antigen CA125 (e.g., Indimacis®), murine MAb fragment directed

30 against human carcinoembryonic antigen, CEA (e.g., CEA-scan®), murine MAb fragment directed against human cardiac myosin (e.g., MyoScint®), murine MAb

fragment directed against tumor surface antigen PSMA (e.g., ProstaScint®), murine MAb fragments (FAb/FAb2 mix) directed against HMW-MAA (e.g., Tacnemab®), murine MAb fragment (FAb) directed against carcinoma-associated antigen (e.g., Verluma®), MAb fragments (FAb) directed against NCA 90, a  
5 surface granulocyte nonspecific cross reacting antigen (e.g., LeukoScan®), chimeric MAb directed against CD20 antigen found on surface of B lymphocytes (e.g., Rituxan®), humanized MAb directed against the alpha chain of the IL2 receptor (e.g., Zenapax®), chimeric MAb directed against the alpha chain of the IL2 receptor (e.g., Simulect®), chimeric MAb directed against TNF-alpha (e.g.,  
10 Remicade®), humanized MAb directed against an epitope on the surface of respiratory syncytial virus (e.g., Synagis®), humanized MAb directed against HER 2, i.e., human epidermal growth factor receptor 2 (e.g., Herceptin®), human MAb directed against cytokeratin tumor-associated antigen (e.g., Humaspect®), anti-CTLA4, chimeric MAb directed against CD 20 surface antigen of B lymphocytes  
15 (e.g., Mabthera®), dornase-alpha DNase (e.g., Pulmozyme®), beta glucocerebrosidase (e.g., Cerezyme®), TNF-alpha (e.g., Beromun®), IL-2-diphtheria toxin fusion protein that targets cells displaying a surface IL-2 receptor (e.g., Ontak®), TNFR-IgG fragment fusion protein (e.g., Enbrel®), Laronidase, Recombinant DNA enzyme, (e.g., Aldurazyme®), Alefacept, Amevive®,  
20 Darbepoetin alfa (Colony stimulating factor) (e.g., Aranesp®), Tositumomab and iodine 1 131 tositumomab, murine MAb, Bexxar®, Alemtuzumab, Campath®, Rasburicase, Elitek®), Agalsidase beta, Fabrazyme®, FluMist®, Teriparatide, Parathyroid hormone derivative (e.g., Forteo®), Enfuvirtide Fuzeon®, Adalimumab (IgG1) (e.g., Humira®), Anakinra, Biological modifier (e.g.,  
25 Kineret®), nesiritide, Human B-type natriuretic peptide (hBNP) (e.g., Natrecor®), Pegfilgrastim, Colony stimulating factor (e.g., Neulasta®), ribavarin and peg Intron A (e.g., Rebetrone®), Pegvisomant, PEGylated human growth hormone receptor antagonist, (e.g., Somavert®), recombinant activated protein C (e.g., Xigris®), Omalizumab, Immunoglobulin E (IgE) blocker (e.g., Xolair®) and  
30 Ibritumomab tiuxetan (murine MAb) (e.g., Zevalin®).

In one particularly useful embodiment, the polypeptide (e.g.,

pharmaceutical composition) encoded by the nucleotide sequence operably linked to the ovomucoid gene expression controlling region is present in egg white produced by a transgenic avian of the present invention (i.e., an avian comprising a cell which includes a nucleic acid molecule of the present invention)

5 In one aspect of the invention, the nucleic acid molecule includes a nucleotide sequence encoding a light chain and/or a heavy chain of an antibody or a portion of a light chain and/or a heavy chain of an antibody which is operably linked to the ovomucoid gene expression controlling region. The antibody may be IgG (e.g., IgG1, IgG2, IgG3 or IgG4), IgA (e.g., IgA1 or IgA2), IgD, IgM or  
10 IgE. In addition, the light chain of the antibody may be a kappa light chain or a lambda light chain.

The present invention also contemplates the production of useful fusion proteins. For example, an antibody or a portion of an antibody may be produced as a fusion protein with another useful polypeptide.

15 The nucleic acid molecules of the present invention may be introduced into a cell, for example, into the cell of an avian, by any useful method. Such methods include, without limitation, microinjecting, transfection, electroporation and lipofection. The nucleic acid molecules may be introduced into a germinal disc or an avian embryo cell such as an early stage avian embryo. In one embodiment,  
20 the nucleic acid molecules of the present invention are introduced into an avian embryo cell such as a stage I avian embryo, stage II avian embryo, stage III avian embryo, stage IV avian embryo, stage V avian embryo, stage VI avian embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo or stage XII avian embryo.

25 Any combination of features described herein is included within the scope of the present invention provided that the features included in any such combination are not mutually inconsistent. Such combinations will be apparent based on this specification and on the knowledge of one of ordinary skill in the art.

30

**Definitions**

The term “animal” is used herein to include all vertebrate animals, including humans. It also includes an individual animal in all stages of development, including embryonic and fetal stages.

5       The term “avian” as used herein refers to any species, subspecies or race of organism of the taxonomic class avia, such as, but not limited to, such organisms as chicken, turkey, duck, goose, quail, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary. The term includes the various known strains of Gallus gallus, or chickens, (for example, White Leghorn, Brown  
10 Leghorn, Barred-Rock, Sussex, New Hampshire, Rhode Island, Australorp, Minorca, Amrook, California Gray, Italian Partidge-colored), as well as strains of turkeys, pheasants, quails, duck, ostriches and other poultry commonly bred in commercial quantities.

      The term “nucleic acid” as used herein refers to any natural and synthetic  
15 linear and sequential arrays of nucleotides and nucleosides, for example cDNA, genomic DNA, mRNA, tRNA, oligonucleotides, oligonucleosides and derivatives thereof. Representative examples of the nucleic acids of the present invention include bacterial plasmid vectors including expression, cloning, cosmid and transformation vectors such as, but not limited to, pBR322, animal viral vectors  
20 such as, but not limited to, modified adenovirus, influenza virus, polio virus, pox virus, retrovirus, and the like, vectors derived from bacteriophage nucleic acid, e.g., plasmids and cosmids, artificial chromosomes, such as but not limited to, Yeast Artificial Chromosomes (YACs) and Bacterial Artificial Chromosomes (BACs), and synthetic oligonucleotides like chemically synthesized DNA or  
25 RNA. The term “nucleic acid” further includes modified or derivatised nucleotides and nucleosides such as, but not limited to, halogenated nucleotides such as, but not only, 5-bromouracil, and derivatised nucleotides such as biotin-labeled nucleotides.

      The term “isolated nucleic acid” as used herein refers to a nucleic acid that  
30 has been removed from other components of the cell containing the nucleic acid or from other components of chemical/synthetic reaction used to generate the

nucleic acid. In specific embodiments, the nucleic acid is 50%, 60%, 70%, 80%, 90%, 95%, 99% or 100% pure. The "isolated nucleic acid" does not include nucleic acids that are members of a library, e.g. cDNA or genomic library, unless identified and separated from the other members of the library. The techniques  
5 used to isolate and characterize the nucleic acids and proteins of the present invention are well known to those of skill in the art and standard molecular biology and biochemical manuals may be consulted to select suitable protocols without undue experimentation. See, for example, Sambrook et al, 2001, Molecular Cloning: A Laboratory Manual, 3rd ed., Cold Spring Harbor Press; the  
10 content of which is herein incorporated by reference in its entirety.

By the use of the term "enriched" in reference to nucleic acid it is meant that the specific DNA or RNA sequence constitutes a significantly higher fraction of the total DNA or RNA present in the cells or solution of interest than in normal or diseased cells or in the cells from which the sequence was taken. Enriched  
15 does not imply that there are no other DNA or RNA sequences present, just that the relative amount of the sequence of interest has been significantly increased, for example, by 1 fold, 2 fold, 5 fold, 10 fold, 50 fold, 100 fold, 500 fold, 1000 fold, 10,000 fold, 100,000 fold, or 1,000,000 fold. The other DNA may, for example, be derived from a yeast or bacterial genome, or a cloning vector, such as  
20 a plasmid or a viral vector.

It is advantageous for some purposes that a nucleotide sequence is in purified form. The term "purified" in reference to nucleic acid represents that the sequence has increased purity relative to the natural environment, preferably, 50%, 60%, 70%, 80%, 90%, 95%, or 99% pure.

25 The terms "polynucleotide" and "nucleic acid sequence" are used interchangeably herein and include, but are not limited to, coding sequences (polynucleotide(s) or nucleic acid sequence(s) which are transcribed and translated into polypeptide in vitro or in vivo when placed under the control of appropriate regulatory or control sequences); control sequences (e.g., translational  
30 start and stop codons, promoter sequences, ribosome binding sites, polyadenylation signals, transcription factor binding sites, transcription

termination sequences, upstream and downstream regulatory domains, enhancers, silencers, and the like); and regulatory sequences (DNA sequences to which a transcription factor(s) binds and alters the activity of a gene's promoter either positively (induction) or negatively (repression)). No limitation as to length or to  
5 synthetic origin is suggested by the terms described herein.

As used herein the terms "polypeptide" and "protein" refer to a polymer of amino acids of three or more amino acids in a serial array, linked through peptide bonds. The term "polypeptide" includes proteins, protein fragments, protein analogues, oligopeptides and the like. The term polypeptide as used herein can  
10 also refer to a peptide. The term "polypeptides" contemplates polypeptides as defined above that are encoded by nucleic acids, produced through recombinant technology (isolated from an appropriate source such as a bird), or synthesized. The term "polypeptides" further contemplates polypeptides as defined above that include chemically modified amino acids or amino acids covalently or  
15 noncovalently linked to labeling ligands.

The term "fragment" as used herein to refers to an at least about 10, 20, 50, 75, 100, 150, 200, 250, 300, 500, 1000, 2000, 5000, 6,000, 8,000, or 10,000 nucleotide long portion of a nucleic acid (e.g., cDNA) that has been constructed artificially (e.g., by chemical synthesis) or by cleaving a natural product into  
20 multiple pieces, using restriction endonucleases or mechanical shearing, or enzymatically, for example, by PCR or any other polymerizing technique known in the art, or expressed in a host cell by recombinant nucleic acid technology known to one of skill in the art. The term "fragment" as used herein may also refer to an at least about 5, 10, 20, 30, 40, 50, 75, 100, 150, 200, 250, 300, 400,  
25 500, 1000, 2000, 5000, 6,000, 8,000, or 10,000 amino acid portion of a polypeptide, which portion is cleaved from a naturally occurring polypeptide by proteolytic cleavage by at least one protease, or is a portion of the naturally occurring polypeptide synthesized by chemical methods or using recombinant DNA technology (e.g., expressed from a portion of the nucleotide sequence  
30 encoding the naturally occurring polypeptide) known to one of skill in the art. "Fragment" may also refer to a portion of about 5%, about 10%, about 20%, about

30%, about 40%, about 50%, about 60%, about 70%, about 80% about 90 or about 95% of a particular nucleotide or amino acid sequence.

The term “gene” or “genes” as used herein refers to nucleic acid sequences (including both RNA or DNA) that encode genetic information for the synthesis  
5 of a whole RNA, a whole protein, or any portion of such whole RNA or whole protein. Genes that are not naturally part of a particular organism’s genome are referred to as “foreign genes,” “heterologous genes” or “exogenous genes” and genes that are naturally a part of a particular organism’s genome are referred to as “endogenous genes”. The term “gene product” refers to RNAs or proteins that are  
10 encoded by the gene. “Foreign gene products” are RNA or proteins encoded by “foreign genes” and “endogenous gene products” are RNA or proteins encoded by endogenous genes. “Heterologous gene products” are RNAs or proteins encoded by “foreign, heterologous or exogenous genes” and are, therefore, not naturally expressed in the cell.

15 The term “expressed” or “expression” as used herein refers to the transcription from a gene to give an RNA nucleic acid molecule at least complementary in part to a region of one of the two nucleic acid strands of the gene. The term “expressed” or “expression” as used herein also refers to the translation from said RNA nucleic acid molecule to give a protein, a polypeptide  
20 or a portion thereof.

As used herein, the term “locus” or “loci” refers to the site of a gene on a chromosome. Pairs of genes control hereditary traits, each in the same position on a pair of chromosomes. These gene pairs, or alleles, may both be dominant or both be recessive in expression of that trait. In either case, the individual is said to  
25 be homozygous for the trait controlled by that gene pair. If the gene pair (alleles) consists of one dominant and one recessive trait, the individual is heterozygous for the trait controlled by the gene pair. Natural variation in genes or nucleic acid molecules caused by, for example, recombination events or resulting from mutation, gives rise to allelic variants with similar, but not identical, nucleotide  
30 sequences. Such allelic variants typically encode proteins with similar activity to that of the protein encoded by the gene to which they are compared, because

natural selection typically selects against variations that alter function. Allelic variants can also comprise alterations in the untranslated regions of the gene as, for example, in the 3' or 5' untranslated regions or can involve alternate splicing of a nascent transcript, resulting in alternative exons being positioned adjacently.

5       The terms “operably linked” or “operatively linked” refer to the configuration of the coding and control sequences so as to perform the desired function. Thus, control sequences operably linked to a coding sequence are capable of effecting the expression of the coding sequence and regulating in which tissues, at what developmental time points, or in response to which signals,  
10       etc., a gene is expressed. A coding sequence is operably linked to or under the control of transcriptional regulatory regions in a cell when DNA polymerase will bind the promoter sequence and transcribe the coding sequence into mRNA that can be translated into the encoded protein. The control sequences need not be contiguous with the coding sequence, so long as they function to direct the  
15       expression thereof. Thus, for example, intervening untranslated yet transcribed sequences can be present between a promoter sequence and the coding sequence and the promoter sequence can still be considered “operably linked” to the coding sequence. Such intervening sequences include but are not limited to enhancer sequences which are not transcribed or are not bound by polymerase.

20       The terms “gene expression control regions” or “gene expression controlling regions” as used herein refer to nucleotide sequences that are associated with a nucleic acid sequence and which regulate, in whole or in part, the expression of the nucleic acid sequence, for example, regulate in whole or in part the transcription of a nucleotide sequence. Exemplary transcription  
25       regulatory sequences include enhancer elements, hormone response elements, steroid response elements, negative regulatory elements, and the like. The “transcription regulatory sequences” may be isolated and incorporated into a nucleic acid vector to enable regulated transcription in appropriate cells of portions of the vector DNA. The “transcription regulatory sequence” may  
30       precede, but is not limited to, the region of a nucleic acid sequence that is in the region 5' of the end of a protein coding sequence that may be transcribed into



mRNA. Transcriptional regulatory sequences may also be located within a protein coding region, in regions of a gene that are identified as “intron” regions, or may be in regions of nucleic acid sequence that are in the region of nucleic acid.

5           The term “promoter” as used herein refers to the DNA sequence that determines the site of transcription initiation by an RNA polymerase. A “promoter-proximal element” may be a regulatory sequence within about 200 base pairs of the transcription start site. A “magnum-specific” promoter, as used herein, is a promoter that is primarily or exclusively active in the tubular gland  
10 cells of the avian magnum. Useful promoters also include exogenously inducible promoters. These are promoters that can be “turned on” in response to an exogenously supplied agent or stimulus, which is generally not an endogenous metabolite or cytokine. Examples include an antibiotic-inducible promoter, such as a tetracycline-inducible promoter, a heat-inducible promoter, a light-inducible  
15 promoter, or a laser inducible promoter. (e.g., Halloran et al. (2000) Development 127: 1953-1960; Gerner et al. (2000) Int. J. Hyperthermia 16: 171-81; Rang and Will, 2000, Nucleic Acids Res. 28: 1120-5; Hagihara et al. (1999) Cell Transplant 8: 4314; Huang et al. (1999) Mol. Med. 5: 129-37; Forster et al. (1999) Nucleic Acids Res. 27: 708-10; Liu et al. (1998) Biotechniques 24: 624-8,  
20 630-2; the contents of which have been incorporated herein by reference in their entireties).

          The term “coding region” as used herein refers to a continuous linear arrangement of nucleotides which may be translated into a protein. A full length coding region is translated into a full length protein; that is, a complete protein as  
25 would be translated in its natural state absent any post-translational modifications. A full length coding region may also include any leader protein sequence or any other region of the protein that may be excised naturally from the translated protein.

          The term “complementary” as used herein refers to two nucleic acid  
30 molecules that can form specific interactions with one another. In the specific interactions, an adenine base within one strand of a nucleic acid can form two

hydrogen bonds with thymine within a second nucleic acid strand when the two nucleic acid strands are in opposing polarities. Also in the specific interactions, a guanine base within one strand of a nucleic acid can form three hydrogen bonds with cytosine within a second nucleic acid strand when the two nucleic acid strands are in opposing polarities. Complementary nucleic acids as referred to herein, may further comprise modified bases wherein a modified adenine may form hydrogen bonds with a thymine or modified thymine, and a modified cytosine may form hydrogen bonds with a guanine or a modified guanine.

The term “probe” as used herein, when referring to a nucleic acid, refers to a nucleotide sequence that can be used to hybridize with and thereby identify the presence of a complementary sequence, or a complementary sequence differing from the probe sequence but not to a degree that prevents hybridization under the hybridization stringency conditions used. The probe may be modified with labels such as, but not only, radioactive groups, biotin, and the like that are well known in the art.

The term “capable of hybridizing under stringent conditions” as used herein refers to annealing a first nucleic acid to a second nucleic acid under stringent conditions as defined below. Stringent hybridization conditions typically permit the hybridization of nucleic acid molecules having at least 70% nucleic acid sequence identity with the nucleic acid molecule being used as a probe in the hybridization reaction. For example, the first nucleic acid may be a test sample or probe, and the second nucleic acid may be the sense or antisense strand of an ovomucoid gene expression control region or a fragment thereof. Hybridization of the first and second nucleic acids may be conducted under stringent conditions, e.g., high temperature and/or low salt content that tend to disfavor hybridization of dissimilar nucleotide sequences. Alternatively, hybridization of the first and second nucleic acid may be conducted under reduced stringency conditions, e.g. low temperature and/or high salt content that tend to favor hybridization of dissimilar nucleotide sequences. Low stringency hybridization conditions may be followed by high stringency conditions or intermediate medium stringency conditions to increase the selectivity of the

binding of the first and second nucleic acids. The hybridization conditions may further include reagents such as, but not limited to, dimethyl sulfoxide (DMSO) or formamide to disfavor still further the hybridization of dissimilar nucleotide sequences. A suitable hybridization protocol may, for example, involve  
5 hybridization in 6X SSC (wherein 1X SSC comprises 0.015 M sodium citrate and 0.15 M sodium chloride), at 65° C in an aqueous solution, followed by washing with 1X SSC at 65° C. Formulae to calculate appropriate hybridization and wash conditions to achieve hybridization permitting 30% or less mismatch between two nucleic acid molecules are disclosed, for example, in Meinkoth et al. (1984) Anal.  
10 Biochem. 138: 267-284; the content of which is herein incorporated by reference in its entirety. Protocols for hybridization techniques are well known to those of skill in the art and standard molecular biology manuals may be consulted to select a suitable hybridization protocol without undue experimentation. See, for example, Sambrook et al. (2001) Molecular Cloning: A Laboratory Manual, 3rd  
15 ed., Cold Spring Harbor Press, the contents of which are herein incorporated by reference in their entirety.

1 to 1.0 M Na ion concentration (or other salts) from about pH 7.0 to about pH 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides) and at least about 60° C for long probes (e.g., greater than 50  
20 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. Exemplary low stringency conditions include hybridization with a buffer solution of 30 to 35% formamide, 1 M NaCl, 1% SDS (sodium dodecyl sulphate) at 37° Celsius, and a wash in 1x to 2x SSC at 50 to 55° Celsius. Exemplary moderate stringency conditions include  
25 hybridization in 40 to 45% formamide, 1 M NaCl, 1% SDS at 37° Celsius, and a wash in 0.5x to 1x SSC at 55 to 60° Celsius. Exemplary high stringency conditions include hybridization in 50% formamide, 1 M NaCl, 1% SDS at 37° Celsius, and a wash in 0.1x SSC at 60 to 65° Celsius.

The terms “unique nucleic acid region” and “unique protein (polypeptide)  
30 region” as used herein refer to sequences present in a nucleic acid or protein (polypeptide) respectively that is not present in any other nucleic acid or protein

sequence. The terms “conserved nucleic acid region” as referred to herein is a nucleotide sequence present in two or more nucleic acid sequences, to which a particular nucleic acid sequence can hybridize under low, medium or high stringency conditions. The greater the degree of conservation between the  
5 conserved regions of two or more nucleic acid sequences, the higher the hybridization stringency that will allow hybridization between the conserved region and a particular nucleic acid sequence.

The terms “percent sequence identity” or “percent sequence similarity” as used herein refer to the degree of sequence identity between two nucleic acid  
10 sequences or two amino acid sequences as determined using the algorithm of Karlin & Attschul (1990) *Proc. Natl. Acad. Sci.* 87: 2264-2268, modified as in Karlin & Attschul (1993) *Proc. Natl. Acad. Sci.* 90: 5873-5877. Such an algorithm is incorporated into the NBLAST and XBLAST programs of Attschul et al. (1990) *T. Mol. Biol.* Q15: 403-410. BLAST nucleotide searches are  
15 performed with the NBLAST program, score = 100, wordlength = 12, to obtain nucleotide sequences homologous to a nucleic acid molecule of the invention. BLAST protein searches are performed with the XBLAST program, score = 50, wordlength = 3, to obtain amino acid sequences homologous to a reference polypeptide. To obtain gapped alignments for comparison purposes, Gapped  
20 BLAST is utilized as described in Attschul et al. (1997) *Nucl. Acids Res.* 25: 3389-3402. When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (e.g. XBLAST and NBLAST) are used. Other algorithms, programs and default settings may also be suitable such as, but not only, the GCG-Sequence Analysis Package of the U.K. Human Genome  
25 Mapping Project Resource Centre that includes programs for nucleotide or amino acid sequence comparisons.

The term “sense strand” as used herein refers to a single stranded DNA molecule from a genomic DNA that may be transcribed into RNA and translated into the natural polypeptide product of the gene. The term “antisense strand” as  
30 used herein refers to the single strand DNA molecule of a genomic DNA that is complementary with the sense strand of the gene.

The term “antisense DNA” as used herein refers to a gene sequence DNA that has a nucleotide sequence complementary to the “sense strand” of a gene when read in reverse orientation, i.e., DNA read into RNA in a 3’ to 5’ direction rather than in the 5’ to 3’ direction. The term “antisense RNA” is used to mean an RNA nucleotide sequence (for example that encoded by an antisense DNA or synthesized complementary with the antisense DNA). Antisense RNA is capable of hybridizing under stringent conditions with an antisense DNA. The antisense RNA of the invention is useful for regulating expression of a “target gene” either at the transcriptional or translational level. For example, transcription of the subject nucleic acids may produce antisense transcripts that are capable of inhibiting transcription by inhibiting initiation of transcription or by competing for limiting transcription factors; the antisense transcripts may inhibit transport of the “target RNA”, or, the antisense transcripts may inhibit translation of “target RNA”.

The term “nucleic acid vector” or “vector” as used herein refers to a natural or synthetic single or double stranded plasmid or viral nucleic acid molecule, or any other nucleic acid molecule, such as but not limited to YACs, BACs, bacteriophage-derived artificial chromosome (BBPAC), cosmid or P1 derived artificial chromosome (PAC), that can be transfected or transformed into cells and replicate independently of, or within, the host cell genome. A circular double stranded vector can be linearized by treatment with an appropriate restriction enzyme based on the nucleotide sequence of the vector. A nucleic acid can be inserted into a vector by cutting the vector with restriction enzymes and ligating the pieces together. The nucleic acid molecule can be RNA or DNA.

The term “expression vector” as used herein refers to a nucleic acid vector that comprises the ovomucoid gene expression control region operably linked to a nucleotide sequence coding at least one polypeptide. As used herein, the term “regulatory sequences” includes promoters, enhancers, and other elements that may control gene expression. Standard molecular biology textbooks such as Sambrook et al. eds “Molecular Cloning: A Laboratory Manual” 3rd ed., Cold Spring Harbor Press (2001) may be consulted to design suitable expression

vectors that may further include an origin of replication and selectable gene markers. It should be recognized, however, that the choice of a suitable expression vector and the combination of functional elements therein depends upon multiple factors including the choice of the host cell to be transformed  
5 and/or the type of protein to be expressed.

The terms "transformation" and "transfection" as used herein refer to the process of inserting a nucleic acid into a host. Many techniques are well known to those skilled in the art to facilitate transformation or transfection of a nucleic acid into a prokaryotic or eukaryotic organism. These methods involve a variety of  
10 techniques, such as treating the cells with high concentrations of salt such as, but not only, a calcium or magnesium salt, an electric field, detergent, or liposome mediated transfection, to render the host cell competent for the uptake of the nucleic acid molecules, and by such methods as sperm-mediated and restriction-mediated integration.

The term "transfecting agent" as used herein refers to a composition of matter added to the genetic material for enhancing the uptake of heterologous DNA segment(s) into a eukaryotic cell, preferably an avian cell. The enhancement is measured relative to the uptake in the absence of the transfecting agent. Examples of transfecting agents include  
20 adenovirus-transferrin-polylysine-DNA complexes. These complexes generally augment the uptake of DNA into the cell and reduce its breakdown during its passage through the cytoplasm to the nucleus of the cell. These complexes can be targeted to, e.g., the male germ cells using specific ligands that are recognized by receptors on the cell surface of the germ cell, such as the c-kit ligand or  
25 modifications thereof.

Other transfecting agents include but are not limited to lipofectin, lipfectamine, DIMRIE C, Supereffect, and Effectin (Qiagen), unifactin, maxifactin, DOTMA, DOGS (Transfectam; dioctadecylamidoglycylspermine), DOPE (1,2-dioleoyl-sn-glycero-3-phosphoethanolamine), DOTAP  
30 (1,2-dioleoyl-3-trimethylammonium propane), DDAB (dimethyl dioctadecylammonium bromide), DHDEAB (N,N-di-n-hexadecyl-N,N-

dihydroxyethyl ammonium bromide), HDEAB (N-n-hexadecylN,N-dihydroxyethylammonium bromide), polybrene, or poly(ethylenimine) (PEI). These non-viral agents have the advantage that they can facilitate stable integration of xenogeneic DNA sequences into the vertebrate genome, without  
5 size restrictions commonly associated with virus-derived transfecting agents.

A "pharmaceutical composition" is a substance that, in whole or in part, makes up a drug.

The term "recombinant cell" refers to a cell that has a new combination of nucleic acid segments that are not covalently linked to each other in nature in that  
10 particular configuration. A new configuration of nucleic acid segments can be introduced into an organism using a wide array of nucleic acid manipulation techniques available to those skilled in the art. A recombinant cell can be a single eukaryotic cell, such as a mammalian or avian cell (including within a transgenic mammal or avian) or a single prokaryotic cell. The recombinant cell may harbor  
15 a vector that is extragenomic. An extragenomic nucleic acid vector does not insert into the cell's genome. A recombinant cell may further harbor a vector or a portion thereof (e.g., the portion containing the regulatory sequences and the coding sequence) that is intragenomic. The term intragenomic defines a nucleic acid construct incorporated within the recombinant cell's genome.

20 The terms "recombinant nucleic acid" and "recombinant DNA" as used herein refer a combination of at least two nucleic acids that is not naturally found in a eukaryotic or prokaryotic cell in that particular configuration. The nucleic acids may include, but are not limited to, nucleic acid vectors, gene expression regulatory elements, origins of replication, suitable gene sequences that when  
25 expressed confer antibiotic resistance, protein-encoding sequences and the like. The term "recombinant polypeptide" is meant to include a polypeptide produced by recombinant DNA techniques such that it is distinct from a naturally occurring polypeptide either in its location, purity or structure. Generally, such a recombinant polypeptide will be present in a cell in an amount different from that  
30 normally observed in nature.

Pharmaceutical comprising agents that will modulate the regulation of the expression of a polypeptide-encoding nucleic acid operably linked to a ovomucoid gene expression control region can be administered in dosages and by techniques well known to those skilled in the medical or veterinary arts, taking into consideration such factors as the age, sex, weight, species and condition of the recipient animal, and the route of administration. The route of administration can be percutaneous, via mucosal administration (e.g., oral, nasal, anal, vaginal) or via a parenteral route (intradermal, intramuscular, subcutaneous, intravenous, or intraperitoneal). Pharmaceutical compositions can be administered alone, or can be co-administered or sequentially administered with other treatments or therapies. Forms of administration may include suspensions, syrups or elixirs, and preparations for parenteral, subcutaneous, intradermal, intramuscular or intravenous administration (e.g., injectable administration) such as sterile suspensions or emulsions. Pharmaceutical compositions may be administered in admixture with a suitable carrier, diluent, or excipient such as sterile water, physiological saline, glucose, or the like. The compositions can contain auxiliary substances such as wetting or emulsifying agents, pH buffering agents, adjuvants, gelling or viscosity enhancing additives, preservatives, flavoring agents, colors, and the like, depending upon the route of administration and the preparation desired. Standard pharmaceutical texts, such as Remington's Pharmaceutical Science, 17th edition, 1985 may be consulted to prepare suitable preparations, without undue experimentation. Dosages can generally range from a few hundred milligrams to a few grams.

As used herein, a "transgenic animal" is any non-human animal, such as an avian species, including the chicken, in which one or more of the cells of the animal contain a heterologous nucleic acid introduced by way of human intervention, such as by transgenic techniques well known in the art. The nucleic acid is introduced into a cell, directly or indirectly by introduction into a precursor of the cell, by way of deliberate genetic manipulation, such as by microinjection or by infection with a recombinant virus. The term genetic manipulation does not include classical cross-breeding, or in vitro fertilization, but rather is directed to



the introduction of a recombinant DNA molecule. This molecule may be integrated within a chromosome, or it may be extrachromosomally replicating DNA. In the typical transgenic animal, the transgene causes cells to express a recombinant form of the subject polypeptide, e.g. either agonistic or antagonistic forms, or in which the gene has been disrupted. In certain embodiments, the genome of the animal has been modified such that a heterologous gene expression element is inserted so as to be operably linked to an endogenous coding sequence. The terms "chimeric animal" or "mosaic animal" are used herein to refer to animals in which the recombinant gene is found, or in which the recombinant gene is expressed in some but not all cells of the animal. The term "tissue-specific chimeric animal" indicates that the recombinant gene is present and/or expressed in some tissues but not others.

As used herein, the term "transgene" means a nucleic acid sequence (encoding, for example, a human interferon polypeptide) that is partly or entirely heterologous, i.e., foreign, to the transgenic animal or cell into which it is introduced, or, is homologous to an endogenous gene of the transgenic animal or cell into which it is introduced, but which is designed to be inserted, or is inserted, into the animal's genome in such a way as to alter the genome of the cell into which it is inserted (e.g., it is inserted at a location that differs from that of the natural gene or its insertion results in a knockout). A transgene also includes a regulatory sequence designed to be inserted into the genome such that it regulates the expression of an endogenous coding sequence, e.g., to increase expression and or to change the timing and or tissue specificity of expression, etc. (e.g., to effect "gene activation").

The term "cytokine" as used herein refers to any secreted polypeptide that affects the functions of cells and is a molecule that modulates interactions between cells in the immune, inflammatory or hematopoietic responses. A cytokine includes, but is not limited to, monokines and lymphokines regardless of which cells produce them. For instance, a monokine is generally referred to as being produced and secreted by a mononuclear cell, such as a macrophage and/or monocyte. Many other cells however also produce monokines, such as natural

killer cells, fibroblasts, basophils, neutrophils, endothelial cells, brain astrocytes, bone marrow stromal cells, epidermal keratinocytes and B-lymphocytes. Lymphokines are generally referred to as being produced by lymphocyte cells. Examples of cytokines include, but are not limited to, Interleukin-1 (IL-1),  
5 Interleukin-6 (IL-6), Interleukin-8 (IL-8), Tumor Necrosis Factor-alpha (TNF-alpha) and Tumor Necrosis Factor beta (TNF-beta).

The term "antibody" as used herein refers to polyclonal and monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof. The term "antibody" refers to a homogeneous molecular entity, or a mixture such  
10 as a polyclonal serum product made up of a plurality of different molecular entities, and may further comprise any modified or derivatised variant thereof that retains the ability to specifically bind an epitope. A monoclonal antibody is capable of selectively binding to a target antigen or epitope. Antibodies may include, but are not limited to polyclonal antibodies, monoclonal antibodies  
15 (mAbs), humanized or chimeric antibodies, camelized antibodies, single chain antibodies (scFvs), Fab fragments, F(ab')<sub>2</sub> fragments, disulfide-linked Fvs (sdFv) fragments, e.g., as produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies, intrabodies, synthetic antibodies, and epitope-binding fragments of any of the above.

20 The term "immunoglobulin polypeptide" as used herein refers to a polypeptide derived from a constituent polypeptide of an immunoglobulin. An "immunoglobulin polypeptide" may be, but is not limited to, an immunoglobulin (preferably an antibody) heavy or light chain and may include a variable region, a diversity region, joining region and a constant region or any combination, variant  
25 or truncated form thereof. The term "immunoglobulin polypeptides" further includes single-chain antibodies comprised of, but not limited to, an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region and optionally a peptide linker.

The techniques used to isolate and characterize the nucleic acids and  
30 proteins of the present invention are well known to those of skill in the art and standard molecular biology and biochemical manuals may be consulted to select

suitable protocols without undue experimentation. See, for example, Sambrook et al. (2001) *Molecular Cloning: A Laboratory Manual*, 3rd ed., Cold Spring Harbor Press, the content of which is herein incorporated by reference in its entirety.

This description uses gene nomenclature accepted by the Cucurbit Genetics Cooperative as it appears in the Cucurbit Genetics Cooperative Report 18:85 (1995), herein incorporated by reference in its entirety. Using this gene nomenclature, genes are symbolized by italicized Roman letters. If a mutant gene is recessive to the normal type, then the symbol and name of the mutant gene appear in italicized lower case letters.

### **Abbreviations**

Abbreviations used in the present specification include the following: aa, amino acid(s); bp, base pair(s); cDNA, DNA complementary to RNA; min, minute(s); nt, nucleotide(s); SSC, sodium chloride-sodium citrate; UTR, untranslated region; DMSO, dimethyl sulfoxide.

Additional objects and aspects of the present invention will become more apparent upon review of the detailed description set forth below when taken in conjunction with the accompanying figures, which are briefly described as follows.

### **Brief Description of the Figures**

FIG. 1 illustrates an agarose gel analysis of PCR products from PCR amplification of chicken genomic DNA using the primers OVINs2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2).

FIG. 2 illustrates the approximately 10 kb nucleic acid region that is 5' upstream of the chicken ovomucoid transcription start site, and the positions and orientations of primers used to sequence this region.

FIG. 3 shows the PCR primers SEQ ID NOS: 1 - 25 used to PCR amplify and/or sequence the approximately 10 kb nucleic acid region that is 5' upstream of the chicken ovomucoid transcription start site.

FIG. 4 shows the nucleic acid sequence SEQ ID NO: 26 of the approximately 10 kb nucleic acid region that is 5' upstream of the chicken ovomucoid transcription start site.

FIG. 5 illustrates the 10 kb ovomucoid promoter linked to the luciferase or human IFN $\alpha$ -2b coding sequences.

FIG. 6A shows the results of transfections of plasmids containing the ovomucoid promoter or CMV promoter linked to a luciferase gene into HD11 cells, a chicken myeloid cell line. FIG. 6B shows the results of transfections of plasmids containing the ovomucoid promoter or CMV promoter linked to a luciferase gene into primary quail tubular gland cells isolated from the magnum portion of the oviduct of a laying quail hen. FIG. 6C shows the results of transfection into primary quail tubular gland cells isolated from the magnum of a laying quail hen for the 10 kb ovomucoid promoters and the ovomucoid BAC-IRES construct each comprising an operably linked luciferase coding sequence.

FIG. 7 shows the results of transfections of plasmids containing the ovomucoid promoter or CMV promoter linked to an interferon gene into primary quail tubular gland cells isolated from the magnum portion of the oviduct of a laying quail hen.

FIG. 8 shows an ovomucoid gene and bacterial artificial chromosome. FIG. 8 A. The ovoinhibitor (OI) and adjacent ovomucoid (OM) regions are shown with transcriptional start sites indicated with bent arrows. The left and right sides of the BAC, relative to an EcoR1 site found in the 3' UTR, are shown with their approximate sizes in kilobase pairs (kb). FIG. 8 B. The coding region of ovomucoid is shown with exons as white boxes and introns as black boxes. C. The IRES and polynucleotide coding sequence for the light chain and heavy chain of the IgG1 inserted at the EcoR1 site.

FIG. 9 shows an SDS-PAGE analysis of partially purified hMab derived from a single transgenic hen. (M) Multi-mark standard, lane 1) 1 mg purified hMab (produced by mammalian cells), lane 2) 5 mg pre-column (transgenic avian egg white), lane 3) 5 mg column flow thru from transgenic avian egg white, lane 4) partially purified hMab from transgenic avian egg white.

FIG. 10 shows plots of the binding ability of an IgG1 monoclonal antibody produced by a transgenic chicken and the binding ability of the same IgG1 monoclonal antibody produced by mammalian cells.

FIG. 11 shows the ability of avian derived hMab to bind target antigen expressed on a cell surface relative to the ability of the mammalian cell derived hMab.

FIG. 12 shows the stability of hMab expression in transgenic hen. Eggs from transgenic hens #4992 and #1251 were collected over several weeks. The amount of hMab in egg white material was quantitated over time via sandwich ELISA for the specific human IgG1 (H+L).

FIG. 13 shows ADCC (antibody dependent cellular cytotoxicity) and CDCC (complement-dependent cellular cytotoxicity) for an IgG1 produced in transgenic avians.

## **Detailed Description of the Invention**

The present invention relates to avian gene expression controlling regions and to methods of their use. In one embodiment, the invention relates to avian (e.g., chicken) ovomucoid promoters and to methods of using such promoters in the production of useful polypeptide compositions.

A series of PCR amplifications of template chicken genomic DNA were used to isolate the gene expression control region of the chicken ovomucoid locus. The region of the chicken genome lying between the 3' end of the ovoinhibitor gene and the 5' transcription start site of the ovomucoid gene was PCR amplified using the primers OVINs 2, 5'-TAGGCAGAGCAATAGGACTCTCAACCTCGT-3' (SEQ ID NO: 1) and OVMUa2, 5'-AAGCTTCTGCAGCACTCTGGGAGTTACTCA-3' (SEQ ID NO: 2) as described in detail in Example 1 below and FIG. 1. The approximately 10 kb fragment was blunt-ended and cleaved with the restriction endonuclease Bam HI. The resulting fragments of about 4.7 kb and 5.5 kb were subcloned into the linearized plasmid vector pBluescript KS II (+/-) (Stratagene, La Jolla, CA). Each insert was sequenced using the primers SEQ ID NOS: 5 - 25 shown in Figs. 2 and

3 and as described in Example 3 below. The compiled nucleic acid sequence (SEQ ID NO: 26) of the approximately 10 kb nucleic acid region that is 5' upstream of the chicken ovomucoid transcription start site is shown in FIG. 4.

5 SEQ ID NO: 26 includes the ovoinhibitor gene 3' untranslated region described by Scott et al. (1987) J. Biol. Chem. 262: 5899 -5909, from bases positions 1-255 as shown in FIG. 4. A CR1-like element (Scott et al., Biochemistry (1987) 26: 6831-6840; Genbank Accession No: M17966) is located at base positions 2761-3024 as shown in FIG. 4. The region of SEQ ID NO: 26 from base positions 9403-9920, as shown in FIG. 4, has been described in  
10 Genbank Accession No: J00897 and in Lai et al., Cell (1979) 18: 829-842 and includes a portion of the 5' untranslated region of the ovomucoid gene.

An avian ovomucoid gene region has been identified in a chicken artificial chromosome library. The library was constructed with HindIII chicken DNA inserts ligated into a BAC vector (see, Crooijmans et al. (2000) Mammalian  
15 Genome 11: 360-363, the disclosure of which is incorporated in its entirety by reference). However, the present invention contemplates the employment of any useful artificial chromosome library including, but not limited to, libraries constructed from YACs, HACs, MACs, BBPACs or PACs.

The library was screened by PCR identifying a BAC clone which included  
20 a single chicken DNA segment which extends into both the 5' untranslated region of the ovomucoid gene and the 3' ovoinhibitor gene. The nucleotide sequence of the clone, designated OMC24, is shown in SEQ ID NO: 36. The nucleotide region spanning from about nucleotide 68,296 to about nucleotide 75,815 of SEQ ID NO: 36 represents the BAC vector. The ovomucoid region spans from about  
25 nucleotide 1 to about nucleotide 68,295 of SEQ ID NO: 36. The nucleotide sequence for a functional ovomucoid gene expression controlling region disclosed in SEQ ID NO: 26 represents a fragment or a functional portion of the ovomucoid nucleotide sequence region disclosed in SEQ ID NO: 36.

The nucleotide sequence of the gene expression controlling region  
30 disclosed in SEQ ID NO: 26 is essentially encompassed in SEQ ID NO: 36 from about nucleotide 26,416 to about nucleotide 36,390. Nucleotide sequence

alignment between SEQ ID NO: 26 and nucleotides 26,416 to 36,390 of SEQ ID NO: 36 show a 99.0% sequence homology. The chicken genomic DNAs which yielded SEQ ID NO: 26 and SEQ ID NO: 36 were isolated from different strains of white leghorn chickens (SEQ ID NO: 26 – American Strain, SEQ ID NO: 36: Dutch Strain) thus showing the sequence diversity of the ovomucoid gene expression controlling region of the present invention. Other useful fragments or functional portions of SEQ ID NO: 36 can be easily obtained by standard techniques well known in the art. For example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 1 to about nucleotide 20,000. In another example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 1 to about nucleotide 30,000. In another example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 1 to about nucleotide 40,000. In another example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 10,000 to about nucleotide 50,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 1 to about nucleotide 60,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 20,000 to about nucleotide 30,000. In another example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 30,000 to about nucleotide 45,000. In another example, a functional portion of SEQ ID NO: 36 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 20,000 to about nucleotide 50,000. In another example, a functional portion of SEQ ID NO: 26 may be the portion of SEQ ID NO: 36 spanning from about nucleotide 25,000 to about nucleotide 60,000. The invention contemplates any useful fragment or portion of nucleotide sequences disclosed herein and its use.

Fragments or portions of certain DNA sequences which function to control gene expression can be identified by techniques that are well known to practitioners of ordinary skill in the art. For example, promoter analysis by saturation

mutagenesis has been describe in Biol. Proced. Online (2001) Vol 1, No. 3, pp 64-69, the disclosure of which is incorporated by reference herein in its entirety. Using well known techniques a molecular biologist of ordinary skill can specify fragments or functional portions of the cloned chicken ovomucoid gene expression controlling region (e.g., promoter) disclosed herein effective to control gene expression, for example, control transcription in a cell.

In one embodiment, the gene expression controlling region comprises a nucleotide or portion of a nucleotide sequence that is at least 50% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or to the complement of the avian nucleic acid contained in SEQ ID NO: 36. For example, the gene expression controlling region may comprise a nucleotide sequence or portion of a nucleotide sequence that is at least 60% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 70% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 75% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 80% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 85% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 90% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 95% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement. In another example, the gene



expression controlling region comprises a nucleotide sequence or portion of a nucleotide sequence that is at least 99% homologous to the avian nucleic acid contained in SEQ ID NO: 36 or its complement.

5 Nucleotide sequences encoding the heavy chain and light chain of an IgG1 monoclonal antibody were inserted into the 3' UTR of the ovomucoid transcript encoding region in two separate ovomucoid BAC clones of SEQ ID NO: 36. The heavy chain and light chain coding sequences each included a signal sequence located at their 5' ends; however, use of a signal sequence may not be required in the present invention. The resulting mRNA transcript produced by the ovomucoid  
10 gene expression controlling region for each clone contains two coding sequences; one for the ovomucoid protein and another for the antibody light chain or heavy chain downstream of the ovomucoid coding sequence. To facilitate translation of the downstream heavy chain or light chain coding sequence, an internal ribosome entry site (IRES) was inserted immediately upstream of the heavy chain or light  
15 chain coding sequence in each clone.

In another example, a CTLA4-Fc fusion coding sequence comprising a nucleotide coding sequence for the extracellular domains of the CTLA4 (cytotoxic T lymphocyte antigen 4) receptor protein linked to a nucleotide coding sequence for an immunoglobulin constant region (IgG1 Fc) was cloned into an ovomucoid  
20 BAC clone of SEQ ID NO: 36. In addition, an attB site was included in the construct. To produce this clone, the IRES-LC portion of the ovomucoid-IRES-antibody light chain clone was deleted and was replaced with an IRES-CTLA4-Fc cassette.

Disclosed above are examples of expression constructs that can be  
25 produced in accordance with the present invention. However, these are merely examples and it is contemplated that any nucleic acid sequence encoding a useful polypeptide can be operably linked to an avian ovomucoid gene expression controlling region of the present invention so as to be expressed in an avian cell, for example, in cells of a transgenic avian such as a chicken, turkey, duck, goose,  
30 quail, pheasant, parrot, finch, ratites including ostrich, emu or cassowary.

The present invention can be used to express, in large yields and at low cost, a wide range of desired proteins including those used as human and animal pharmaceuticals, diagnostics, and livestock feed additives. Proteins such as growth hormones, cytokines, structural proteins and enzymes, including human growth hormone, interferon, lysozyme, and  $\beta$ -casein, are examples of proteins that are desirably expressed in the oviduct and deposited in eggs according to the invention. Other possible proteins to be produced include, but are not limited to, albumin,  $\alpha$ -1 antitrypsin, antithrombin III, collagen, factors VIII, IX, X (and the like), fibrinogen, hyaluronic acid, insulin, lactoferrin, protein C, erythropoietin (EPO), granulocyte colony-stimulating factor (G-CSF), granulocyte macrophage colony-stimulating factor (GM-CSF), tissue-type plasminogen activator (tPA), feed additive enzymes, somatotropin, and chymotrypsin. Immunoglobulins and genetically engineered antibodies, including immunotoxins that bind to surface antigens on human tumor cells and destroy them, can also be expressed for use as pharmaceuticals or diagnostics. It is contemplated that immunoglobulin polypeptides expressed in avian cells following transfection by the methods of the present invention may include monomeric heavy and light chains, single-chain antibodies or multimeric immunoglobulins comprising variable heavy and light chain regions, i.e., antigen-binding domains, or intact heavy and light immunoglobulin chains.

The chicken ovomucoid gene expression control region of the present invention may include the nucleotide elements that are positioned 5' upstream of the transcription start site of the native chicken ovomucoid locus and which are necessary for the regulated expression of a downstream polypeptide-encoding nucleic acid. It is contemplated that this region may include transcription control regions which are regulated by certain hormones including, for example, steroid hormones and the like.

One aspect of the present invention, therefore, provides a novel isolated nucleic acid that comprises the nucleotide sequence SEQ ID NO: 26, shown in FIG. 4, (Genbank Accession No: AF 453747) and derivatives and variants thereof,

that is located immediately 5' upstream of the transcription start site of the chicken ovomucoid gene locus.

In one embodiment of the present invention, the isolated nucleic acid may be isolated from an avian selected from the group consisting of a chicken, a turkey, a duck, a goose, a quail, a pheasant, a ratite, an ornamental bird or a feral bird.

In another embodiment of the present invention, the isolated nucleic acid is obtained from a chicken. In this embodiment, the isolated nucleic acid has the sequence of SEQ ID NO: 26, as shown in FIG. 4, or a variant thereof. SEQ ID NO: 26 was cloned into pBluescript KS II (+/-) vector, as described in Example 2, and named pBS-OVMUP-10. pBS-OVMUP-10 was deposited with American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110, as ATCC No. PTA-4821 on November 26, 2002 under the conditions set forth in the Budapest Treaty.

Another aspect of the invention provides nucleic acids that can hybridize under high, medium or low stringency conditions to an isolated nucleic acid comprising a chicken ovomucoid gene expression control region having all, a derivative of, or a portion of the nucleic acid sequence SEQ ID NO: 26 shown in FIG. 4 and direct expression of a polypeptide coding sequence in an avian oviduct cell. The nucleotide sequence determined from the isolation of the ovomucoid gene expression control region from a chicken (SEQ ID NO: 26) will allow for the generation of probes designed for use in identifying ovomucoid gene expression control regions, or homologs thereof in other avian species.

Fragments of a nucleic acid comprising a portion of the subject ovomucoid gene expression control region are also within the scope of the invention. As used herein, a fragment of the nucleic acid comprising an active portion of a ovomucoid gene expression control region refers to a nucleotide sequence having fewer nucleotides than the nucleotide sequence comprising the entire nucleic acid sequence of the ovomucoid gene expression control region.

A fragment of the ovomucoid gene expression control region may contain one or more of the following elements: the ovoinhibitor gene 3' untranslated

region from bases positions 1-255 as shown in FIG. 4, a CR1-like element located at base positions 2761-3024 as shown in FIG. 4, the region from base positions 9403-9920, as shown in FIG. 4 which includes a portion of the 5' untranslated region of the ovomucoid gene. Alternatively, the fragment may be about 10, 20, 50, 75, 100, 150, 200, 250, 300, 500, 1000, 2000, 4000, 5000, 6000, 7000, 8000 or 9000 nucleotides in length and be capable of directing expression of an operably linked heterologous gene sequence, particularly in an avian cell, for example, an avian oviduct cell.

In one embodiment of the present invention, the nucleotide sequence of the isolated DNA molecule of the present invention may be used as a probe in nucleic acid hybridization assays for the detection of the ovomucoid gene expression control region. The nucleotide sequence of the present invention may be used in any nucleic acid hybridization assay system known in the art, including, but not limited to, Southern blots (Southern, E.M. J. Mol. Biol. 98: 508 (1975)), Northern blots (Thomas et al. (1980) Proc. Natl. Acad. Sci. 77: 5201-05), and Colony blots (Grunstein et al. (1975) Proc. Natl. Acad. Sci. 72: 3961-65), which are hereby incorporated by reference in their entireties. Alternatively, the isolated DNA molecules of the present invention can be used in a gene amplification detection procedure such as a polymerase chain reaction (Erlich et al. (1991) Science 252: 1643-51, which is hereby incorporated by reference in its entirety) or in restriction fragment length polymorphism (RFLP) diagnostic techniques, as described in Watson et al., (2d ed. 1992), Recombinant DNA, Scientific American Books, 519-522, 545-547, which is hereby incorporated by reference.

Nucleic acids constructed in accordance with the present invention can be labeled to provide a signal as a means of detection. For example, radioactive elements such as  $^{32}\text{P}$ ,  $^3\text{H}$ , and  $^{35}\text{S}$  or the like provide sufficient half-life to be useful as radioactive labels. Other materials useful for labeling synthetic nucleotides include fluorescent compounds, enzymes and chemiluminescent moieties. Methods useful in selecting appropriate labels and binding protocols for binding the labels to the synthetic nucleotides are well known to those of skill in the art. Standard immunology manuals such as Promega: Protocol and

Applications Guide, 2nd Edition, 1991 (Promega Corp., Madison, WI, the disclosure of which is incorporated herein in its entirety) may be consulted to select an appropriate labeling protocol without undue experimentation.

In another embodiment of the present invention, an isolated nucleic acid molecule of the present invention includes a nucleic acid that is at least about 75%, preferably at least about 80%, more preferably at least about 85%, even more preferably at least about 90%, still more preferably at least about 95%, and even more preferably at least about 99%, identical to a chicken-derived ovomucoid gene expression control region -comprising nucleic acid molecule as depicted in SEQ ID NO: 26 and directs expression of a polypeptide encoding sequence in an avian oviduct cell, when operably linked to the polypeptide encoding sequence.

In another embodiment of the present invention, an isolated nucleic acid molecule of the present invention includes a nucleic acid that hybridizes to SEQ ID NO: 26 or the complement thereof, or the insert in pBS-OVMUP-10, under high, moderate or low stringency hybridization conditions.

In another embodiment of the present invention, an avian ovomucoid gene expression control region gene or nucleic acid molecule can be an allelic variant of SEQ ID NO: 26 or a homolog from a different avian, e.g., quail, duck, etc.

The present invention also contemplates the use of antisense nucleic acid molecules that are designed to be complementary to a coding strand of a nucleic acid (i.e., complementary to an mRNA sequence) or, alternatively, complimentary to a 5' or 3' untranslated region of the mRNA. Another use of synthetic nucleotides is as primers (DNA or RNA) for a polymerase chain reaction (PCR), ligase chain reaction (LCR), or the like.

Synthesized oligonucleotides can be produced in variable lengths. The number of bases synthesized will depend upon a variety of factors, including the desired use for the probes or primers. Additionally, sense or anti-sense nucleic acids or oligonucleotides can be chemically synthesized using modified nucleotides to increase the biological stability of the molecule or of the binding complex formed between the anti-sense and sense nucleic acids. For example,

acridine substituted nucleotides can be synthesized. Protocols for designing isolated nucleotides, nucleotide probes, and/or nucleotide primers are well-known to those of ordinary skill, and can be purchased commercially from a variety of sources (e.g., Sigma Genosys, The Woodlands, TX or The Great American Gene  
5 Co., Ramona, CA).

The nucleic acid sequence of a chicken ovomucoid gene expression control region nucleic acid molecule (SEQ ID NO: 26) of the present invention allows one skilled in the art to, for example, (a) make copies of those nucleic acid molecules by procedures such as, but not limited to, insertion into a cell for  
10 replication by the cell, by chemical synthesis or by procedures such as PCR or LCR, (b) obtain nucleic acid molecules which include at least a portion of such nucleic acid molecules, including full-length genes, full-length coding regions, regulatory control sequences, truncated coding regions and the like, (c) obtain ovomucoid gene expression control region nucleic acid homologs in other avian  
15 species such as, but not limited to, turkey, duck, goose, quail, pheasant, parrot, finch, ratites including ostrich, emu and cassowary and, (d) to obtain isolated nucleic acids capable of hybridizing to an avian ovomucoid gene expression control region nucleic acid and be used to detect the presence of nucleic acid-related sequences by complementation between the probe and the target  
20 nucleic acid.

Such nucleic acid homologs can be obtained in a variety of ways including by screening appropriate expression libraries with antibodies of the present invention, using traditional cloning techniques to screen appropriate libraries, amplifying appropriate libraries or DNA using oligonucleotide primers of the  
25 present invention in a polymerase chain reaction or other amplification method, and screening public and/or private databases containing genetic sequences using nucleic acid molecules of the present invention to identify targets. Examples of libraries to screen, or from which to amplify nucleic acid molecules, include but are not limited to mammalian BAC libraries, genomic DNA libraries, and cDNA  
30 libraries. Similarly, sequence databases useful for screening to identify sequences in other species homologous to chicken ovomucoid gene expression control

region include, but are not limited to, GenBank and the mammalian Gene Index database of The Institute of Genomics Research (TIGR).

Another aspect of the present invention is a recombinant DNA molecule comprising the novel isolated avian ovomucoid gene expression control region of  
5 the present invention operably linked to a selected polypeptide-encoding nucleic acid insert, and which may express the nucleic acid insert when transfected to a suitable host cell, preferably an avian cell. The nucleic acid insert may be placed in frame with a signal peptide sequence, whereby translation initiation from the transcript may start with the signal peptide and continue through the nucleic acid  
10 insert, thereby producing an expressed polypeptide having the desired amino acid sequence.

It is anticipated that the recombinant DNA may further comprise a polyadenylation signal sequence that will allow the transcript directed by the novel ovomucoid gene expression control region to proceed beyond the nucleic  
15 acid insert encoding a polypeptide and allow the transcript to further comprise a 3' untranslated region and a polyadenylated tail. Any functional polyadenylation signal sequence may be linked to the 3' end of the nucleic acid insert including the SV40 polyadenylation signal sequence, bovine growth hormone adenylation sequence or the like, or derivatives thereof. One embodiment of the present  
20 invention is a recombinant DNA molecule comprising the isolated avian ovomucoid gene expression controlling region of the present invention, operably linked to a nucleic acid insert encoding a polypeptide which may include a polyadenylation signal sequence. In certain embodiments, the recombinant DNA molecule which includes include a polyadenylation signal sequence is an artificial  
25 chromosome.

Another aspect of the present invention is to provide nucleic acid sequences of a protein optimized for expression in avian cells, and derivatives and fragments thereof. For example, it is contemplated that when the recombinant DNA is to be delivered to a recipient cell for expression therein, the sequence of  
30 the nucleic acid sequence may be modified so that the codons are optimized for the codon usage of the recipient species. When a heterologous nucleic acid is to

be delivered to a recipient cell for expression therein, the sequence of the nucleic acid sequence may be modified so that the codons are optimized for the codon usage of the recipient species. For example, if the heterologous nucleic acid is transfected into a recipient chicken cell, the sequence of the expressed nucleic acid insert is optimized for chicken codon usage. This may be determined from the codon usage of at least one, and preferably more than one, protein expressed in a chicken cell. For example, the codon usage may be determined from the nucleic acid sequences encoding the proteins ovalbumin, lysozyme, ovomucin and ovotransferrin of chicken. Briefly, the DNA sequence for the target protein may be optimized using the BACKTRANSLATE® program of the Wisconsin Package, version 9.1 (Genetics Computer Group, Inc., Madison, WI) with a codon usage table compiled from the chicken (*Gallus gallus*) ovalbumin, lysozyme, ovomucoid, and ovotransferrin proteins. The template and primer oligonucleotides are then amplified, by any means known in the art, including but not limited to PCR with Pfu polymerase (STRATAGENE®, La Jolla CA).

In one exemplary embodiment of a heterologous nucleic acid for use by the methods of the present invention, a nucleic acid insert encoding the human interferon  $\alpha 2b$  polypeptide optimized for codon-usage by the chicken is used. Optimization of the sequence for codon usage is useful in elevating the level of translation in avian eggs.

It is contemplated to be within the scope of the present invention for any nucleic acid encoding a polypeptide to be optimized for expression in avian cells. It is further contemplated that the codon usage may be optimized for a particular avian species used as a source of the host cells. In one embodiment of the present invention, the heterologous polypeptide is encoded using the codon-usage of a chicken.

In yet another embodiment of the present invention, the recombinant DNA comprises the isolated avian ovomucoid gene expression control region operably linked to a nucleic acid encoding a human interferon  $\alpha 2b$  and the SV40 polyadenylation sequence.



The protein of the present invention may be purified by any known conventional technique. In a one embodiment, the protein is purified from chicken eggs, preferably egg whites. For example, chicken cells may be homogenized and centrifuged. The supernatant is then subjected to sequential ammonium sulfate precipitation and heat treatment. The fraction containing the protein of the present invention is subjected to gel filtration in an appropriately sized dextran or polyacrylamide column to separate the proteins. If necessary, the protein fraction may be further purified by HPLC.

The invention provides methods for producing multimeric proteins, preferably immunoglobulins, such as antibodies, and antigen binding fragments thereof.

In one embodiment of the present invention, the multimeric protein is an immunoglobulin, wherein the first and second heterologous polypeptides are an immunoglobulin heavy and light chains respectively. Illustrative examples of this and other aspects and embodiments of the present invention for the production of heterologous multimeric polypeptides in avian cells are fully disclosed in US Patent Application No. 09/877,374, filed June 8, 2001, published as US-2002-0108132-A1 on August 8, 2002, and US Patent Application No. 10/251,364, filed September 18, 2002, each of which are incorporated herein by reference in their entirety. In one embodiment of the present invention, therefore, the multimeric protein is an immunoglobulin wherein the first and second heterologous polypeptides are an immunoglobulin heavy and light chain respectively. Accordingly, the invention provides immunoglobulin and other multimeric proteins that have been produced by transgenic avians of the invention.

In the various embodiments of this aspect of the present invention, an immunoglobulin polypeptide encoded by the transcriptional unit of at least one expression vector may be an immunoglobulin heavy chain polypeptide comprising a variable region or a variant thereof, and may further comprise a D region, a J region, a C region, or a combination thereof. An immunoglobulin polypeptide encoded by the transcriptional unit of an expression vector may also be an immunoglobulin light chain polypeptide comprising a variable region or a

variant thereof, and may further comprise a J region and a C region. It is also contemplated to be within the scope of the present invention for the immunoglobulin regions to be derived from the same animal species, or a mixture of species including, but not only, human, mouse, rat, rabbit and chicken. In  
5 certain embodiments, the antibodies are human or humanized.

In other embodiments of the present invention, the immunoglobulin polypeptide encoded by the transcriptional unit of at least one expression vector comprises an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region, and a linker peptide thereby forming a single-chain  
10 antibody capable of selectively binding an antigen.

Another aspect of the present invention provides a method for the production in an avian of an heterologous protein capable of forming an antibody suitable for selectively binding an antigen comprising the step of producing a transgenic avian incorporating at least one transgene, wherein the transgene  
15 encodes at least one heterologous polypeptide selected from an immunoglobulin heavy chain variable region, an immunoglobulin heavy chain comprising a variable region and a constant region, an immunoglobulin light chain variable region, an immunoglobulin light chain comprising a variable region and a constant region, and a single-chain antibody comprising two peptide-linked  
20 immunoglobulin variable regions.

In an embodiment of this method of the present invention, the isolated heterologous protein is an antibody capable of selectively binding to an antigen. In one embodiment, the antibody may be generated by combining at least one immunoglobulin heavy chain variable region and at least one immunoglobulin  
25 light chain variable region, preferably cross-linked by at least one di-sulfide bridge. The combination of the two variable regions will generate a binding site capable of binding an antigen using methods for antibody reconstitution that are well known in the art.

It is, however, contemplated to be within the scope of the present invention  
30 for immunoglobulin heavy and light chains, or variants or derivatives thereof, to be expressed in separate transgenic avians, and therefore isolated from separate

media including serum or eggs, each isolate comprising a single species of immunoglobulin polypeptide. The method may include combining certain isolated heterologous immunoglobulin polypeptides, thereby producing an antibody capable of selectively binding to an antigen. In this embodiment, two individual transgenic avians may be generated wherein one transgenic produces serum or eggs having an immunoglobulin heavy chain variable region, or a polypeptide comprising such, expressed therein. A second transgenic animal, having a second transgene, produces serum or eggs having an immunoglobulin light chain variable region, or a polypeptide comprising such, expressed therein. The polypeptides may be isolated from their respective sera and eggs and combined in vitro to generate a binding site capable of binding an antigen.

The present invention is useful for the production of many biological products such as, pharmaceutical compositions. For example, the present invention can be useful for the production of biological molecules such as hormones including cytokines (i.e., secreted polypeptides that affect a function of cells and modulates an interaction between cells in an immune, inflammatory or hematopoietic response), antibodies and other useful pharmaceutical molecules which include polypeptides. Cytokines includes, but are not limited to, monokines and lymphokines. Examples of cytokines include, but are not limited to, interferon  $\alpha 2b$ , Interleukin-1 (IL-1), Interleukin-6 (IL-6), Interleukin-8 (IL-8), Tumor Necrosis Factor-  $\alpha$  (TNF-  $\alpha$ .) and Tumor Necrosis Factor  $\beta$  (TNF-  $\beta$ ), antibodies such as polyclonal and monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof. Antibodies may include, but are not limited to polyclonal antibodies, monoclonal antibodies (MAbs), humanized or chimeric antibodies, single chain antibodies, FAb fragments, F(Ab')<sub>2</sub> fragments, fragments produced by a FAb expression library, anti-idiotypic (anti-Id) antibodies, and epitope-binding fragments thereof. Also contemplated is the production of antibody fusion proteins, for example, Fc fusion proteins in accordance with the present methods. The methods of the present invention can also be useful for producing immunoglobulin polypeptides which are constituent polypeptides of an antibody or a polypeptide derived therefrom. An

“immunological polypeptide” may be, but is not limited to, an immunological heavy or light chain and may include a variable region, a diversity region, joining region and a constant region or any combination, variant or truncated form thereof. Immunological polypeptides also include single-chain antibodies  
5 comprised of, but not limited to, an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region and optionally a peptide linker.

Examples of certain antibodies that can be produced in methods of the invention may include but are not limited to HERCEPTIN® (Trastuzumab) (Genentech, CA) which is a humanized anti-HER2 monoclonal antibody for the  
10 treatment of patients with metastatic breast cancer; REOPRO® (abciximab) (Centocor) which is an anti-glycoprotein IIb/IIIa receptor on the platelets for the prevention of clot formation; ZENAPAX® (daclizumab) (Roche Pharmaceuticals, Switzerland) which is an immunosuppressive, humanized anti-CD25 monoclonal antibody for the prevention of acute renal allograft rejection; PANOREX™  
15 which is a murine anti-17-1A cell surface antigen IgG2a antibody (Glaxo Wellcome/Centocor); BEC2 which is a murine anti-idiotypic (GD3 epitope) IgG antibody (ImClone System); IMC-C225 which is a chimeric anti-EGFR IgG antibody (ImClone System); VITAXIN™ which is a humanized anti- $\alpha$ V $\beta$ 3 integrin antibody (Applied Molecular Evolution/MedImmune); Campath  
20 1H/LDP-03 which is a humanized anti CD52 IgG1 antibody (Leukosite); Smart M195 which is a humanized anti-CD33 IgG antibody (Protein Design Lab/Kanebo); RITUXAN™ which is a chimeric anti-CD20 IgG1 antibody (IDEC Pharm/Genentech, Roche/Zetenyaku); LYMPHOCIDE™ which is a humanized anti-CD22 IgG antibody (Immunomedics); ICM3 is a humanized anti-ICAM3  
25 antibody (ICOS Pharm); IDEC-114 is a primatized anti-CD80 antibody (IDEC Pharm/Mitsubishi); ZEVALIN™ is a radiolabelled murine anti-CD20 antibody (IDEC/Schering AG); IDEC-131 is a humanized anti-CD40L antibody (IDEC/Eisai); IDEC-151 is a primatized anti-CD4 antibody (IDEC); IDEC-152 is a primatized anti-CD23 antibody (IDEC/Seikagaku); SMART anti-CD3 is a  
30 humanized anti-CD3 IgG (Protein Design Lab); 5G1.1 is a humanized anti-complement factor 5 (C5) antibody (Alexion Pharm); D2E7 is a humanized anti-

TNF- $\alpha$  antibody (CAT/BASF); CDP870 is a humanized anti-TNF- $\alpha$  Fab fragment (Celltech); IDEC-151 is a primatized anti-CD4 IgG1 antibody (IDEC Pharm/SmithKline Beecham); MDX-CD4 is a human anti-CD4 IgG antibody (Medarex/Eisai/Genmab); CDP571 is a humanized anti-TNF- $\alpha$  IgG4 antibody  
5 (Celltech); LDP-02 is a humanized anti- $\alpha$ 4 $\beta$ 7 antibody (LeukoSite/Genentech); OrthoClone OKT4A is a humanized anti-CD4 IgG antibody (Ortho Biotech); ANTOVA™ is a humanized anti-CD40L IgG antibody (Biogen); ANTEGREN™ is a humanized anti-VLA-4 IgG antibody (Elan); and CAT-152 is a human anti-TGF- $\beta$ <sub>2</sub> antibody (Cambridge Ab Tech).

10 Another potentially useful application of the novel isolated ovomucoid gene expression control region of the present invention is the possibility of increasing the amount of a heterologous protein present in a bird, (especially the chicken) by gene transfer. In most instances, a heterologous polypeptide-encoding nucleic acid insert transferred into the recipient animal host  
15 will be operably linked with the ovomucoid gene expression control region to allow the cell to initiate and continue production of the genetic product protein. A recombinant DNA molecule of the present invention can be transferred into the extra-chromosomal or genomic DNA of the host.

The recombinant ovomucoid gene expression controlling region of the  
20 present invention and polypeptide coding sequence, which may include an artificial chromosome and/or a polyadenylation coding sequence, may be introduced into cells by any useful method. The recombinant molecules may be inserted into a cell to which the polypeptide-encoding nucleic acid is heterologous (i.e. not normally present). Alternatively, as described more fully below, the  
25 recombinant DNA molecule may be introduced into cells which normally contain the polypeptide-encoding nucleic acid insert of the recombinant DNA molecule, for example, to correct a deficiency in the expression of a polypeptide, or where over-expression of the polypeptide is desired.

For expression in heterologous systems, the heterologous DNA molecule is  
30 inserted into the expression system or vector of the present invention in proper sense orientation and correct reading frame. The vector contains the necessary

elements for the transcription and translation of the inserted protein-coding sequences, including the novel isolated ovomucoid gene expression control region.

5 US Patent No. 4,237,224 to Cohen & Boyer, which is hereby incorporated by reference in its entirety, describes the production of expression systems in the form of recombinant plasmids using restriction enzyme cleavage and ligation with DNA ligase. These recombinant plasmids are then introduced to a cell by means of transformation and replicated in cultures, including eukaryotic cells grown in tissue culture.

10 One aspect of the present invention, therefore, is an expression vector suitable for delivery to a recipient cell for replication OR expression of a polypeptide-encoding nucleic acid of the vector therein. It is contemplated to be within the scope of the present invention for the expression vector to comprise an isolated avian ovomucoid gene expression control region operably linked to a  
15 nucleic acid insert encoding a polypeptide, and optionally a polyadenylation signal sequence. The expression vector of the present invention may further comprise a bacterial plasmid sequence, a viral nucleic acid sequence, or fragments or variants thereof that may allow for replication of the vector in a suitable host.

The recombinant nucleic acid molecules of the present invention can be  
20 delivered to cells using viruses such as vaccinia virus. Methods for making a viral recombinant vector useful for expressing a protein under the control of the ovomucoid promoter are analogous to the methods disclosed in US Patent Nos. 4,603,112; 4,769,330; 5,174,993; 5,505,941; 5,338,683; 5,494,807; 4,722,848; Paoletti, E. Proc. Natl. Acad. Sci. 93: 11349-11353 (1996); Moss Proc. Natl.  
25 Acad. Sci. 93: 11341-11348 (1996); Roizman Proc. Natl. Acad. Sci. 93: 11307-11302 (1996); Frolov et al. Proc. Natl. Acad. Sci. 93: 11371-11377 (1996); Grunhaus et al. Seminars in Virology 3: 237-252 (1993) and US Patent Nos. 5,591,639; 5,589,466; and 5,580,859 relating to DNA expression vectors, inter alia; the disclosure of which is incorporated herein by reference in their entireties.

30 Recombinant viruses can also be generated by transfection of plasmids into cells infected with virus. Suitable vectors include, but are not limited to, viral

vectors such as lambda vector system  $\lambda$ gt11,  $\lambda$ gt WES.tB, Charon 4, and plasmid vectors such as pBR322, pBR325, pACYC177, pACYC184, pUC8, pUC9, pUC18, pUC19, pLG339, pR290, pKC37, pKC101, SV 40, pBluescript II SK +/- or KS +/- (see "Stratagene Cloning Systems" Catalog (1993) from Stratagene, La Jolla, Calif., which is hereby incorporated by reference), pQE, pIH821, pGEX, pET series (see Studier, F.W. et. al. (1990) "Use of T7 RNA Polymerase to Direct Expression of Cloned Genes" Gene Expression Technology, vol. 185, which is hereby incorporated by reference in its entirety) and any derivatives thereof, cosmid vectors and, in certain embodiments, artificial chromosomes, such as, but not limited to, YACs, BACs, BBPACs or PACs. Such artificial chromosomes are useful in that a large nucleic acid insert can be propagated and introduced into the avian cell. Recombinant molecules can be introduced into cells via transformation, particularly transduction, conjugation, mobilization, or electroporation. The DNA sequences are cloned into the vector using standard cloning procedures in the art, as described by Sambrook et al. Molecular Cloning: A Laboratory Manual, 3<sup>rd</sup> ed., Cold Spring Harbor Laboratory, Cold Springs Harbor, N.Y. (2001), which is hereby incorporated by reference in its entirety.

The vectors of the invention comprise one or more nucleotide sequences encoding a heterologous protein desired to be expressed in the transgenic avian, as well as regulatory elements such as promoters, enhancers, Matrix Attachment Regions, IRES's and other translation control elements, transcriptional termination elements, polyadenylation sequences, etc. In particular embodiments, the vector of the invention contains at least two nucleotide sequences coding for heterologous proteins, for example, but not limited to, the heavy and light chains of an immunoglobulin.

The present invention further relates to nucleic acid vectors and transgenes inserted therein, having the avian ovomucoid gene expression control region of the invention, that incorporate multiple polypeptide-encoding regions, wherein a first polypeptide-encoding region is operatively linked to a transcription promoter and a second polypeptide-encoding region is operatively linked to an IRES. For

example, the vector may contain coding sequences for two different heterologous proteins (e.g., the heavy and light chains of an immunoglobulin).

Such nucleic acid constructs, when inserted into the genome of a bird and expressed therein, will generate individual polypeptides that may be post-translationally modified, for example, glycosylated or, in certain embodiments, form complexes, such as heterodimers with each other in the white of the avian egg. Alternatively, the expressed polypeptides may be isolated from an avian egg and combined in vitro, or expressed in a non-reproductive tissue such as serum. In other embodiments, for example, but not limited to, when expression of both heavy and light chains of an antibody is desired, two separate constructs, each containing a coding sequence for one of the heterologous proteins operably linked to the ovomucoid gene expression control region of the invention are introduced into the avian cell. Alternatively, two transgenic avians each containing one of the two heterologous proteins (e.g., one transgenic avian having a transgene encoding the light chain of an antibody and a second transgenic avian having a transgene encoding the heavy chain of the antibody) can be bred to obtain an avian containing both transgenes in its germline and expressing both transgene encoded proteins, preferably in eggs.

Once the ovomucoid gene expression control region of the present invention has been cloned into a vector system, it is ready to be incorporated into a host cell. Such incorporation can be carried out by the various forms of transformation noted above, depending upon the vector/host cell system. Suitable host cells include, but are not limited to, bacteria, virus, yeast, mammalian or avian cells, and the like. Alternatively, it is contemplated that the incorporation of the DNA of the present invention into a recipient cell may be by any suitable method such as, but not limited to, viral transfer, electroporation, gene gun insertion, sperm mediated transfer to an ovum, microinjection, cytoplasmic injection, pronuclear injection and the like.

Another aspect of the present invention, therefore, is a method of expressing a heterologous polypeptide in a eukaryotic cell by transfecting the cell with a recombinant DNA comprising an avian ovomucoid gene expression control



region operably linked to a nucleic acid insert encoding a polypeptide and, optionally, a polyadenylation signal sequence, and culturing the transfected cell in a medium suitable for expression of the heterologous polypeptide under the control of the avian ovomucoid gene expression control region.

5           In certain embodiments, the ovomucoid gene expression control region directs a level of expression of the heterologous protein in avian eggs that is greater than 5 µg, 10 µg, 50 µg, 100 µg, 250 µg, 500 µg, or 750 µg, more preferably greater than 1 mg, 2 mg, 5 mg, 10 mg, 20 mg, 50 mg, 100 mg, 200 mg, 500 mg, 700 mg, 1 gram, 2 grams, 3 grams, 4 grams or 5 grams per egg. Such  
10 levels of expression can be obtained using the expression control regions of the invention.

          In one embodiment of the method of the present invention, the recipient eukaryotic cell is derived from an avian. In one embodiment, the avian is a chicken.

15           Yet another aspect of the present invention is a eukaryotic cell transformed with an expression vector according to the present invention and described above. In one embodiment of the present invention, the transformed cell is a chicken oviduct cell and the nucleic acid insert comprises the chicken ovomucoid gene expression control region, a nucleic acid insert encoding a human interferon  $\alpha 2d$   
20 with codons optimized for expression in an avian cell, and an SV40 polyadenylation sequence.

          It is contemplated that the transfected cell according to the present invention may be transiently transfected, whereby the transfected recombinant DNA or expression vector may not be integrated into the genomic nucleic acid. It  
25 is further contemplated that the transfected recombinant DNA or expression vector may be stably integrated into the genomic DNA of the recipient cell, thereby replicating with the cell so that each daughter cell receives a copy of the transfected nucleic acid. It is still further contemplated for the scope of the present invention to include a transgenic animal producing a heterologous protein  
30 expressed from a transfected nucleic acid according to the present invention.

In one embodiment of the present invention, the transgenic animal is an avian selected from a turkey, duck, goose, quail, pheasant, ratite, an ornamental bird or a feral bird. In another embodiment, the avian is a chicken and the heterologous protein produced under the transcriptional control of the isolated  
5 avian ovomucoid gene expression control region according to the present invention is produced in the white of an egg.

An exemplary approach for the in vivo introduction of a polypeptide-encoding nucleic acid operably linked to the subject novel isolated ovomucoid gene expression control region into a cell is by use of a viral vector containing  
10 nucleic acid, e.g. a cDNA, encoding the gene product. Infection of cells with a viral vector has the advantage that a large proportion of the targeted cells can receive the nucleic acid. Additionally, molecules encoded within the viral vector, e.g., by a cDNA contained in the viral vector, are expressed efficiently in cells that have taken up viral vector nucleic acid.

15 Retrovirus vectors and adeno-associated virus vectors provide efficient delivery of genes into cells, and the transferred nucleic acids are stably integrated into the chromosomal DNA of the host. Recombinant retrovirus can be constructed in the part of the retroviral coding sequence (gag, pol, env) that has been replaced by nucleic acid comprising a ovomucoid gene expression control  
20 region, thereby rendering the retrovirus replication defective. Protocols for producing recombinant retroviruses and for infecting cells in vitro or in vivo with such viruses can be found in Current Protocols in Molecular Biology, Ausubel et al. (1989) (eds.) Greene Publishing Associates, Sections 9.10-9.14 and other standard laboratory manuals. Examples of suitable retroviruses include pLJ,  
25 pZIP, pWE and pEM which are all well known to those skilled in the art. Examples of suitable packaging virus lines for preparing both ecotropic and amphotropic retroviral systems include psiCrip, psiCre, psi2 and psiAm.

Furthermore, it is possible to limit the infection spectrum of retroviruses and consequently of retroviral-based vectors, by modifying the viral packaging  
30 proteins on the surface of the viral particle (see, for example PCT publications WO93/25234, WO94/06920, and WO94/11524). For instance, strategies for the

modification of the infection spectrum of retroviral vectors include coupling antibodies specific for cell surface antigens to the viral env protein (Roux et al., Proc. Natl. Acad. Sci. 86: 9079-9083 (1989); Julan et al., J. Gen. Virol. 73: 3251-3255 (1992); and Goud et al., Virology 163: 251-254 (1983)) or coupling  
5 cell surface ligands to the viral env proteins (Neda et al., J. Biol. Chem. 266: 14143-14146 (1991)), all of which are incorporated herein by reference in their entireties. Coupling can be in the form of the chemical cross-linking with a protein or other moiety (e.g. lactose to convert the env protein to an asialoglycoprotein), as well as by generating fusion proteins (e.g. single-chain  
10 antibody/env fusion proteins). This technique, while useful to limit or otherwise direct the infection to certain tissue types, can also be used to convert an ecotropic vector into an amphotropic vector.

Another viral gene delivery system useful in the present invention utilizes adenovirus-derived vectors. The genome of an adenovirus can be manipulated  
15 such that it encodes a gene product of interest, but is inactivated in terms of its ability to replicate in a normal lytic viral life cycle (see, for example, Berkner et al., BioTechniques 6: 616 (1988); Rosenfeld et al., Science 252: 43 1434 (1991); and Rosenfeld et al., Cell 68: 143-155 (1992)), all of which are incorporated herein by reference in their entireties. Suitable adenoviral vectors derived from  
20 the adenovirus strain Ad type 5 dl324 or other strains of adenovirus (e.g., Ad2, Ad3, Ad7 etc.) are well known to those skilled in the art. The virus particle is relatively stable and amenable to purification and concentration, and as above, can be modified so as to affect the spectrum of infectivity. Additionally, introduced adenoviral DNA (and foreign DNA contained therein) is not integrated into the  
25 genome of a host cell but remains episomal, thereby avoiding potential problems that can occur as a result of insertional mutagenesis in situations where introduced DNA becomes integrated into the host genome (e.g., retroviral DNA). Most replication-defective adenoviral vectors currently in use and therefore favored by the present invention are deleted for all or parts of the viral E1 and E3 genes but  
30 retain as much as 80% of the adenoviral genetic material (see, e.g., Jones et al., Cell 16:683 (1979); Berkner et al., supra; and Graham et al., in Methods in

Molecular Biology, E. J. Murray, (1991) Ed. (Humana, Clifton, N.J.) vol. 7. pp. 109-127), all of which are incorporated herein by reference in their entireties. Expression of an inserted gene such as, for example, encoding the human interferon  $\alpha 2b$ , can be under control of the exogenously added ovomucoid gene expression control region sequences.

Yet another viral vector system useful for delivery of, for example, the subject avian ovomucoid gene expression control region operably linked to a nucleic acid encoding a polypeptide, is the adeno-associated virus (AAV). Vectors containing as little as 300 base pairs of AAV can be packaged and can integrate. Space for exogenous DNA is limited to about 4.5 kb. An AAV vector such as that described in Tratschin et al., Mol. Cell. Biol. 5:3251-3260 (1985) can be used to introduce DNA into cells. A variety of nucleic acids have been introduced into different cell types using AAV vectors (see for example Hermonat et al., Proc. Natl. Acad. Sci. 81:6466-6470 (1984); Tratschin et al., Mol. Cell. Biol. 4:2072-2081 (1985); Wondisford et al., Mol. Endocrinol. 2:32-39 (1988); Tratschin et al., J. Virol. 51:611-619 (1984); and Flotte et al., J. Biol. Chem. 268:3781-3790 (1993)), all of which are incorporated herein by reference in their entireties.

Most non-viral methods of gene transfer rely on normal mechanisms used by eukaryotic cells for the uptake and intracellular transport of macromolecules. In one embodiment, non-viral gene delivery systems of the present invention rely on endocytic pathways for the uptake of the subject ovomucoid gene expression control region and operably linked polypeptide-encoding nucleic acid by the targeted cell. Exemplary gene delivery systems of this type include liposomal derived systems, poly-lysine conjugates, and artificial viral envelopes.

In a representative embodiment, a nucleic acid comprising the novel isolated ovomucoid gene expression control region of the present invention can be entrapped in liposomes bearing positive charges on their surface (e.g., lipofectins) and (optionally) which are tagged with antibodies against cell surface antigens of the target tissue (Mizuno et al., NO Shinkei Geka 20:547-551 (1992); PCT publication WO91/06309; Japanese patent application 1047381; and European

patent publication EP-A-43075), all of which are incorporated herein by reference in their entireties.

In similar fashion, the gene delivery system comprises an antibody or cell surface ligand that is cross-linked with a gene binding agent such as polylysine (see, for example, PCT publications WO93/04701, WO92/22635, WO92/20316, WO92/19749, and WO92/06180), all of which are incorporated herein by reference in their entireties. It will also be appreciated that effective delivery of the subject nucleic acid constructs via receptor-mediated endocytosis can be improved using agents which enhance escape of gene from the endosomal structures. For instance, whole adenovirus or fusogenic peptides of the influenza HA gene product can be used as part of the delivery system to induce efficient disruption of DNA-containing endosomes (Mulligan et al., Science 260: 926 (1993); Wagner et al., Proc. Natl. Acad. Sci. 89:7934 (1992); and Christiano et al., Proc. Natl. Acad. Sci. 90:2122 (1993)), all of which are incorporated herein by reference in their entireties. It is further contemplated that a recombinant DNA molecule comprising the novel isolated ovomucoid gene expression control region of the present invention may be delivered to a recipient host cell by other non-viral methods including by gene gun, microinjection, sperm-mediated transfer as described in PCT/US02/30156, filed September 23, 2002 and incorporated herein by reference in its entirety, nuclear transfer, or the like.

Another aspect of the present invention relates to transgenic animals including avians and methods of producing them. Transgenic animals of the present invention contain a transgene which includes an isolated ovomucoid gene expression controlling region of the present invention and which preferably (though optionally) expresses a heterologous gene in one or more cells in the animal. Transgenic avians can be produced by introduction of nucleic acid molecules disclosed herein into the cells of avians including, but not limited to chicken, turkey, duck, goose, quail, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary. Any useful method for introducing nucleic acid into the cells of an animal may be employed in the present invention.

Suitable methods for the generation of transgenic avians having heterologous DNA incorporated therein, for example, cytoplasmic injection and pronuclear injection, are described, for example, in US Patent Application No: 10/251,364 filed September 18, 2002 and US Patent application No. 10/679,034, 5 file October 2, 2003, the disclosure of both of these patent applications is incorporated herein by reference in its entirety. Other methods for the introduction of nucleic acids of the present invention include those disclosed in U.S Patent Application No. 10/842,606 filed May 10, 2004, the disclosure of which is incorporated herein by reference in its entirety, and other methods 10 disclosed herein.

In various embodiments of the present invention, the expression of the transgene may be restricted to specific subsets of cells, tissues or developmental stages utilizing, for example, cis-acting sequences acting on the ovomucoid gene expression control region of the present invention and which control gene 15 expression in the desired pattern. Tissue-specific regulatory sequences and conditional regulatory sequences can be used to control expression of the transgene in certain spatial patterns. Moreover, temporal patterns of expression can be provided by, for example, conditional recombination systems or prokaryotic transcriptional regulatory sequences.

20 One embodiment of the present invention, therefore, is a transgenic avian having a heterologous polynucleotide sequence comprising a nucleic acid insert encoding the heterologous polypeptide and operably linked to the novel isolated avian ovomucoid gene expression control region. In an embodiment of the present invention, the transgenic avian is selected from a chicken, a turkey, a 25 duck, a goose, a quail, a pheasant, a ratite, an ornamental bird or a feral bird. In another embodiment of the present invention, the transgenic avian is a chicken.

In still another embodiment of the transgenic avian of the present invention, the transgenic avian includes an avian ovomucoid gene expression control region comprising the nucleic acid sequence in SEQ ID NO: 26, or a 30 degenerate variant thereof.

In yet another embodiment of the transgenic avian of the present invention, the transgenic avian further comprises a polyadenylation signal sequence.

In still yet another embodiment of the transgenic avian of the present invention, the polyadenylation signal sequence is derived from the SV40 virus.

5 In another embodiment of the transgenic avian of the present invention, the nucleic acid insert encoding a polypeptide has a codon complement optimized for protein expression in an avian.

In another embodiment of the transgenic avian of the present invention, the transgenic avian produces the heterologous polypeptide in the serum or an egg  
10 white. In another embodiment of the transgenic avian of the present invention, the transgenic avian produces the heterologous polypeptide in an egg white.

The present invention is further illustrated by the following examples, which are provided by way of illustration and should not be construed as limiting. The contents of all references, published patents and patents cited throughout the  
15 present application are hereby incorporated by reference in their entireties.

#### **Example 1: PCR amplification of Ovomucoid promoter**

	Sense	primer	OVINs2,
	5'-TAGGCAGAGCAATAGGACTCTCAACCTCGT-3' (SEQ ID NO: 1) and the		
20	antisense	primer,	OVMUa2,
	5'-AAGCTTCTGCAGCACTCTGGGAGTTACTCA-3' (SEQ ID NO: 2) were		
	designed according to the sequences of chick ovoinhibitor exon 16 (Genbank		
	Accession No: M16141) and a fragment of the chick ovomucoid promoter region		
	(Genbank Accession No: J00897) respectively. The template DNA for PCR		
25	amplification of the ovomucoid promoter region was prepared from white leghorn		
	chick blood.		

A series of different PCR conditions were carried out to optimize synthesis of the approximately 10.0 kb product, the results of which are shown in FIG. 2. In these tests, the template DNA concentrations were 500 ng, 100 ng, 50 ng, or 10  
30 ng. Two sets of primers, OVINs1 (SEQ ID NO: 3) and OVMUa1 (SEQ ID NO: 4), or OVINs2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2) shown in FIG. 3,

three  $Mg^{++}$  concentrations (1.0 mM, 1.5 mM and 2.0 mM) and annealing temperatures from 50° C to 70° C were used.

The results of the tests were as shown in FIG. 2. As shown in lanes 1 through 8, test reactions having 500 ng DNA template, the OVINS1 (SEQ ID NO: 3) and OVMUa1 (SEQ ID NO: 4) primers, 60 mM Tris-SO<sub>4</sub>, pH 9.1, 18 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 1.0 mM  $Mg^{2+}$ , and annealing temperatures between 50°C to 58°C gave no specific DNA product. Also, as shown in lanes 17 through 24 of FIG. 2, in test reactions having 100 ng DNA template, the OVINS1 and OVMUa1 primers, 60 mM Tris-SO<sub>4</sub>, pH 9.1, 18 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 1.0 mM  $Mg^{2+}$ , and annealing temperatures between 50°C to 58°C, no specific bands were seen. However, as shown in lanes 9 through 16 of FIG. 2, test reactions having 500 ng DNA template, the OVINS2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2) primers, 60 mM Tris-SO<sub>4</sub>, pH 9.1, 18 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 2 mM  $Mg^{2+}$  and annealing temperatures between 60°C to 68°C have the band of the desired length of approximately 10 kb. As shown in lanes 25 through 32, reaction conditions containing 100 ng DNA template, the OVINS2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2) primers, 60 mM Tris-SO<sub>4</sub>, pH 9.1, 18 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 2mM  $Mg^{2+}$  and annealing temperatures between about 60°C to about 68°C gave an increased yield of the desired product.

An approximately 10 kb product was, therefore, detected when the following conditions were used: the optimum DNA template concentration was between about 50 ng to 500 ng; the primers were OVINS2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2); the  $Mg^{2+}$  concentration was 2 mM; the annealing temperature was at or between about 60°C to about 68°C. Each 50 µl PCR reaction consisted of 50 ng or 100 ng of template DNA, 0.1 µg each primer, 5 µl buffer B (from Elongase Enzyme Mix kit, Invitrogen Corp., Carlsbad, CA), 1 ml of 10 µM dNTP solution, and distilled deionized water. The PCR protocol was one cycle at 94°C for 30 secs; thirty cycles at 94°C for 30 secs, 60 °C for 30 secs and 68 °C for 10 mins. One cycle was performed at 68°C for 10 mins, 35°C for 30 mins with a final hold at 4°C. The PCR products were examined by 0.65% agarose gel analysis.



**Example 2: Cloning of PCR products.**

The PCR products were purified by standard methods. Briefly, PCI (phenol: chloroform: isoamyl alcohol, 24:25:1) and chloroform extraction were performed once. The DNA was precipitated by adding 3M sodium acetate pH 5.2 to a final concentration of 0.3M together with 2.5 volumes of 100% ethanol. The DNA pellet was dried and dissolved in distilled deionized water and then sequenced on a ABI3700 automatic sequencer (Applied Biosystems, Foster City, CA) using the primers OVINS2 (SEQ ID NO: 1) and OVMUa2 (SEQ ID NO: 2) to confirm the identity of each PCR product. After confirmation of the identities, the approximately 10 kb PCR product was treated with T4 polynucleotide kinase to add a phosphate to the 5' end. Mung bean nuclease removed any overhanging adenines from the ends of the PCR products, thereby producing a blunt end. The PCR product was purified by PCI and chloroform extraction and precipitated by standard methods. This 10 kb product was then cleaved with Bam HI to give two fragments, of about 4.7 and about 5.5 kb respectively.

The vector plasmid pBluescript II KS (+/-) was cut by Bam HI and Eco RV and treated with calf intestinal alkaline phosphatase. DNA fragments to be ligated into the vector were analyzed by agarose gel electrophoresis and purified from agarose gel slices using a NucleoTrap Nucleic Acid Purification Kit (BD Biosciences Clontech, Palo Alto, CA). Fragments of 4.7 kb and 5.5 kb were inserted into the Bam HI/Eco RV-treated pBluescript to give the constructs pBS-OVMUP4.7 and pBS-OVMUP5.5 respectively.

Positive clones were screened by Xba I/Xho I digestion. Clone pBS-OVMUP4.7, gave fragments of about 4.7 kb and 2.96 kb. Clone pBS-OVMUP5.5 gave fragments of about 5.5 kb and 2.96 kb. Apparent positive clones having the 4.7 kb insert were further confirmed by Xba I/Hind III digestion that gave three fragments of 0.5 kb, 4.2 kb and 2.9 kb. The apparent positive clones with an insert of about 5.5 kb insert were further confirmed by Xba I/Kpn I digestion that gave three fragments of 2 kb, 3.5 kb and 2.96 kb.

A construct, pBS-OVMUP-10, containing the entire 10 kb PCR product cloned into the pBluescript KS II (+/-) vector was made by taking a 4.7 kb Bam HI/Xho I fragment from the pBS-OVMUP4.7 plasmid and inserting it into the Bam HI/Xba I cleaved sites of pBS-OVMUP5.5. The Xho I and Xba I cut ends  
5 were blunt-ended by treating the digested fragments with Klenow enzyme and dNTPs at 25°C for 15 mins before the digestion with Bam HI.

### **Example 3: Sequencing**

The plasmids pBS-OVMUP4.7 and pBS-OVMUP5.5 were sequenced from  
10 both ends of each insert as shown in FIG. 1. The initial primers were T7 and T3 having the nucleic acid sequences 5'-TAATACGACTCACTATAGGG-3' (SEQ ID NO: 5) and 5'-ATTAACCCTCACTAAAGGGA-3' (SEQ ID NO: 6) respectively. Subsequent primers (SEQ ID NOS: 7 - 25), as shown in FIG. 3, were designed according to the sequence results as they became available. The  
15 approximately 10 kb sequence was edited and assembled by the ContigExpress software of the Vector NTI Suite, version 6.0 (InforMax, Inc.). The region of the approximately 10 kb PCR product described in Example 1 above that encompassed the Bam HI junction was sequenced using the primers OVMUa9 (SEQ ID NO 27) and OVINs9 (SEQ ID NO 28) (shown in FIG. 3).

20 Each sequence chromatogram was visually checked for sequence accuracy and to locate base ambiguities. Regions containing ambiguous bases were re-sequenced with the same primer or, if still ambiguous, with a new primer designed to sequence the complementary strand. Sequencing of the original 10 kb PCR fragment using the primers OVMUa9 (SEQ ID NO 27) and OVINs9 (SEQ  
25 ID NO 28) showed that the subcloned inserts of the plasmids pBS-OVMUP4.7 and pBS-OVMUP5.5 included all of the nucleic acid sequence of the parent fragment and no intervening Bam HI - Bam HI fragments were included in the final sequence SEQ ID NO: 26. The sequence (SEQ ID NO: 26) of the region lying between the 3' end of the ovoinhibitor gene and the transcription start site of  
30 the ovomucoid-encoding region is shown in FIG. 4.

**Example 4: Expression in Transfected Cultured Avian Myeloid and Oviduct Cells of luciferase Regulated by the 10 kb ovomucoid Promoter**

**Construction of p10-OM-luc**

To facilitate insertion of coding sequences behind the ovomucoid promoter and in frame with the second ATG of the ovomucoid coding sequence, the Nco I site which overlaps the second ATG was changed to a Pci I site as depicted below. On the top is the wild type ovomucoid sequence at the start site of translation. On the bottom, the second Nco I site was changed to a Pci I site.

Nco I Nco I

10 ~~~~~

MetAlaMet

CTCACCATGGCCATGGC (SEQ ID NO:32)

GAGTGGTACCGGTACCG (SEQ ID NO:33)

Nco I Pci I

15 ~~~~~

MetAspMet

CTCACCATGGACATGGA (SEQ ID NO:34)

GAGTGGTACCGGTACCG (SEQ ID NO:35)

20 The Pci I site in the Bluescript backbone of pBS-OVMUP-10 was destroyed by cutting with Pci I, filling in the ends with Klenow polymerase and religating, creating pOM-10-alpha. The proximal promoter region was PCR amplified with primers OM-5 (SEQ ID NO.:29) and OM-6 (SEQ ID NO.:30) and template pBS-OVMUP-10. The resulting PCR product (SEQ ID NO.:31) was cut  
25 with Not I and Tth111 I and cloned into the 12059 bp Not I-Tth111 I fragment of pOM-10-alpha, thereby creating pOM-10-Pci. The 1964 Nco I-S1-treated Kpn I fragment of gWiz-luciferase (Gene Therapy Systems, Inc., San Diego, California) was cloned into the 12824 Pci I-Sma I fragment of pOM-10-Pci, creating p10-OM-luc.

30

Primer sequences

CGGGCAGTACCTCACCATGGACATGT (NOTE: sequence of OM5 may not be 100% complementary to the target ovomucoid sequence)

5

OM-5 5'-  
GCGCGGCCGCCCCGGGACATGTCCATGGTGAGAGTACTGCCC-3' (SEQ ID NO: 29)

10 OM-6 5'-GGCCCGGGATTTCGCTTAACGTGTGACTAGG-3' (SEQ ID NO:30)

PCR product

GCGCGGCCGCCCCGGGACATGTCCATGGTGAGAGTACTGCCCCGGCTCTG  
CAGGCGGCTGCCGGTGCTCTGCTCCTGAGATGGTCCCCCGAGGCTGC  
CTGCAAATATATACAAACGTGGCGTCCGAACGTGTGGACTGGAACACG  
15 GAGCAGCCAGCTGAATCTGTCAGCGGCACAATGAGGCTGGTAATATTT  
ATTGAGGTCCTGACCTCCAGGTAATGGTCTGCGTCTCCCAGGCAATTG  
ATTTTGGCTGGACACTTGGTTAATAGCTTGAGACAAGTGTCACATGCT  
CTCAGTGGTCAAAACCAAACAAACAGACTTTTGGACCAAAAAAAAAAA  
AAAACCTCTTAAGGACTCTGGTAGAACCTAAATAGCACAGAATGCTG  
20 AGGGGAGTAAGGGACAGGTCCTTCATTCGTCTCTGCATCCACATCTCC  
CAGCAGGAAGCAGCTAAGGCTCAGCACCATCGTGCCTGCAGCTCTGCT  
TTCCATGCAGTTCTGCATTCTTGATATTCACCTCTAGGTAAAAGCACA  
GGCCAGGGAGGCTTTGTCACCAGCAGAACTGACCAACCACTGCCAGG  
TGAAGCTGGCAGCACCGTATCTAACCTATGAAGTTAATGGTATTTAGC  
25 ACTAGCTTGATAAAAGGAAGGGTTTCTTGCGGTTTCACTGCTTAAGT  
ATAGAAGAGCTTGGTAGAAGACTTGAAAGCAAGGTAAATGCTGTCAA  
ATACCACTAAAAATGTCACTTGAACCTTATCAGCAGGGAGCACTTATT  
TACAGACCTAGTCACAGTTAAGCGAATTCCTCGGGCC (SEQ ID NO:31)

The 1<sup>st</sup> and 2<sup>nd</sup> ATGs of the ovomucoid sequence are shown underlined.

30 Note that the ovomucoid coding sequence is in reverse. The underlined, bold A is

not in the wildtype sequence but was incorporated into pOM-10-Pci due to a error in the oligo OM-5.

### **Expression of luciferase**

For expression in avian cells of non-magnum origin, HD11 cells, a chicken  
5 myeloid cell line was used. Cells were cultured as described in Beug, H., et al. (Chicken hematopoietic cells transformed by seven strains of defective avian leukemia viruses display three distinct phenotypes of differentiation. (1979) Cell, 18: 375-90, in which these cells were referred to as HBCI cells), herein incorporated by reference in its entirety. Plasmid DNA was transfected into HD11  
10 cells with Lipofectamine 2000 (Invitrogen Corporation, Carlsbad, California) according to the manufacturer's instructions.

48 hours post-transfection, the cells were harvested and pelleted. The supernatant was removed and 20 ml of 10 mM Tris, pH 7.8, 1 mM EDTA (TE) was added. The cells were frozen at  $-80^{\circ}\text{C}$  and thawed. 5 ml of the cell  
15 suspension was mixed with 25 ml of Bright-Glo™ reagent (Bright-Glo™ Luciferase Assay System, Promega, Madison, WI) and relative light units per second measured on a Berthold Detection Systems (Oak Ridge, TN) FB12 luminometer.

Results are depicted in FIG. 6A. HD11 cells are permissive for the CMV  
20 promoter and should be able to only weakly activate the ovomucoid promoter. Some expression of the luciferase gene linked to the 10 kb ovomucoid is evident.

For expression in avian oviduct cells, primary tubular gland cells were isolated as follows. The oviduct of a Japanese quail (*Coturnix coturnix japonica*) was removed and the magnum portion minced and enzymatically dissociated with  
25 0.8 mg/ml collagenase (Sigma Chemical Co., St. Louis, MO) and 1.0 mg/ml dispase (Roche Molecular Biochemicals, Indianapolis, IN) by shaking and titrating for 30 minutes at  $37^{\circ}\text{C}$ . The cell suspension was then filtered through sterile surgical gauze, washed three times with F-12 medium (Life Technologies, Grand Island, NY) by centrifugation at  $200 \times g$ , and resuspended in OPTIMEM™  
30 (Life Technologies) such that the  $\text{OD}_{600}$  was approximately 2. 800  $\mu\text{l}$  of the cell suspension was plated in each well of a 6-well dish. For each transfection, 4.0  $\mu\text{l}$

of DMRIE-C liposomes (Life Technologies) and 2.0 µg of plasmid DNA was preincubated for 15 minutes at room temperature in 200 µl of OPTIMEM™, and then added to the oviduct cells. Cells with DNA/liposomes were incubated for about 5 hours at 37°C in 5% CO<sub>2</sub>. Next, 2.0 ml of DMEM (Life Technologies),  
5 supplemented with 15% fetal bovine serum (FBS) (Atlanta Biologicals, Atlanta, GA), 2X penicillin/streptomycin (Life Technologies), 50 ng/ml insulin (Sigma), 10<sup>-7</sup> M α-estradiol (Sigma), and 10<sup>-6</sup> M corticosterone (Sigma) were added to each well, and incubation continued for about 40 hours. Medium was then harvested and centrifuged at 110 x g for 5 minutes.

10 For quantitation, the cells were scraped into the media with a rubber policeman. One milliliter was transferred to an eppendorf tube and the cells pelleted. The supernatant was removed and 20 ml of 10 mM Tris, ph 7.8, 1 mM EDTA (TE) was added. The cells were frozen at -80°C and thawed. 5 ml of the cell suspension was mixed with 25 ml of Bright-Glo™ reagent (Bright-Glo™  
15 Luciferase Assay System, Promega, Madison, WI) and relative light units per second measured on a Berthold Detection Systems (Oak Ridge, TN) FB12 luminometer.

The results are depicted in FIG. 6B. Expression of luciferase is evident from the CMV and 10 kb ovomucoid promoters. The ovomucoid promoter has  
20 more activity relative to the CMV promoter in the tubular gland cells (ratio of CMV to ovomucoid is 152) than in the HD11 cells (ratio of CMV to ovomucoid is 2221). FIG. 6C shows the expression of luciferase from a OMC24-IRES-luc vector. This vector is the OMC24-IRES clone described in Example 6 with a luciferase coding sequence inserted 3' to the IRES.

25  
**Example 5: Expression in Transfected Cultured Avian Oviduct Cells of Human Interferon α2b Regulated by the 10 kb ovomucoid Promoter**  
**Construction of p10-OM-IFN**

The CMV promoter region of pAVIJCR-A137.91.1.2 flanked by Nco I  
30 sites (pCMV-human IFN-α2b-MagMax) was replaced with the 1051 bp Nco I-Nco I fragment from pBS-OVMUP-4.4, thereby inserting the 1 kb ovomucoid

promoter in front of the IFN coding sequence and SV40 polyadenylation signal and creating p1kb-OM-IFNMM. A 1816 bp Cla I-Sac I fragment of p1kb-OM-IFNMM was inserted into the 6245 bp Cla I-Sac I fragment of pBS-OVMUP-4.4, thereby fusing the 4.4 kb ovomucoid fragment with the IFN coding sequence and creating p4.4OM-IFNMM. The 8511 bp BamH I-Sal I fragment of pBS-OVMUP-10 was ligated to the 5148 bp BamH I-Sal I fragment of p4.4OM-IFN, thereby placing the 10 kb ovomucoid promoter in front of the IFN coding sequence, creating p10-OM-IFN.

#### **Expression of interferon**

Quail primary tubular gland cells were isolated and treated as described in Example 4. 100 ml of supernatants were analyzed by ELISA (PBL Biomedical Laboratories, Flanders, NJ) for human interferon  $\alpha$ 2b content. The results are depicted in FIG. 7. Expression of interferon is evident from the CMV and 10 kb ovomucoid promoters.

#### **Example 6: Construction of an Ovomuroid Promoter-Bacterial Artificial Chromosome Expression Vector with an Antibody Heavy Chain or Antibody Light Chain Coding Sequence**

A chicken BAC library constructed with HindIII inserts ligated into pECBAC1 (see, Crooijmans et al., Mammalian Genome 11: 360-363, 2000, the disclosure of which is incorporated herein in its entirety by reference) was screened by PCR with two sets of primers using methods well known in the art. One primer set, OM7 and OM8, was designed to anneal in the 5' untranslated region of the ovomucoid gene. The other primer set, Ovoinhibitor 1 and Ovoinhibitor 2, was designed to anneal in exon 3 and exon 4 of the ovoinhibitor gene.

A BAC clone was identified which yielded the expected size PCR fragment for each primer set. The BAC clone which included an insert encompassing the ovoinhibitor and ovomucoid gene was sequenced by standard techniques and designated OMC24. The sequence for OMC24 is shown in SEQ ID NO: 36.

Primer Sequences

OM7: CGGGCAGTACCTCACCATGGACATGT (SEQ ID NO: 37)

OM8: ATTCGCTTAACTGTGACTAGG (SEQ ID NO: 38)

5

OVOINHIBITOR-1: CGAGGAACTTGAAGCCTGTC (SEQ ID NO: 39)

OVOINHIBITOR-2: GGCCTGCACTCTCCATCATA (SEQ ID NO: 40)

Polynucleotide sequences encoding the heavy chain and light chain of an  
 10 IgG1 (IgG1K) monoclonal antibody were inserted into the 3' UTR of the  
 ovomucoid transcript coding region in two separate OMC24 clones. The heavy  
 chain and light chain coding sequences each included a signal sequence located at  
 their 5' ends. For each clone, the coding sequence of each antibody chain and  
 signal sequence was inserted into the OMC24 vector as an IRES-LC or IRES-HC  
 15 cassette with the light chain and heavy chain inserts each positioned in the sense  
 orientation

SEQ ID NO: 41 shows the IRES-LC cassette inserted in the OMC24 clone.  
 SEQ ID NO: 42 shows the IRES-HC cassette inserted in the OMC24 clone. The  
 IRES sequence is shown in bold. The conserved regions of the IgG1 antibody  
 20 light chain and heavy chain coding sequence are underlined. The nucleotides for  
 the coding sequences of the variable regions for the IgG1 light chain and heavy  
 chains are represented by N's. The nucleotides encoding the signal sequences in  
 each clone are represented by italicized N's with the start codon indicated as  
 ATG. OMC24 nucleotide sequence flanking the IRES and the antibody coding  
 25 sequence is also shown for each of the two sequences. These constructs are  
 shown in Figure 8.

The IRES-antibody light chain and heavy chain cassettes were each  
 inserted into an OMC24 clone at a natural EcoRI site that resides in the 3' UTR of  
 ovomucoid at position 49,145 of SEQ ID NO: 36. Because there are many EcoRI  
 30 sites in OMC24, RecA-assisted restriction endonuclease cleavage (RARE) was  
 used to cut only at the desired site. RecA assisted restriction endonuclease



cleavage is described in Molecular Biotechnology (2001) Vol 18, pp 233 to 241, the disclosure of which is incorporated herein in its entirety by reference. A portion of the vector from which the cassettes were obtained of about 26 nucleotides in length can be seen 3' of the coding sequence of the light chain and  
 5 heavy chain in SEQ ID NO: 41 and SEQ ID NO: 42.

OMC24-IRES-LC (SEQ ID NO: 41)

```

10 gatttcactc atctcctaata aatcaggtag ctgaggagat gctgagtcgt ccagttctctg
   ggctctgggc aggatcccat ctctgcctt ctctaggaca gagctcagca ggcagggctc
   tgtggctctg tgtctaacco acttcttctt ctctcgctt tcagggaaaag caacgggact
   ctcaactttaa gccatttttg aaaatgctga atatcagagc tgagag aatt ccgccccctt
   ccctccccc ccctaacgt tactggccga agccgcttgg aataaggccg gtgtgcgttt
   gtctatatgt tattttccac catattgccg tcttttggca atgtgagggc ccggaaacct
15 ggcctgtct tcttgacgag cattcctagg ggtctttccc ctctgcgcaa aggaatgcaa
   ggtctgttga atgtcgtgaa ggaagcagtt cctctggaag cttcttgaag acaaacacag
   tctgtagcga ccctttgcag gcagcggaac cccccacctg gcgacaggtg cctctgcggc
   caaaagccac gtgtataaga tacacctgca aaggcgccac aaccccagtg ccacgttgtg
   agttggatag ttgtggaaag agtcaaattg ctctcctcaa gcgtattcaa caaggggctg
20 aaggatgccc agaaggtacc ccattgtatg ggatctgatc tggggcctcg gtgcacatgc
   tttaacgtgtg ttttagtcgag gttaaaaaac gtctaggccc cccgaaccac ggggacgtgg
   ttttcctttg aaaaacacga tgataagctt gccacaacca tgnnnnnnnn nnnnnnnnnn
   nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
   nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
25 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
   nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
   nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
   nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn
   nnnacgggtg cggcgccatc tgtcttcac ttcccgccat ctgatgagca gttgaaatct
30 ggaactgcct ctgttgtgtg cctgctgaat aacttctatc ccagagagggc caaagtacag
   tggaggtggg ataacgccct ccaatcgggt aactcccagg agagtgtcac agagcaggac
   agcaaggaca gcacctacag cctcagcagc acctgacgc tgagcaaagc agactacgag
   aaacacaaaag tctacgcctg cgaagtcacc catcagggcc tgagctcgcc cgtcacaaaag
   agcttcaaca ggggagagtg ttagggatcc actagtccag tgtggtggaa ttcaccacag
35 gatccccact ggogaatccc agcgagaggt ctcacctcgg ttcactcgc actctgggga
   gctcagctca ctcccgattt tctttctcaa taaactaaat cagcaacact cctttgtctt

```

OMC24-IRES-HC (SEQ ID NO: 42)

5 gatttcactc atctcctaata aatcaggtag ctgaggagat gctgagtctg ccagttctctg  
 ggctctgggc aggatcccat ctctgcctt ctctaggaca gagctcagca ggcagggctc  
 tgtggctctg tgtctaacco acttcttctt ctctcgctt tcagggaag caacgggact  
 ctcaacttta gccatttttg aaaatgctga atatcagagc tgagagaatt ccgccccctc  
 ccctccccc ccctaactg tactggccga agccgcttg aataaggccg gtgtgcgttt  
 gtctatatgt tattttccac catattgccg tcttttggca atgtgagggc ccggaacct  
 10 ggccctgtct tcttgacgag cattcctagg ggtctttccc ctctgccaa aggaatgcaa  
 ggtctgttga atgtcgtgaa ggaagcagtt cctctggaag cttcttgaag acaacaacg  
 tctgtagcga ccttttgacg gcagcggaac ccccaacctg gcgacaggtg cctctgcggc  
 caaagccac gtgtataaga tacacctgca aaggcgccac aacccagtg ccacgttgtg  
 agttggatag ttgtggaaag agtcaaagt ctctcctcaa gcgtattcaa caaggggctg  
 aaggatgcc agaaggtacc ccattgtatg ggatctgac tggggcctcg gtgcacatgc  
 15 tttacgtgtg tttagtcgag gttaaaaaac gtctaggccc ccgaaccac ggggacgttg  
 ttttctttg aaaaacacga tgataagctt gccacaacca tgnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 20 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn  
 nnnnnnnnnnn nnnnnnnnnnn nnnntcagct agcaccaagg gccatcggt cttccccctg  
 25 gcacctcct ccaagagcac ctctgggggc acagcggccc tgggctgcct ggtcaaggac  
 tacttccccg aaccggtgac ggtgtcgtgg aactcaggcg cctgaccag cggcgtgcac  
 acctccccg cgtcctaca gtctcagga ctctactccc tcagcagcgt ggtgaccgtg  
 ccctccagca gcttgggcac ccagacctac atctgcaacg tgaatcaca gccagcaac  
 accaagggtg acaagagagt tgagccaaa tcttgtgaca aaactcacac atgccaccg  
 tgcccagcac ctgaactcct ggggggaccg tcagtcttcc tcttcccccc aaaaccacaag  
 30 gacacctca tgatctcccg gacctctgag gtacatgag tgggtggtgga cgtgagccac  
 gaagacctg aggtcaagtt caactggtac gtggacggcg tggaggtgca taatgccaa  
 acaagccgc gggaggagca gtacaacagc acgtaccgtg tggtcagcgt cctcacctc  
 ctgcaccagg actggctgaa tggcaaggag tacaagtgca aggtctccaa caaagccctc  
 ccagccccca tcgagaaaac catctccaaa gccaaagggc agccccgaga accacaggtg  
 35 gtcaaaggct tctatcccag cgacatgcc gtggagtggg agagcaatgg gcagccggag  
 acaactaca agaccacgcc tcccgtgctg gactccgacg gctccttctt cctctacagc  
 aagctcaccg tggacaagag caggtggcag caggggaacg tcttctcatg ctccgtgatg  
 catgaggctc tgcacaacca ctacacgcag aagagcctct cctgtctcc gggtaaatag  
 40 ggatccacta gtccagtgtg gtggaattca ccacaggatc cccactggcg aatcccagcg  
 agaggtctca cctcggttca tctgcactc tggggagctc agctcactcc cgattttctt

The resulting mRNA transcript from the ovomucoid promoter for each clone  
 45 contains two coding sequences; one for the ovomucoid protein and another for the  
 downstream light chain or heavy chain coding sequence. The internal ribosome  
 entry site (IRES) engineered into the vectors is useful to facilitate translation of  
 the downstream heavy chain or light chain coding sequence.

50

**Example 7: Production of Transgenic Hens with an Ovomucoid Promoter-Bacterial Artificial Chromosome Expression Vector Transgene**

100 µg each of BAC clone OMC24-IRES-LC and OCM24-IRES-HC were linearized by enzymatic restriction digest. The digested DNA was phenol/CHCl<sub>3</sub> extracted, ethanol precipitated, suspended in 0.25 M KCl and diluted to a working concentration of approximately 60 µg/ml. The DNA was mixed with SV40 T antigen nuclear localization signal peptide (NLS peptide, amino acid sequence CGGPKKKRKVG (SEQ ID NO: 43) with a peptide DNA molar ratio of 100:1 (Collas and Alestrom, 1996, Mol. Reprod. Develop. 45: 431-438, the disclosure of which is incorporated by reference in its entirety). The DNA samples were allowed to associate with the SV40 T antigen NLS peptide by incubation at room temperature for 15 minutes.

Introduction of the DNA-NLS complex into an avian egg was accomplished essentially as described in US Patent Application No. 10/251,364, filed September 18, 2002, the disclosure of which is incorporated in its entirety herein by reference. Briefly, the germinal disc of an avian egg was illuminated by an incident light beam and visualized by an oblique macromonitoring system. A micropipette injection needle was positioned by micromanipulation such that the tip of the needle was pressed into the vitelline membrane of the avian egg to a depth of about 20 µM. The injection needle was inserted through the membrane into the germinal disc to a point where only the end of the beveled opening of the needle was visible above the membrane, while the remaining of the opening was present inside the germinal disk. The DNA-NLS was then injected into the germinal disc. Approximately 100 nanoliters of DNA were injected into a germinal disc of stage I White Leghorn embryos obtained two hours after oviposition of the previous egg.

Injected embryos were surgically transferred to recipient hens via ovum transfer according to the method of Christmann et al. (PCT Publication WO 02/20752, the disclosure of which is incorporated herein in its entirety by reference) and hard shell eggs were incubated and hatched. See, Olsen and Neher,

1948, J. Exp. Zoo. 109: 355-366, the disclosure of which is incorporated in its entirety herein by reference.

Genomic DNA samples from one-week old chicks were analyzed for the presence of OMC24-IRES-LC or HC by PCR using methods well known in the field of avian transgenics. Briefly, three hundred nanograms of genomic DNA and 1.25 units of Taq DNA polymerase (Promega) were added to a 50 $\mu$ l reaction mixture of 1 X Promega PCR Buffer with 1.5mM MgCl<sub>2</sub>, 200 $\mu$ M of each dNTP, 5 $\mu$ M primers. The reaction mixtures were heated for 4 minutes at 94°C, and then amplified for 34 cycles each consisting of: 94°C for 1 min, 60°C for 1 min and 72°C for 1 min. A final cycle of 4 minutes at 72°C was performed. PCR products were detected by visualization on a 0.8% agarose gel stained with ethidium bromide.

#### **Example 8: Production of Antibody by Transgenic Hens**

Transgenic chicks produced as described in Example 7 were grown to maturity. Eggs were collected from the hens and egg white material was assayed for the IgG1 using sandwich ELISA.

The eggs were cracked and opened and the whole yolk portion was discarded. Both the thick and thin egg white portions were kept. 1 ml of egg white was measured and added to a plastic Stomacher 80 bag. A volume of egg white buffer (5% 1M Tris-HCl pH 9 and 2.4% NaCl) equal to two times the volume of egg white was added to the egg white. The egg white-buffer mixture was paddle homogenized in the Stomacher 80 at normal speed for one minute. The sample was allowed to stand overnight and homogenation was repeated. A 1ml sample of the mixture was used for testing.

A Costar flat 96-well plate was coated with 100  $\mu$ l of C Goat-anti-Human kappa at a concentration of 5  $\mu$ g/ml in PBS. The plate was incubated at 37 °C for two hours and then washed. 200  $\mu$ l of 5% PBA was added to the wells followed by an incubation at 37 °C for about 60-90 minutes followed by a wash. 100  $\mu$ l of egg white samples (diluted in 1% PBA:LBP) was added to each well and the plate was incubated at 37 °C for about 60-90 min followed by a wash. 100  $\mu$ l of a

1:2000 dilution of F'2 Goat anti-Human IgG Fc-AP in 1% PBA was added to the wells and the plate was incubated at 37 °C for 60-90 min followed by a wash.

The transgenic antibody was detected by placing 75 ul of 1mg/ml PNPP (p-nitrophenyl phosphate) in 5x developing buffer in each well and incubating for about 10-30 mins at room temperature. The detection reaction was stopped using 75ul of 1N NaOH. The OD405-650nm was then determined for each sample well. Each OD405-650nm value was compared to a standard curve to determine the amount of recombinant antibody present in each sample. Approximately 0.3% of hens analyzed expressed antibody in their eggs. Two hens which expressed antibody are Hen 1251 which was found to produce an average of 19 ng of IgG per ml of egg white and Hen 4992 which was found to produce an average of 150 ng of IgG per ml of egg white.

FIG. 9 shows the results of an SDS-PAGE analysis of the transgenic avian derived hMab compared to the same antibody produced in mammalian cells. The antibody was first purified from egg white proteins by protein A affinity chromatography. The transgenic protein (lane 4) heavy chain and light chain had virtually an identical mobility compared to heavy and light chains of the same antibody produced by standard mammalian cell culture (lane 1). Also shown are pre-chromatography transgenic egg white (lane 2) and affinity chromatography transgenic egg white flow through (lane 3).

#### **Example 9: Human Antibody Produced by Transgenic Hens Demonstrates Target Antigen Binding**

The human monoclonal antibody produced and identified as described in Examples 7 and 8 was assayed for target antigen binding.

Antibody was captured from the egg white in microplate wells coated with the antibodies target antigen. Antigen-antibody complexes were quantitated using isotype-specific secondary antibody conjugated with alkaline phosphatase. The ability of the transgenic avian produced hMab to bind its target antigen was compared with the binding ability of the same hMab produced in mammalian cells.

Plots showing the binding ability of each antibody are shown in Figure 10. The plots show the level of antigen binding per picogram of antibody tested for both the antibody from transgenic chicken egg white and the antibody from a mammalian cell line. The similarity of the binding curves produced by these two  
5 antibodies indicate that the transgenic human antibody has an affinity that is substantially similar to the affinity of the antibody produced by standard methods (i.e., produced in mammalian cells).

A CHO cell line stably transfected with a plasmid that expressed the corresponding cell-surface antigen for the antibody produced by the transgenic  
10 avian was used in FACS analysis of the antibody.

FIG. 11 shows the ability of the transgenic avian derived hMab to bind target antigen expressed on the cell surface of CHO cells relative to the ability of the antibody produced in mammalian cells. CHO cells were transfected with either a luciferase expression plasmid (6 A, 6 C, and 6 E) or an expression  
15 plasmid carrying cDNA of the hMab's target antigen (6 B, 6 D, and 6 F). Cells were collected and treated with one of three primary antibodies: 1) the antigen specific hMab produced by mammalian cells (6 A and 6 B), the antigen specific hMab produced by a transgenic hen (6 C and 6 D), or 3) human antibody of the same isotype as the antibody produced by the transgenic hen but with different  
20 antigen specificity (6 E and 6 F). An isotype specific antibody conjugated with APC (Allophycocyanin) was used to detect primary antibodies bound to the cells. Cells were sorted by FACS, counted and signal generated by the APC of the secondary antibody was quantitated. Cells that exhibited APC-associated fluorescence are delineated with a box within each graph.

25 Together the ELISA and FACS data show that a human antibody molecule produced by transgenic hens can bind efficiently to its target antigen.

#### **Example 10: Human Antibody Produced by Transgenic Hens Demonstrates Stability**

30 FIG. 12 shows the stability of hMab expression in transgenic hen. Eggs from transgenic hens #4992 and #1251 of Example 8 were collected over several

weeks. The amount of hMab in egg white material was quantitated via sandwich ELISA for the specific human IgG1. The results indicate that the antibody produced by an avian and collected in the egg white are stable over a significant period of time.

5

**Example 11: Human Antibody Produced by Transgenic Hens Demonstrates Target Cell Killing**

The primary mechanism of action of many antibody therapeutics is the cytolysis of target antigen expressing cells via serum complement. This activity may require secondary modifications of the antibody in the form of proper glycosylation of the Fc portion of the antibody. Proper glycosylation has been shown to be essential for the antibody interaction with the C1q molecule of complement and with the Fcγ-family of receptors on effector cells.

The activity of the transgenic IgG1 antibody produced in Example 8 was assessed in antibody-dependent cellular cytotoxicity (ADCC) and complement-dependent cellular cytotoxicity (CDCC) assays using the antigen-expressing CHO cell line described in Example 9 as target cells.

ADCC assay: Surface antigen expressing CHO cells were incubated with purified transgenic MAb at 0.5 μg/ml or no MAb in serum free media. Human PBMCs (peripheral blood mononuclear cells) were added at an effector:target cell ratio of 20:1. The mixture was incubated at 37°C for 4 hours. Cell lysis was assayed by LDH release and maximal release accomplished by addition of 1% Triton.

CDCC assay: Surface antigen expressing CHO cells were incubated overnight 37°C with 0.5 μg/ml purified transgenic MAb or no MAb in the presence of 20% normal human serum. Plates were then washed and cell viability was assayed by LDH assay release and maximal release accomplished by addition of 1% Triton.

Activity was calculated for both the ADCC assay and the CDCC assay by methods well known in the art.

Figure 13 shows the percent cytotoxicity for incubations with the transgenic antibody (columns A) and incubations with no antibody in serum free medium (columns B). As can be seen in FIG. 13, the transgenic human antibody efficiently mediated both ADCC and CDCC activities indicating that the antibody is appropriately glycosylated during production in avians and is effective in cytolysis of target cells.

**Example 12: Construction of an Ovomucoid Promoter-Bacterial Artificial Chromosome Expression Vector with a CTLA4-Fc Fusion Coding Sequence and an attB Site**

An ovomucoid gene expression controlling region-bacterial artificial chromosome expression vector with a CTLA4-Fc fusion coding sequence and attB site was constructed using nucleotide coding sequences for the extracellular domains of the CTLA4 (cytotoxic T lymphocyte antigen 4) receptor protein linked to nucleotide coding sequences for an immunoglobulin constant region (IgG1 Fc). The nucleotide sequence for the vector is shown in SEQ ID NO: 44

To produce this construct, an attB fragment was inserted into an EcoRI site of the OMC24-IRES-LC clone described in Example 6. RecA-assisted restriction endonuclease cleavage (RARE) was used to cut only at the desired EcoRI site in the OMC24-IRES-LC clone. The attB fragment is shown inserted approximately at nucleotide number 26,722 to 27,029 of SEQ ID NO: 44. The attB site is shown in bold below in SEQ ID NO: 45 as it appears in the OMC24-attB-IRES-LC construct.



SEQ ID NO:45

```

5  CCCAGAGCTG TGCAGTTGGG ATCCTAACAC CATGCAGATG CTCCAGGACC TGCACCGAGC
   CCCAGCACTG GCACTCATCT CTTCTTTCCA CCCCTCTGAG AGCAACAAGT GGCTCTGCAA
   TGGCAATGTA AGTGAAACCG GGCGGGTATC TTAGAGCACC TGGAAGCTTG CATGCCTGCA
10  GGTGCACTCT AGAGGATCCC CGGGTACCGA GCTCGAATTC CAGGTACCGT CGACGATGTA
   GGTCAACGGT TCGAAGCCGC GGTGCGGGTG CCAGGGCGTG CCCTTGGGCT CCCCAGGCGC
   GTACTCCACC TCACCCATCT GGTCCATCAT GATGAACGGG TCGAGGTGGC GGTAGTTGAT
   CCCGGCGAAC GCGCGGCGCA CCGGGAAGCC CTCGCCCTCG AAACCGCTGG GCGCGGTGGT
   CACGGTGAGC ACGGGACGTG CGACGGCGTC GGCGGGTGCG GATACGCGGG GCAGCGTCAG
15  CGGGTTCTCG ACGGTCACGG CGGGCATGTC GACAGCCAAG CCGAATTCGC CCTATAGTGA
   GTCGTATTAC AATTCACCTG CCGTCGTTTT ACAACGTCGT GACTGGGAAA ACCCTGGCGT
   TACCCAACTT AATCGCCTTG CAGCACATCC CCCTTTCGCC AGCTGGCGTA ATAGCGAAGA
   GGCCCGCACC GATCGCCCTT CCCAACAGTT GCGCAGCCTG AATGGCGAAT GCGGCCTGAT
   GCGGTATTTT CTCCTTACGC ATCTGTGCGG TATTTACAC CGCATATGGT GCACTCTCAG

```

To produce the OMC24-attB-IRES-CTLA4 clone shown in SEQ ID NO: 44, the IRES-LC portion of the OMC24-attB-IRES-LC clone was deleted using RARE and was replaced with an IRES-CTLA4-Fc coding sequence (spanning approximately from nucleotides 76,124 to 77,872 of SEQ ID NO: 44). The portion of the OMC24-attB-IRES-CTLA4-Fc clone comprising the IRES and CTLA4-Fc portions is shown below in SEQ ID NO: 46. The IRES is shown in bold and the CTLA4-Fc coding region is underlined.

SEQ ID NO: 46

```

5  ATAATCAGGT AGCTGAGGAG ATGCTGAGTC TGCCAGTTCT TGGGCTCTGG GCAGGATCCC
   ATCTCCTGCC TTCTCTAGGA CAGAGCTCAG CAGGCAGGGC TCTGTGGCTC TGTGTCTAAC
   CCACTTCTTC CTCTCCTCGC TTTCAGGGAA AGCAACGGGA CTCTCACTTT AAGCCATTTT
   GGAAAATGCT GAATATCAGA GCTGAGAGAA TTCCGCCCTT CTCCCTCCCC CCCCCCTAAC
   GTTACTGGCC GAAGCCGCTT GGAATAAGGC CGGTGTGCGT TTGTCTATAT GTTATTTTCC
   ACCATATTGC CGTCTTTTGG CAATGTGAGG GCCCGGAAAC CTGGCCCTGT CTTCTTGACG
10  AGCATTCCTA GGGGTCTTTC CCCTCTCGCC AAAGGAATGC AAGGTCTGTT GAATGTCGTG
   AAGGAAGCAG TTCCTCTGGA AGCTTCTTGA AGACAAACAA CGTCTGTAGC GACCCTTTGC
   AGGCAGCGGA ACCCCCCACC TGGCGACAGG TGCCCTCTGCG GCCAAAAGCC ACGTGTATAA
   GATACACCTG CAAAGGCGGC ACAACCCAG TGCCACGTTG TGAGTTGGAT AGTTGTGGAA
   AGAGTCAAAT GGCTCTCCTC AAGCGTATTC AACAAAGGGG TGAAGGATGC CCAGAAGGTA
   CCCCATTTGA TGGGATCTGA TCTGGGGCCT CGGTGCACAT GCTTTACATG TGTTTAGTCG
15  AGGTTAAAAA AACGTCTAGG CCCCCGAAC CACGGGGACG TGGTTTTTCT TTGAAAAACA
   CGATGATAAG CTTGCCACAA CCATGGGTGT ACTGCTCACA CAGAGGACGC TGCTCAGTCT
   GGTCTTTGCA CTCCTGTTTC CAAGCATGGC GAGCATGGCA ATGCACGTGG CCCAGCCTGC
   TGTGGTACTG GCCAGCAGCC GAGGCATCGC CAGCTTTGTG TGTGAGTATG CATCTCCAGG
   CAAAGCCACT GAGGTCCGGG TGACAGTGCT TCGGCAGGCT GACAGCCAGG TGACTGAAGT
20  CTGTGCGGCA ACCTACATGA TGGGGAATGA GTTGACCTTC CTAGATGATT CCATCTGCAC
   GGGCACCTCC AGTGGAATC AAGTGAACCT CACTATCCAA GGACTGAGGG CCATGGACAC
   GGGACTCTAC ATCTGCAAGG TGGAGCTCAT GTACCCACCG CCATACTACC TGGGCATAGG
   CAACGGAACC CAGATTATG TAATTGATCC AGATACCGTG CCCAGATTCT GATCAGGAGC
   CCAAACTTTC TGACAAACT CACACATCCC CACCGTCCCC AGCACCTGAA CTCCTGGGTG
25  GATCGTCAGT CTTCTCTTTC CCCCCAAAC CCAAGGACAC CCTCATGATC TCCCGGACCC
   CTGAGGTCAC ATGCGTGGTG GTGGACGTGA GCCACGAAGA CCCTGAGGTC AAGTTCAACT
   GGTACGTGGA CGGCGTGGAG GTGCATAATG CCAAGACAAA GCCGCGGGAG GAGCAGTACA
   ACAGCACGTA CCGGGTGGTC AGCGTCTCA CCGTCTGCA CCAGGACTGG CTGAATGGCA
   AGGAGTACAA GTGCAAGGTC TCCAACAAAG CCTCCCAGC CCCCATCGAG AAAACCATCT
30  CCAAAGCCAA AGGGCAGCCC CGAGAACCAC AGGTGTACAC CCTGCCCCCA TCCCGGGATG
   AGCTGACCAA GAACCAGGTC AGCCTGACCT GCCTGGTCAA AGGCTTCTAT CCCAGCGACA
   TCGCCGTGGA GTGGGAGAGC AATGGGCAGC CGGAGAACAA CTACAAGACC ACGCCTCCCC
   TGCTGGACTC CGACGGCTCC TTCTTCTCT ACAGCAAGCT CACCGTGGAC AAGAGCAGGT
   GGCAGCAGGG GAACGTCTTC TCATGCTCCG TGATGCATGA GGCTCTGCAC AACCCTACA
35  CGCAGAAGAG CCTCTCCCTG TCTCCGGGTA AATGAGGAAT TCACCACAGG ATCCCCACTG
   GCGAATCCCA GCGAGAGGTC TCACCTCGGT TCATCTCGCA CTCTGGGGAG CTCAGCTCAC

```

**Example 13: Production of Transgenic Hens with an OMC24-IRES-attB-  
CTLA4-Fc Fusion Coding Sequence**

Twenty-five µg of OMC24-attB-IRES-CTLA4-Fc and 2.5 µg of SV40 integrase mRNA was placed in 200 µl of 28 mM Hepes (pH 7.4). The DNA/Hepes was mixed with an equal volume of PEI was diluted 10-fold with water and the mixture was incubated at room temperature for 15 mins. About 5 µl of the mixture was injected into chicken eggs essentially as described in Example 7.

Birds that produce egg white which includes CTLA4-Fc were identified using a procedure essentially as described in Example 8 but tailored specifically

for CTLA4-Fc as is understood by a practitioner of ordinary skill in the art. Approximately 20% of the birds analyzed produced eggs positive for CTLA4-Fc.

**Example 14: Construction of an Ovomucoid Promoter-Bacterial Artificial**

5 **Chromosome Expression Vector Encoding an Antibody which binds to CD3**

A single vector is constructed to include a cassette comprising an IRES attached to the coding sequence of the light chain of an IgG antibody which binds to CD3 and a cassette comprising an IRES attached to the coding sequence of the heavy chain of an IgG antibody which binds to CD3. The coding sequences for  
10 each of the antibody chains are produced by assembling synthetic oligonucleotides to form double stranded DNA segments which encode either the amino acid sequence for the antibody light chain (LC) or heavy chain (HC). Sequences for this particular antibody have been described in, for example, US Patent No. 6,706,265, the disclosure of which is incorporated in its entirety herein  
15 by reference. The IRES-LC cassette and IRES-HC cassette are each inserted into the ovomucoid UTR of a single OMC24 clone described in Example 6.

Transgenic hens which produce egg white which includes IgG antibody that binds to CD3 are produced essentially as described in Example 7.

20 **Example 15: Construction of an Ovomucoid Promoter-Human Artificial Chromosome Expression Vector Encoding an Antibody which binds to CD3**

A chicken HAC library constructed with genomic chicken DNA restriction digest inserts ligated into HAC vector is screened by PCR with two sets of primers using methods well known in the art. One primer set is designed to  
25 anneal in the 5' untranslated region of the ovomucoid gene. The other primer set is designed to anneal in exon 3 and exon 4 of the ovoinhibitor gene. A single HAC-chicken DNA clone is identified that includes both the UTR and the ovoinhibitor sequences and is designated HAC-O.

Two vectors are constructed to include a cassette comprising an IRES  
30 attached to the coding sequence of either the light chain or the heavy chain of an IgG antibody which binds to CD3. The coding sequences are produced by

assembling synthetic oligonucleotides to form two double stranded DNA segments which encode either the amino acid sequence of the antibody light chain (LC) or heavy chain (HC). The IRES-LC cassette and IRES-HC cassette are each inserted into the ovomucoid UTR of a HAC-O clone to produce HAC-O-IRES-

5 LC and HAC-O-IRES-HC.

Transgenic hens which produce egg white which includes IgG antibody that binds to CD3 are produced essentially as described in Example 7 .

**Example 16: Construction of an Ovomuroid Promoter P1 Derived Artificial**  
10 **Chromosome Expression Vector Encoding EPO**

A chicken PAC library constructed with chicken genomic DNA restriction digest inserts ligated into PAC vector is screened by PCR with two sets of primers using methods well known in the art. One primer set is designed to anneal in the 5' untranslated region of the ovomucoid gene. The other primer set is designed to  
15 anneal in exon 3 and exon 4 of the ovoinhibitor gene. A single PAC-chicken DNA clone is identified that includes both the UTR and the ovoinhibitor sequences and is designated PAC-O.

A vector is constructed which includes a cassette comprising an IRES attached to the coding sequence of human erythropoietin. Sequences for  
20 erythropoietin have been described in, for example, US Patent No. 4,703,008, the disclosure of which is incorporated in its entirety herein by reference. The IRES-EPO cassette is inserted into the ovomucoid UTR of the PAC-O clone.

Transgenic hens which produce egg white which includes EPO are produced essentially as described in Example 7 .

**Example 17: Construction of an Ovomuroid Promoter-Bacterial Artificial**  
25 **Chromosome Expression Vector Encoding Human Gamma-Interferon**

A vector is constructed which includes a cassette coding sequence of an IRES and human gamma-interferon. Sequences for gamma-interferon have been  
30 previously described in, for example, US Patent No. 4,970,161, the disclosure of

which is incorporated in its entirety herein by reference. The interferon coding sequence is inserted into the ovomucoid UTR in an OMC24 clone of Example 6.

Transgenic hens which produce egg white which includes gamma-interferon are produced essentially as described in Example 7 .

5

**Example 18: Construction of an Ovomuroid Promoter-Yeast Artificial Chromosome Expression Vector Encoding the Fc portion of an Antibody which binds to CD3**

A chicken YAC library constructed with restriction digest inserts ligated  
10 into YAC vector is screened by PCR with two sets of primers using methods well known in the art. One primer set is designed to anneal in the 5' untranslated region of the ovomucoid gene. The other primer set is designed to anneal in exon 3 and exon 4 of the ovoinhibitor gene. A single YAC-chicken DNA clone is identified that includes both the UTR and the ovoinhibitor sequences and is  
15 designated YAC-O.

One vector is constructed to include a cassette comprising an IRES attached to the coding sequence of the Lc portion of an IgG antibody which binds to CD3. The coding sequences are produced by assembling synthetic oligonucleotides to form two double stranded DNA segments which encode the  
20 Lc portion of an IgG antibody which binds to CD3. The IRES-Lc cassette is inserted into the ovomucoid UTR of a YAC-O clone to produce YAC-O-IRES-Lc.

Transgenic hens which produce egg white which includes the Lc portion of an IgG antibody that binds to CD3 are produced essentially as described in  
25 Example 7 .

**Example 19: Construction of an Ovomuroid Promoter-Bacterial Artificial Chromosome Expression Vector Encoding a Monoclonal Antibody That Specifically Recognizes Phosphatidylinositol-3,4-Bisphosphate**

Two vectors are constructed to include a cassette comprising an IRES  
30 attached to the coding sequence of either the light chain or the heavy chain of a

monoclonal antibody that specifically recognizes phosphatidylinositol-3,4-bisphosphate. The coding sequences are produced by assembling synthetic oligonucleotides to form two double stranded DNA segments which encode the amino acid sequence of either the antibody light chain (LC) or heavy chain (HC).

5 Sequences for this particular antibody are disclosed in, for example, US Patent No. 6,709,833, the disclosure of which is incorporated in its entirety herein by reference. The IRES-LC cassette and IRES-HC cassette are each inserted into an OMC24 clone essentially as described in Example 6.

10 Transgenic hens which produce egg white that includes a monoclonal antibody that specifically recognizes phosphatidylinositol-3,4-bisphosphate are produced essentially as described in Example 7.

All references cited herein are incorporated by reference herein in their entirety and for all purposes to the same extent as if each individual publication,  
15 patent or patent application was specifically and individually indicated to be incorporated by reference in its entirety for all purposes.

The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention.

20 While this invention has been described with respect to various specific examples and embodiments, it is to be understood that the invention is not limited thereto and that it can be variously practiced with the scope of the following claims.

25

30

What is claimed is:

1. A nucleic acid molecule comprising an ovomucoid gene expression controlling region isolated from a chicken.
- 5 2. The nucleic acid molecule of claim 1 wherein the nucleic acid is DNA.
3. The nucleic acid molecule of claim 1 comprising an attB site.
- 10 4. The nucleic acid molecule of claim 1 comprising a signal sequence coding region.
5. The nucleic acid of claim 1 comprising an artificial chromosome.
- 15 6. The nucleic acid of claim 1 comprising an IRES.
7. The nucleic acid molecule of claim 1 comprising an artificial chromosome selected from the group consisting of a BAC (bacterial artificial chromosome), YAC (yeast artificial chromosome), HAC (human artificial chromosome), MAC (mammalian artificial chromosome), BBPAC (bacteriophage  
20 derived artificial chromosome) and PAC (P1 derived artificial chromosome).
8. The nucleic acid molecule of claim 1 wherein the ovomucoid gene expression controlling region comprises SEQ ID NO: 26 or SEQ ID NO: 36.
- 25 9. The nucleic acid molecule of claim 1 wherein the ovomucoid gene expression controlling region comprises a functional portion of SEQ ID NO: 26 or SEQ ID NO: 36.

30

10. The nucleic acid of Claim 1 wherein the ovomucoid gene expression controlling region comprises a sequence at least 60% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

5 11. The nucleic acid of Claim 1 wherein the ovomucoid gene expression controlling region comprises a sequence at least 75% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

10 12. The nucleic acid of Claim 1 wherein the ovomucoid gene expression controlling region comprises a sequence at least 95% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

13. The nucleic acid molecule of claim 1 in a cell.

15 14. The nucleic acid molecule of claim 1 in a cell of an avian selected from the group consisting of chicken, quail, turkey, duck, goose, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary.

20 15. The nucleic acid molecule of claim 1 in a cell of an avian selected from the group consisting of chicken, quail and duck.

16. The nucleic acid molecule of claim 1 in a cell of a chicken.

25 17. The nucleic acid molecule of claim 1 present in an oviduct cell.

18. The nucleic acid molecule of claim 1 present in a tubular gland cell.

30 19. The nucleic acid molecule of claim 1 present in an avian embryo cell.



20. The nucleic acid molecule of claim 1 present in an early stage avian embryo comprising a germinal disc.

21. The nucleic acid molecule of claim 1 present in avian embryo cell  
5 selected from the group consisting of a stage I avian embryo, stage II avian embryo, stage III avian embryo, stage IV avian embryo, stage V avian embryo, stage VI avian embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo and stage XII avian embryo.

10

22. The nucleic acid molecule of claim 1 present in a cell of a stage X avian embryo.

23. The nucleic acid of claim 1 introduced into a cell by a method  
15 selected from the group consisting of microinjecting, transfection, electroporation and lipofection.

24. The nucleic acid of claim 1 introduced into a cell by microinjecting.

20 25. The nucleic acid molecule of claim 1 comprising a nucleotide sequence encoding a polypeptide other than ovomucoid protein operably linked to the ovomucoid gene expression controlling region.

26. The nucleic acid molecule of claim 25 wherein the polypeptide is  
25 present in egg white produced by a transgenic avian.

27. The nucleic acid molecule of claim 1 wherein a nucleotide sequence encoding a pharmaceutical composition is operably linked to the ovomucoid gene expression controlling region.

30

28. The nucleic acid molecule of claim 1 wherein a nucleotide sequence encoding a light chain or a heavy chain of an antibody is operably linked to the ovomucoid gene expression controlling region.
- 5 29. The nucleic acid molecule of claim 28 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.
30. The nucleic acid molecule of claim 28 wherein the antibody is IgG.
- 10 31. The nucleic acid molecule of claim 28 wherein the antibody is IgG1.
32. The nucleic acid molecule of claim 1 wherein a nucleotide sequence encoding a portion of light chain or portion of a heavy chain of an antibody is operably linked to the ovomucoid gene expression controlling region.
- 15 33. The nucleic acid molecule of claim 32 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.
34. The nucleic acid molecule of claim 32 wherein the antibody is IgG.
- 20 35. The nucleic acid molecule of claim 32 wherein the antibody is IgG1.
36. The nucleic acid molecule of claim 1 wherein a nucleotide sequence encoding a hormone is operably linked to the ovomucoid gene expression controlling region.
- 25 37. The nucleic acid molecule of claim 1 in a cell of a transgenic avian.
38. An egg produced by the transgenic avian of claim 37.
- 30 39. A nucleic acid molecule comprising a nucleotide sequence that

hybridizes to the nucleotide sequence of SEQ ID NO: 26 or SEQ ID NO: 36 or a nucleotide sequence that hybridizes to the complement of the nucleotide sequence of SEQ ID NO: 26 or SEQ ID NO: 36, each hybridization under stringent conditions.

5

40. The nucleic acid molecule of claim 39 wherein the nucleotide sequence is that of SEQ ID NO: 26 or SEQ ID NO: 36.

41. The nucleic acid molecule of claim 39 wherein the nucleotide  
10 sequence is a portion of SEQ ID NO: 26 or SEQ ID NO: 36.

42. The nucleic acid molecule of claim 39 wherein the nucleotide sequence is the complement of SEQ ID NO: 26 or SEQ ID NO: 36.

15 43. The nucleic acid molecule of claim 39 wherein the nucleotide sequence is a portion of the complement of SEQ ID NO: 26 or SEQ ID NO: 36.

44. A nucleic acid molecule comprising an ovomucoid gene expression  
controlling region isolated from a chicken and a coding sequence encoding a  
20 polypeptide other than ovomucoid.

45. The nucleic acid molecule of claim 44 wherein the nucleic acid is  
DNA.

25 46. The nucleic acid molecule of claim 44 comprising an attB site.

47. The nucleic acid molecule of claim 44 comprising a signal sequence  
coding region.

30 48. The nucleic acid molecule of claim 44 comprising an IRES.

49. The nucleic acid of claim 44 comprising an artificial chromosome.

50. The nucleic acid molecule of claim 44 comprising an artificial chromosome selected from the group consisting of a BAC (bacterial artificial chromosome), YAC (yeast artificial chromosome), HAC (human artificial chromosome), MAC (mammalian artificial chromosome), BBPAC (bacteriophage derived artificial chromosome) and PAC (P1 derived artificial chromosome).

51. The nucleic acid molecule of claim 44 wherein the ovomucoid gene expression controlling region comprises SEQ ID NO: 26 or SEQ ID NO: 36.

52. The nucleic acid molecule of claim 44 wherein the ovomucoid gene expression controlling region comprises a functional portion of SEQ ID NO: 26 or SEQ ID NO: 36.

53. The nucleic acid of Claim 44 wherein the ovomucoid gene expression controlling region comprises a sequence at least 75% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

54. The nucleic acid of Claim 44 wherein the ovomucoid gene expression controlling region comprises a sequence at least 95% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

55. The nucleic acid molecule of claim 44 in a cell.

56. The nucleic acid molecule of claim 44 in a cell of an avian selected from the group consisting of chicken, quail, turkey, duck, goose, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary.

57. The nucleic acid molecule of claim 44 in a cell of an avian selected from the group consisting of chicken, quail and duck.

58. The nucleic acid molecule of claim 44 in a cell of a chicken.
59. The nucleic acid molecule of claim 44 present in an oviduct cell.
- 5  
60. The nucleic acid molecule of claim 44 present in an avian embryo cell.
61. The nucleic acid molecule of claim 44 present in an early stage  
10 avian embryo comprising a germinal disc.
62. The nucleic acid molecule of claim 44 present in avian embryo cell selected from the group consisting of a stage I avian embryo, stage II avian embryo, stage III avian embryo, stage IV avian embryo, stage V avian embryo,  
15 stage VI avian embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo and stage XII avian embryo.
63. The nucleic acid of claim 44 introduced into a cell by a method  
20 selected from the group consisting of microinjecting, transfection, electroporation and lipofection.
64. The nucleic acid of claim 44 introduced into a cell by  
25 microinjecting.
65. The nucleic acid molecule of claim 44 comprising a nucleotide sequence encoding a polypeptide other than ovomucoid protein operably linked to the ovomucoid gene expression controlling region.
- 30 66. The nucleic acid molecule of claim 44 wherein the polypeptide is present in egg white produced by a transgenic avian.

67. The nucleic acid molecule of claim 44 wherein the polypeptide is a fusion protein.

5        68. The nucleic acid molecule of claim 44 wherein the polypeptide is a CTLA4-Fc fusion protein.

69. The nucleic acid molecule of claim 44 wherein a nucleotide sequence encoding a pharmaceutical composition is operably linked to the  
10        ovomucoid gene expression controlling region.

70. The nucleic acid molecule of claim 44 wherein a nucleotide sequence encoding a light chain or a heavy chain of an antibody is operably linked to the ovomucoid gene expression controlling region.  
15

71. The nucleic acid molecule of claim 70 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.

72. The nucleic acid molecule of claim 70 wherein the antibody is IgG.  
20

73. The nucleic acid molecule of claim 70 wherein the antibody is IgG1.

74. The nucleic acid molecule of claim 44 wherein a nucleotide sequence encoding a portion of light chain or portion of a heavy chain of an  
25        antibody is operably linked to the ovomucoid gene expression controlling region.

75. The nucleic acid molecule of claim 74 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.

30        76. The nucleic acid molecule of claim 74 wherein the antibody is IgG.

77. The nucleic acid molecule of claim 74 wherein the antibody is IgG1.

78. The nucleic acid molecule of claim 44 wherein a nucleotide sequence encoding a hormone is operably linked to the ovomucoid gene expression controlling region.

79. The nucleic acid molecule of claim 44 in a cell of a transgenic avian.

80. An egg produced by the transgenic avian of claim 79.

81. A nucleic acid molecule comprising an ovomucoid gene expression controlling region isolated from a chicken comprising SEQ ID NO: 26 or SEQ ID NO: 36 and a coding sequence encoding a polypeptide other than ovomucoid.

82. A method for expressing a polypeptide comprising inserting a nucleic acid molecule which includes ovomucoid gene expression controlling region isolated from a chicken operably linked to a nucleic acid encoding a polypeptide into a cell, thereby expressing a polypeptide.

83. The method of claim 82 wherein the nucleic acid molecule comprises an attB site.

84. The method of claim 82 wherein the nucleic acid molecule comprises a signal sequence coding region.

85. The method of claim 82 wherein the nucleic acid molecule comprises an IRES.

86. The nucleic acid of claim 82 comprising an artificial chromosome.

87. The nucleic acid molecule of claim 82 comprising an artificial chromosome selected from the group consisting of a BAC (bacterial artificial chromosome), YAC (yeast artificial chromosome), HAC (human artificial chromosome), MAC (mammalian artificial chromosome), BBPAC (bacteriophage  
5 derived artificial chromosome) and PAC (P1 derived artificial chromosome).

88. The method of claim 82 wherein the ovomucoid gene expression controlling region comprises SEQ ID NO: 26 or SEQ ID NO: 36.

10 89. The method of claim 82 wherein the ovomucoid gene expression controlling region comprises a functional portion of SEQ ID NO: 26 or SEQ ID NO: 36 .

90. The method of claim 82 wherein the ovomucoid gene expression  
15 controlling region comprises a sequence at least 60% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

91. The method of claim 82 wherein the ovomucoid gene expression  
20 controlling region comprises a sequence at least 75% homologous to SEQ ID NO: 26 or SEQ ID NO: 36.

92. The method of claim 82 wherein the cell is a cell of an avian selected from the group consisting of chicken, quail, turkey, duck, goose, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and  
25 cassowary.

93. The method of claim 82 wherein the cell is a cell of an avian selected from the group consisting of chicken, quail and duck.

30 94. The method of claim 82 wherein the cell is a cell of a chicken.



95. The method of claim 82 wherein the cell is an oviduct cell.
96. The method of claim 82 wherein the cell is a tubular gland cell.
- 5 97. The method of claim 82 wherein the cell is an avian embryo cell.
98. The method of claim 82 wherein the cell is an early stage avian embryo comprising a germinal disc.
- 10 99. The method of claim 82 wherein the cell is an avian embryo cell selected from the group consisting of a stage I avian embryo, stage II avian embryo, stage III avian embryo, stage IV avian embryo, stage V avian embryo, stage VI avian embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo and stage XII  
15 avian embryo.
100. The method of claim 82 wherein the cell is a cell of a stage X avian embryo.
- 20 101. The method of claim 82 wherein the nucleic acid molecule is introduced into the cell by a method selected from the group consisting of microinjecting, transfection, electroporation and lipofection.
102. The method of claim 82 wherein the nucleic acid molecule is  
25 introduced into the cell by microinjecting.
103. The method of claim 82 wherein the polypeptide is present in egg white produced by a transgenic avian.
- 30 104. The method of claim 82 wherein the nucleotide sequence encodes a pharmaceutical composition.

105. The method of claim 82 wherein the nucleotide sequence encodes a light chain or a heavy chain of an antibody.

5           106. The method of claim 105 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.

107. The method of claim 105 wherein the antibody is IgG.

10           108. The method of claim 105 wherein the antibody is IgG1.

109. The method of claim 82 wherein the nucleotide sequence encodes a portion of light chain or portion of a heavy chain of an antibody.

15           110. The method of claim 109 wherein the antibody is selected from the group consisting of IgG, IgA, IgD, IgM and IgE.

111. The method of claim 109 wherein the antibody is IgG.


20           112. The method of claim 109 wherein the antibody is IgG1.

113. The method of claim 82 wherein the nucleotide sequence encodes a hormone.

25           114. An egg comprising the polypeptide produced by the method of claim 82.

115. A method for expressing a polypeptide comprising inserting a nucleic acid molecule which includes a nucleotide sequence that hybridizes to the  
30   nucleotide sequence of SEQ ID NO: 26 or SEQ ID NO: 36 or a nucleotide sequence that hybridizes to the complement of the nucleotide sequence of SEQ ID

NO: 26 or SEQ ID NO: 36, each hybridization under stringent conditions into a cell, thereby expressing a polypeptide.



2 3 4 5 6 7 8 17 18 19 20 21 22 23 24 9 10 11 12 13 14 15 25 26 28 29 27 30 31 32 16 1

**Fig. 1**




Fig. 2

OVINs1:	GGGAAACAATCTGCCTTGCA	SEQ ID NO: 3
OVINs2:	TAGGCAGAGCAATAGGACTCTCAACCTCGT	SEQ ID NO: 1
OVINs4:	AGATGAGGTGGATGGTTTAC	SEQ ID NO: 7
OVINs5:	CAGCTTCTGCTAGCGTAGGT	SEQ ID NO: 8
OVINs6:	ACGTGAACTCAAAGAGGCAC	SEQ ID NO: 9
OVINs7:	ATCTCCTGAGCTCGGTGCTT	SEQ ID NO: 10
OVINs8:	ACGAGGTTCCATGTCTTTCA	SEQ ID NO: 11
OVMUa1:	AAGCCACAAAGCACGAAAGAG	SEQ ID NO: 4
OVMUa2:	AAGCTTCTGCAGCACTCTGGGAGTTACTCA	SEQ ID NO: 2
OVMUa3:	TAAATAGCACAGAACGCTGAGGGGAGTAAGG	SEQ ID NO: 12
OVMUa4:	GAAGAGCTTGGTAGAAGACT	SEQ ID NO: 13
OVMUa5:	ATGGAAATATGGGTTTCCTTC	SEQ ID NO: 14
OVMUa6:	GCAGCTTATGGCTAATCGCT	SEQ ID NO: 15
OVMUa7:	AGTGACCACTATCTGACCTG	SEQ ID NO: 16
OVMUa8:	TAATCAGGAAGGCACACAGC	SEQ ID NO: 17
OVMUP4.7.1:	AGATCTGGAGCAGCACTTGT	SEQ ID NO: 18
OVMUP4.7.2:	AGCATGAAGTTCCTCACCCA	SEQ ID NO: 19
OVMUP4.7.3:	ATGGAGAGGAATATTCCTT	SEQ ID NO: 20
OVMUP4.7.4:	ATTTCTCCAGGCGTGTGG	SEQ ID NO: 21
OVMUP5.5.1:	ATTTCTCCAGGCGTGTGG	SEQ ID NO: 22
OVMUP5.5.2:	ATGCGAGTGAAGGAGAGTTC	SEQ ID NO: 23
OVMUP5.5.3:	GCAGCACGTGTAAGCTTGTA	SEQ ID NO: 24
OVMUP5.5.4:	CAAGGCAAATTATCAGCAGA	SEQ ID NO: 25
OVMUa9:	AAATGAAGCCGGCTGTTTTTC	SEQ ID NO: 27
OVINs9	CTCTCAGCCACTCTGAACAA	SEQ ID NO: 28

FIG.3

TAGGCAGAGCAATAGGACTCTCAACCTCGTGAGTATGGCAGCATGTAACTCTGCACTGG 60  
 OVOINHIBITOR 3' UNTRANSLATED REGION  
 AGTCCAGCGTGGGAAACAATCTGCCTTGACATGAGTCTTCGTGGGCAATATCCCCAA  
 OVOINHIBITOR 3' UNTRANSLATED REGION  
 CGGTTTCCTTCAGCTTGCTTGCTCCTAAGCTCTCAAAACACCTTTTTGGTGAATAAA  
 OVOINHIBITOR 3' UNTRANSLATED REGION  
 CTCACCTGGCAACGTTTATCTGTCTTACCTTAGTGTACGTTTCATCCCTATCCCCCTTT  
 CTCCTCCTCCGTGTGGTACACAGTGGTGCACACTGGTTCTTCTGTTGATGTTCTGCTCTG. 300  
 ACAGCCAATGTGGGTAAAGTTCTTCCTGCCACGTGTCTGTGTTGTTTTCACTTCAAAAAG  
 GGCCCTGGGCTCCCCCTGGAGCTCTCAGGCATTTCTTAATCATCACAGTCACGCTGGCA  
 GGATTAGTCCCTCCTAAACCTTAGAATGACCTGAACGTGTGCTCCCTCTTTGTAGTCAGT  
 GCAGGGAGACGTTTGCCTCAAGATCAGGGTCCATCTCACCCACAGGGCCATTCCCAAGAT  
 GAGGTGGATGGTTTACTCTCACAAAAGTTTCTTATGTTTGGCTAGAAAGGAGAACTCA 600  
 CTGCCTACCTGTGAATCCCCCTAGTCTGGTCTGCTGCCACTGCTGCCTGTGCAGCCTG  
 TCCCATGGAGGGGGCAGCAACTGCTGTCAAAAGGTGATCCACCCCTGTCTCCACTGAAA  
 TGACCTCAGTGCCACGTGTTGTATAGGGTATAAAGTACGGGAGGGGGATGCCCGGCTCCC  
 TTCAGGGTTGCAGAGCAGAAGTGTCTGTGTATAGAGTGTGTCTTAATCTATTAATGTAAC  
 AGAACAACCTTCAGTCTAGTGTGTTTGTGGGCTGGAATTGCCCATGTGGTAGGGACAGGCC 900  
 TGCTAAATCACTGCAATCGCCTATGTTCTGAAGGTATTTGGGAAAGAAAGGGATTTGGGG  
 GATTGCCTGTGATTGGCTTTAATTGAATGGCAAATCACAGGAAAGCAGTTCTGCTCAACA  
 GTTGGTTGTTTCAGCCAATTCTTGAGCCAAAGAGCCGGGTGCCAGCGATATAATAGTT  
 GTCACCTGTGTCTGTATGGATGACAGGGAGGTAGGGTGACCTGAGGACCACCCTCCAGCT  
 TCTGCTAGCGTAGGTACAGTCACCACCTCCAGCTCCACACGAGTCCCATCGTGGTTTACC 1200  
 AAAGAAACACAATTATTTGGACCAGTTTGGAAAGTCACCCGCTGAATTGTGAGGCTAGAT  
 TAATAGAGCTGAAGAGCAAATGTTCCCAACTTGGAGATACTAGTTGGTATTAGTATCAGA  
 GGAACAGGGCCATAGCACCTCCATGCTATTAGATTCCGGCTGGCATGTACTTTTCAAGAT  
 GATTTGTAACATAACAATGGCTTATTGTGCTTGCTTAAAGTCTGTGTCTTAATGTAAATGT  
 TCCTTTGGTTTATATAACCTTCTTGCCATTTGCTCTTCAGGTGTTCTTGCAAGAACTGG 1500  
 CTGCTTTAATCTAGTTTAACTGTTGCTTGATTATTCTTAGGGATAAGATCTGAATAAACT  
 TTTTGTGGCTTTGGCAGACTTAGCTTGGGCTTAGCTCCACATTAGCTTTTGTGCTGCTT  
 TTCTGTGAAGCTATCAAGATCCTACTCAATGACATTAGCTGGGTGCAGGTGTACCAAATC  
 CTGCTCTGTGGAACACATTGTCTGATGATACCGAAGGCAAACGTGAACTCAAAGAGGCAC  
 AGAGTTAAGAAGAAGTCTGTGCAATTCAGAGGAAAAGCCAAAGTGGCCATTAGACACACT 1800  
 TTCCATGCAGCATTTGCCAGTAGGTTTCATATAAAACTACAAAATGGAATAAACCACTAC  
 AAATGGGAAAAGCCTGATACTAGAATTTAAATATTCACCCAGGCTCAAGGGGTGTTTCAT  
 GGAGTAATATCACTCTATAAAAGTAGGGCAGCCAATTATTCACAGACAAAGCTTTTTTTT  
 TTCTGTGCTGCAGTGCTGTTTTTCGGCTGATCCAGGGTTACTTATTGTGGGTCTGAGAGC  
 TGAATGATTTCTCCTTGTGTCTGTTGGTGAAGGAGATATGGCCAGGGGGAGATGAGCAT 2100  
 GTTCAAGAGGAAACGTTGCATTTTGGTGGCTTGGGAGAAAGGTAGAACGATATCAGGTCC  
 ATAGTGTCACTAAGAGATCTGAAGGATGGTTTTACAGAACAGTTGACTTGGCTGGGTGCA  
 GGCTTGGCTGTAAATGGATGGAAGGATGGACAGATGGGTGGACAGAGATTTCTGTGCAGG  
 AGATCATCTCCTGAGCTCGGTGCTTGACAGACTGCAGATCCATCCCATAACCTTCTCCAG  
 CATGAGAGCGCGGGGAGCTTTGGTACTGTTCACTGCTGCTTGTGCTTCTGGGTGCA 2400  
 CAGTGGTGATTTTCTTACTCACACAGGGCAAAACCTGAGCAGCTTCAAAGTGAACAGGT  
 TGCTCTCATAGGCCATTAGTTGTCAAGATGAGGTTTTTGGTTTCTTGTGTTTGAAGGTG  
 GGAAGAAGCACTGAAGGATCAGTTGCGAGGGCAGGGGTTTAGCACTGTTCAAGAGAGTCT  
 TATTTTAACTCCTCTCATGAACAAAAGAGATGCAGGTGCAGATTCTGGCAAGCATGCAG  
 TGAAGGAGAAAGCCCTGAATTTCTGATATATGTGCAATGTTGGGCACCTAACATCCCCG 2700  
 CTGAAGCACAGCAGCTCCAGCTCCATGCAGTACTCACAGCTGGTGCAGCCCTCGGCTCCA

FIG. 4A

GGGTCTGAGCAGTGCTGGGACTCACGAGGTTCCATGTCTTTCACACTGATAATGGTCCAA  
 CR1  
 TTTCTGGAATGGGTGCCCATCCTTGGAGGTCCCAAGGCCAGGCTGGCTGCGTCTCCGAG  
 CR1  
 CAGCCCGATCTGGTGGTGAGTAGCCAGCCCATGGCAGGAGTTAGAGCCTGATGGTCTTTA  
 CR1  
 AGGTCCCTTCCAACCTAAGCCATCCTACGATTCTAGGAATCATGACTTGTGAGTGTGTAT 3000  
 CR1  
 TGCAGAGGCAATATTTTAAAGTTATAAATGTTTTCTCCCCTTCCTTGTTTTGTCAAAGTTA  
 CR1  
 TCTTGATCGCCTTATCAATGCTTTTGGAGTCTCCAGTCATTTTTCTTACAMCAAAAAGAG  
 GAGGAAGAATGAAGAGAATCATTTAATTTCTTGATTGAATAGTAGGATTGAGAAAGCTGT  
 ACGTAATGCCGTCTCTTTGTATCGAGCTGTAAGGTTTCTCATCATTTATCAGCGTGGTAC  
 ATATCAGCACTTTTCCATCTGATGTGGAAAAAAATCCTTATCATCTACAGTCTCTGTA 3300  
 CCTAAACATCGCTCAGACTCTTACCAAAAAAGCTATAGGTTTTAAACTACATCTGCTG  
 ATAATTTGCCCTTGTTTTAGCTCTTCTCCATATGCTGCGTTTGTGAGAGGTGCGTGGATG  
 GGCCTAAACTCTCAGCTGCTGAGCTTGATGGGTGCTTAAGAATGAAGCACTCACTGCTGA  
 AACTGTTTTCATTTACAGGAATGTTTTAGTGGCATTGTTTTATAACTACATATTCCTC  
 AGATAAATGAAATCCAGAAATAATTATGCAAACTCACTGCATCCGTTGCACAGGTCTTTA 3600  
 TCTGCTAGCAAAGGAAATAATTTGGGGATGGCAAAAACATTCCTTCAGACATCTATATTT  
 AAAGGAATATAATCCTGGTACCCACCCACTTCATCCCTCATTATGTTACACTCAGAGAT  
 ACTATTCTCTTGTTGTTATCATTTGATAGCGTTTCTTTGGTTCCTTGCCACGCTCTGG  
 GCTATGGCTGCACGCTCTGCACTGATCAGCAAGTAGATGCGAGGGAAGCAGCAGTGAGAG  
 GGGCTGCCCTCAGCTGGCACCCAGCCGCTCAGCCTAGGAGGGGACCTTGCGTTTCCACCA 3900  
 GCTGAGGTGCAGCCCTACAAGCTTACACGTGCTGCGAGCAGGTGAGCAAAAGGGAGTCTTC  
 ATGGTGTGTTTCTTGCTGCCCGGAAGCAAACTTTACTTTCAATTCATTCCCTTGAAGAA  
 TGAGGAATGTTTGAAACGGACTGCTTTACGTTCAATTTCTCTCTTCCCTTTAAGGCTCA  
 GCCAGGGGCCATTGCTGAGGACGGCATCGGGGGCCCCCTGGACCAAATCTGTGGCACAGAT  
 GGTTTCATTACATCAGTGGATGTGGGATCTGCGCCTGTAATGTGTCTTCTGAAGGAAG 4200  
 GAACGTGCCCTTCCAAGTGCCAGCCCCACAGCCCCAGCCCCCTCCCTGTGCTGCTCCAATT  
 CATCTCCTCTTCTCCTTCTCCCTTTGCTGTTTGTGCTCGGGTAGAAATCATGAAGATTT  
 AGAAGAGAAAACAAAATAACTGGAGTGGAACCCAGGTGATGCAGTTCAATTCAGCTGTCA  
 TAGGTTTGTGCTTGTATAGGTCTGTATCAGAGATGCTARCACTCTTGTGTCGGTGC  
 TTAACCTCGGGTGAACCTCTCCTTCACTCGCATCATTTGCGGGCCTTATTTACATCCCAGC 4500  
 ATCCATCACCTCTGGGAAAAATGGGCGCACTGGATCTCTAATGGAAGACTTTCCCTCTTT  
 CAGAGCCTGTGGGATGTGCACTGACAAGAAACGTGGAGGGGCTGAGCAGCAGCACTGCCC  
 CCAGGGAGCAGGAGCGGATGCCATCGGTGGCAGCATCCCAAATGATGTCAGCGGATGCTG  
 AGCAGGCAGCGGACGAACGGACAGAAGCGATGCGTACACCTTCTGTTGACATGGTATTTG  
 GCAGCGATTTAACTACTCGCTTCTTAGTCCTGCTATTCTCCACAGGCTGCATTCAAATGAA 4800  
 CGAAGGGAAGGGAGGCAAAAAGATGCAAAATCCGAGACAAGCAGCAGAAATATTTCTTCG  
 CTACGGAAGCGTGCGCAAAACAACCTTCTCCAACAGCACCAGAAGAGCACAGCGTAACCTT  
 TTTCAAGACCAGAAAAGGAAATTCACAAAGCCTCTGTGGATACCAGCGCGTTCACTCTC  
 CTGATAGCAGATTTCTTGTCAGGTTGCGAATGGGGTATGGTGCCAGGAGGTGCAGGGACC  
 ATATGATCATATACAGCACAGCAGTCATTGTGCATGTATTAATATATATTGAGTAGCAGT 5100  
 GTTACTTTGCCAAAGCAATAGTTCAGAGATGAGTCCTGCTGCATACCTCTATCTTAAAC  
 TAACTTATAAATAGTAAACCTTCTCAGTTCAGCCACGTGCTCCTCTCTGTCAGCACCAA  
 TGGTGTCTTGGCTGCAGCCAGCTGCAAGGAATCAGCCCGTGATCTCATTAAGACTCAGCT  
 CTGCAGGATAAATTAGATTGTTCCACTCTCTTTTGTGTTAATTACGACGGAACAATTGT  
 TCAGTGCTGATGGTCCTAATTGTGAGCTACAGAAAACGTCTCCATGCAGTTCCCTTCTGCG 5400  
 CCAGCAAACGTCCAGGCTATAGCACCGTGATGCATGCTACCTCTCACTCCATCCTTCTT

FIG.4B



CTCTTTCCACCAGGGAGAGCTGTGTGTTTTCACTCTCAGCCACTCTGAACAATACCAAA  
 CTGCTACGCACTGCCTCCCTCGGAAAGAGAATCCCCCTTGTTGCTTTTTTATTTACAGGAT  
 CCTTCTTAAAAAGCAGACCATCATTTCACTGCAAACCCAGAGCTTCATGCCTCTCCTTCCA  
 CAACCGAAAACAGCCGGCTTCATTTGTCTTTTTTAAATGCTGTTTTCCAGGTGAATTTTG 5700  
 GCCAGCGTGTGGCTGAGATCCAGGAGCACGTGTGAGCTTTCTGCTCTCATTGCTCCTGT  
 TCTGCATTGCCTCTTTCTGGGGTTTTCCAAGAGGGGGGAGACTTTGCGCGGGGATGAGAT  
 AATGCCCCTTTTCTTAGGGTGGCTGCTGGGCAGCAGAGTGGCTCTGGGTCACTGTGGCAC  
 CAATGGGAGGCACCACTGGGGGTGTGTTTTGTGCAGGGGGGAAGCATTACAGAATGGGG  
 CTGATCCTGAAGCTTGAGTCCAAGGCTTTGTCTGTGTACCCAGTGAAATCCTTCCTCTG 6000  
 TTACATAAAGCCAGATAGGACTCAGAAATGTAGTCATTCCAGCCCCCTCTTCCTCAGA  
 TCTGGAGCAGCACTTGTTCAGCCAGTCTCCCCAAAATGCACAGACCTCGCCGAGTGG  
 AGGGAGATGTAAACAGCGAAGGTTAATTACCTCCTTGTCAAAAACACTTTGTGGTCCATA  
 GATGTTTTCTGTCAATCTTACAAAACAGAACCGAGAGGCAGCGAGCACTGAAGAGCGTGT  
 CCCATGCTGAGTTAATGAGACTTGGCAGCTCGCTGTGCAGAGATGATCCCTGTGCTTCAT 6300  
 GGGAGGCTGTAACTGTCTCCCCATCGCTTCACACCGCAGTGTGCTGCTGGACACCTCA  
 CCCTCCATAAGCTGTAGGATGCAGCTGCCAGGGATCAAGAGACTTTTCCTAAGGCTCTT  
 AGGACTCATCTTTGCCGCTCAGTAGCGTGCAGCAATTACTCATCCCACTATACTGAATG  
 GGTTCCTGCCAGCTCTGCTTGTTCGTAATAAGCATTCTTCATTTTGCCTCTAAGTTTC  
 TCTCAGCAGCACCGCTCTGGGTGACCTGAGTGGCCACCTGGAACCCGAGGGGCACAGCCA 6600  
 CCACCTCCCTGTTGCTGCTGCTCCAGGGACTCATGTGCTGCTGGATGGGGGAAGCATGA  
 AGTTCCTCACCCAGACACCTGGGTTGCAATGGCTGCAGCGTGTCTTCTTGGTATGCAGA  
 TTGTTCCAGCCATTACTTGTAGAAATGTGCTGTGGAAGCCCTTTGTATCTCTTTCTGTG  
 GCCCTTCAGCAAAAGCTGTGGGAAAGCTCTGAGGCTGCTTTCTTGGGTGCTGGAGGAATT  
 GTATGTTCCCTTTTAAACAAAATTATCCTTAGGAGAGAGCACTGTGCAAGCATTGTGCA 6900  
 CATAAAACAATTAGGTTGAAAGGGCTCTCTGGAGGTTTCCAGCCTGACTACTGCTCGAA  
 GCAAGGCCAGGTTCAAAGATGGCTCAGGATGCTGTGTGCCTTCCTGATTATCTGTGCCAC  
 CAATGGAGGAGATTACAGCCACTCTGCTTCCCGTGCCACTCATGGAGAGGAATATCCC  
 TTATATTAGATAGAATGTTATCCTTTAGCTCAGCCTTCCCTATAACCCCATGAGGGAGC  
 TGCAGATCCCCATACTCTCCCTTCTCTGGGGTGAAGGCCGTGTCCCCAGCCCCCTTC 7200  
 CCACCTGTGCCCTAAGCAGCCCGCTGGCCTCTGCTGGATGTGTGCCTATATGTCAATGC  
 CTGTCCCTTGCACTCAGCCTGGGACATTAAATTCATCACCAGGGTAATGTGGAACCTGTG  
 CATCTTCCCCTGCAGGGTACAAAGTTCTGCACGGGGTCTTTTCGGTTCAGGAAAACCTTC  
 ACTGGTGCTACCTGAATCAAGCTCTATTTAATAAGTTTCATAAGCACATGGATGTGTTTT  
 CTAGAGATACGTTTTAATGGTATCAGTGATTTTTATTTGCTTTGTTGCTTACTTCAAACA 7500  
 GTGCCCTTGGGCAGGAGGTGAGGGACGGGTCTGCCGTTGGCTCTGCAGTGATTTCTCCAG  
 GCGTGTGGCTCAGGTGAGATAGTGGTCACTCTGTGGCCAGAAGAAGGACAAAGATGGAAA  
 TTGCAGATTGAGTCACGTTAAGCAGGCATCTTGAGTGATTTGAGGCAGTTTCATGAAAG  
 AGCTACGACCACTTATTGTTGTTTTCCCTTTTACAACAGAAGTTTTATCAAAAATAACG  
 TGGCAAAGCCCAGGAATGTTTGGGAAAAGTGTAGTTAAATGTTTTGTAATTCATTTGTG 7800  
 GAGTGCTACCAGCTAAGAAAAAAGTCTACCTTTGGTATGGTAGTCCTGCAGAGAATACA  
 ACATCAATATTAGTTTGGAAAAAACACCACCACCAGAACTGTAATGGAAAAATGTA  
 AACCAAGAAATTCCTTGGGTAAGAGAGAAAGGATGTGCTATACTGGCCAAGTCTGCCCA  
 GCTGTGAGCCTGCTGACCTCTGCAGTTCAGGACCATGAAACGTGGCACTGTAAGACGTG  
 TCCCCTGCCTTTGCTTGCCACAGATCTCTGCCCTTGTGCTGACTCCTGCACACAAGAGC 8100  
 ATTTCCCTGTAGCCAAACAGCGATTAGCCATAAGCTGCACCTGACTTTGAGGATTAAGAG  
 TTTGCAATTAAGTGGATTGCAGCAGGAGATCAGTGGCAGGGTTGCAGATGAAATCCTTTT  
 CTAGGGGTAGCTAAGGGCTGAGCAACCTGTCCTACAGCACAAGCCAAACCAGCCAAGGGT  
 TTTCTGTGCTGTTACAGAGGCAGGGCCAGCTGGAGCTGGAGGAGGTTGTGCTGGGACC  
 CTTCTCCCTGTGCTGAGAATGGAGTGATTTCTGGGTGCTGTTCTGTGGCTTGCACTGAG 8400  
 CAGCTCAAGGGAGATCGGTGCTCCTCATGCAGTGCCAAAACCTCGTGTTTGATGCAGAAAG

FIG.4C

ATGGATGTGCACCTCCCTCCTGCTAATGCAGCCGTGAGCTTATGAAGGCAATGAGCCCTC  
 AGTGCAGCAGGAGCTGTAGTGCACTCCTGTAGGTGCTAGGGAAAATCTCTGGTTCCCAGG  
 GATGCATTTCATAAGGGCAATATATCTTGAGGCTGCGCCAAATCTTCTGAAATATTCATG  
 CGTGTTCCCTTAATTTATAGAAACAAACACAGCAGAATAATTATTCCAATGCCTCCCCTC 8700  
 GAAGGAAACCCATATTTCCATGTAGAAATGTAACCTATATACACACAGCCATGCTGCATC  
 CTTCAGAACGTGCCAGTGCTCATCTCCCATGGCAAATACTACAGGTATTCTCACTATGT  
 TGGACCTGTGAAAGGAACCATGGTAAGAAACTTCGGTTAAAGGTATGGCTGCAAACTAC  
 TCATACAAAACAGCAGAGCTCCAGACCTCCTCTTAGGAAAGAGCCACTTGGAGAGGGAT  
 GGTGTGAAGGCTGGAGGTGAGAGACAGAGCCTGTCCAGTTTTCTGTCTCTATTTTCTG 9000  
 AAACGTTTGAGGAGGAAAGGACAACCTGTACTTTCAGGCATAGCTGGTGCCCTCACGTAA  
 ATAAGTTCGCCGAACCTTCTGTGTCAATTTGTTCTTAAGATGCTTTGGCAGAACACTTTGAG  
 TCAATTCGCTTAACTGTGACTAGGTCTGTAAATAAGTGCTCCCTGCTGATAAGGTTCAAG  
 TGACATTTTTAGTGGTATTTGACAGCATTTACCTTGC.TTTCAAGTCTTCTACCAAGCTCT  
 TCTATACTTAAGCAGTGAAACCGCCAAGAAACCTTCCTTTTATCAAGCTAGTGCTAAAT 9300  
 ACCATTAACCTTCATAGGTTAGATACGGTGCTGCCAGCTTACCTGGCAGTGTTGGTCAG  
 TTCTGCTGGTGACAAAGCCTCCCTGGCCTGTGCTTTTACCTAGAGGTGAATATCCAAGAA  
 TGCAGAACTGCATGGAAAGCAGAGCTGCAGGCACGATGGTGCTGAGCCTTAGCTGCTTCC  
 TGCTGGGAGATGTGGATGCAGAGACGAATGAAGGACCTGTCCCTTACTCCCCTCAGCATT  
 CTGTGCTATTTAGGGTTCTACCAGAGTCCTTAAGAGGTTTTTTTTTTTTTTGGTCCAAAA 9600  
 GTCTGTTTGTGGTTTTGACCACTGAGAGCATGTGACACTTGTCTCAAGCTATTAACCA  
 AGTGTCCAGCCAAAATCAATTGCCTGGGAGACGCAGACCATTACCTGGAGGTCAGGACCT  
 CAATAAATATTACCAGCCTCATTGTGCCGCTGACAGATTACAGCTGGCTGCTCCGTGTTCC  
 AGTCCAACAGTTCGGACGCCACGTTTGTATATTTGCAGGCAGCCTCGGGGGGACCATC  
 TCAGGAGCAGAGCACCGGCAGCCGCCTGCAGAGCCGGGCAGTACTCTCACCATGGCCATG 9900  
 OVOMUCOID 5' UNTRANSLATED REGION.  
 GCAGGTGTCTTCGTGCTGTTCTCTTTCGTGCTTTGTGGCTTCTCCAGGTGAGTAACTC  
 OVOMUCOID 5' UNTRANSLATED REGION  
 CCAGAGTGCTGCAGAAGCTT 9920

FIG.4D




FIG.5

HD11 CELLS (CHICKEN MACROPHAGE CELL LINE)




FIG.6A

QUAIL MAGNUM PRIMARY TUBULAR GLAND CELLS




FIG.6B




FIG. 6C

QUAIL MAGNUM PRIMARY TUBULAR GLAND CELLS: IFN  
EXPRESSION




FIG.7




FIG. 8




FIG 9







FIG. 10






FIG. 12




FIG. 13

019CIP2 1-46 Seq list.txt  
SEQUENCE LISTING

<110> Avigenics, Inc.

<120> Ovomuroid Promoter and Methods of Use

<130> 11106-026-228

<140> To Be Assigned

<141> 2001-12-02

<150> 09/998,716

<151> 2001-11-30

<160> 35

<170> PatentIn version 3.0

<210> 1

<211> 30

<212> DNA

<213> Artificial

<220>

<223> Primer OVINS2

<400> 1  
taggcagagc aataggactc tcaacctcgt 30

<210> 2

<211> 30

<212> DNA

<213> Artificial

<220>

<223> Primer OVMA2

<400> 2  
aagcttctgc agcactctgg gagttactca 30

<210> 3

<211> 20

<212> DNA

<213> Artificial

<220>

<223> Primer OVINS1

<400> 3  
gggaaacaat ctgccttgca 20

<210> 4

<211> 21

<212> DNA

<213> Artificial

<220>

<223> Primer OVMUa1

## 019CIP2 1-46 Seq list.txt

<400> 4  
aagccacaaa gcacgaaaga g 21

<210> 5  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Primer T3

<400> 5  
taatacgact cactataggg 20

<210> 6  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Primer T7

<400> 6  
attaaccctc actaaaggga 20

<210> 7  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Primer OVINS4

<400> 7  
agatgaggtg gatggtttac 20

<210> 8  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Primer OVINS5

<400> 8  
cagcttctgc tagcgtaggt 20

<210> 9  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> Primer OVINS6

<400> 9  
acgtgaactc aaagaggcac 20

## 019CIP2 1-46 seq list.txt

<210> 10  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVINS7  
  
 <400> 10  
 atctcctgag ctcggtgctt 20

<210> 11  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVINS8  
  
 <400> 11  
 acgaggttcc atgtctttca 20

<210> 12  
 <211> 31  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa3  
  
 <400> 12  
 taaatagcac agaacgctga ggggagtaag g 31

<210> 13  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa4  
  
 <400> 13  
 gaagagcttg gtagaagact 20

<210> 14  
 <211> 21  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa5  
  
 <400> 14  
 atggaaatat gggtttcctt c 21

## 019CIP2 1-46 seq list.txt

<210> 15  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa6  
  
 <400> 15  
 gcagcttatg gctaatacgct 20  
  
 <210> 16  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa7  
  
 <400> 16  
 agtgaccact atctgacctg 20  
  
 <210> 17  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUa8  
  
 <400> 17  
 taatcaggaa ggcacacagc 20  
  
 <210> 18  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUP4. 7. 1  
  
 <400> 18  
 agatctggag cagcacttgt 20  
  
 <210> 19  
 <211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVMUP4. 7. 2  
  
 <400> 19  
 agcatgaagt tcctcaccca 20  
  
 <210> 20  
 <211> 20  
 <212> DNA



## 019CIP2 1-46 Seq list.txt

<213> Artificial  
 <220>  
 <223> Primer OVMUP4. 7. 3  
 <400> 20  
 atggagagga atattccctt 20  
 <210> 21  
 <211> 18  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Primer OVMUP4. 7. 4  
 <400> 21  
 atttctccag gcgtgtgg 18  
 <210> 22  
 <211> 18  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Primer OVMUP5. 5. 1  
 <400> 22  
 atttctccag gcgtgtgg 18  
 <210> 23  
 <211> 20  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Primer VMUP5. 5. 2  
 <400> 23  
 atgcgagtga aggagagttc 20  
 <210> 24  
 <211> 20  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Primer OVMUP5. 5. 3  
 <400> 24  
 gcagcacgtg taagcttgta 20  
 <210> 25  
 <211> 20  
 <212> DNA  
 <213> Artificial  
 <220>

## 019CIP2 1-46 Seq list.txt

&lt;223&gt; Primer OVMUP5. 5. 4

&lt;400&gt; 25

caaggcaaattatcagcaga

20

&lt;210&gt; 26

&lt;211&gt; 9980

&lt;212&gt; DNA

&lt;213&gt; Gallus gallus

&lt;220&gt;

&lt;221&gt; 3'UTR

&lt;222&gt; (1)..(255)

&lt;223&gt; 3' untranslated region of ovoinhibitor

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (2761)..(3024)

&lt;223&gt; CR1-like element

&lt;220&gt;

&lt;221&gt; 5'UTR

&lt;222&gt; (9403)..(9920)

&lt;223&gt; 5' untranslated region of ovomucoid

&lt;400&gt; 26

taggcagagc aataggactc tcaacctcgt gagtatggca gcatgttaac tctgcactgg	60
agtccagcgt gggaaacaat ctgccttgca catgagtctt cgtggggccaa tattccccaa	120
cggtttttctt tcagcttgctc ttgtctccta agctctcaaa acaccttttt ggtgaataaaa	180
ctcacttggc aacgtttatc tgtcttacct tagtgtcacg tttcatccct attccccttt	240
ctcctcctcc gtgtggtaca cagtgggtgca cactgggttct tctgttgatg ttctgctctg	300
acagccaatg tgggtaaagt tcttcctgcc acgtgtctgt gttgttttca cttcaaaaag	360
ggccctgggc tccccttgga gctctcaggc atttccttaa tcatcacagt cacgctggca	420
ggattagtcc ctccctaaacc ttagaatgac ctgaacgtgt gctccctctt tgtagtcagt	480
gcagggagac gtttgccctca agatcagggt ccatctcacc cacagggcca ttccaagat	540
gaggtggatg gtttactctc acaaaaagtt ttcttatggt tggctagaaa ggagaactca	600
ctgcctacct gtgaattccc ctagtcctgg ttctgctgcc actgctgcct gtgcagcctg	660
tcccatggag ggggcagcaa ctgctgtcac aaaggtgatc ccacctgtc tccactgaaa	720
tgacctcagt gccacgtgtt gtatagggtg taaagtacgg gagggggatg cccggctccc	780
ttcaggggtg cagagcagaa gtgtctgtgt atagagtgtg tcttaatcta ttaatgtaac	840
agaacaactt cagtcctagt gttttgtggg ctggaattgc ccatgtggta gggacaggcc	900
tgctaaatca ctgcaatcgc ctatgttctg aaggtatttg ggaaagaaag ggattttggg	960
gattgcctgt gattggcttt aattgaatgg caaatcacag gaaagcagtt ctgctcaaca	1020

## 019CIP2 1-46 Seq list.txt

gttgggtgtt	tcagccaatt	cttgcagcca	aagagccggg	tgcccagcga	tataatagtt	1080
gtcacttgtg	tctgtatgga	tgacagggag	gtaggggtgac	ctgaggacca	ccctccagct	1140
tctgctagcg	taggtacagt	caccacctcc	agctccacac	gagtcccatc	gtggtttacc	1200
aaagaaacac	aattatgttg	accagtttgg	aaagtcaccc	gctgaattgt	gaggctagat	1260
taatagagct	gaagagcaaa	tgttcccaac	ttggagatac	tagttggtat	tagtatcaga	1320
ggaacagggc	catagcacct	ccatgctatt	agattccggc	tggcatgtac	ttttcaagat	1380
gatttgtaac	taacaatggc	ttattgtgct	tgtcttaagt	ctgtgtccta	atgtaaatgt	1440
tcctttgggt	tatataacct	tcttgccatt	tgctcttcag	gtgttcttgc	agaacactgg	1500
ctgctttaat	ctagtttaac	tgttgcttga	ttattcttag	ggataagatc	tgaataaaact	1560
ttttgtggct	ttggcagact	ttagcttggg	cttagctccc	acattagctt	ttgctgcctt	1620
ttctgtgaag	ctatcaagat	cctactcaat	gacattagct	gggtgcagggt	gtaccaaatac	1680
ctgctctgtg	gaacacattg	tctgatgata	ccgaaggcaa	acgtgaactc	aaagaggcac	1740
agagttaaga	agaagtctgt	gcaattcaga	ggaaaagcca	aagtggccat	tagacacact	1800
ttccatgcag	catttgccag	taggtttcat	ataaaaactac	aaaatggaat	aaaccactac	1860
aaatgggaaa	agcctgatac	tagaatttaa	atattcaccc	aggctcaagg	ggtgtttcat	1920
ggagtaatat	cactctataa	aagtagggca	gccattattt	cacagacaaa	gctttttttt	1980
ttctgtgctg	cagtgtgttt	tttcggctga	tccagggtta	cttattgtgg	gtctgagagc	2040
tgaatgattt	ctccttgtgt	catgttggtg	aaggagatat	ggccaggggg	agatgagcat	2100
gttcaagagg	aaacgttgca	ttttgggtggc	ttgggagaaa	ggtagaacga	tatcagggtcc	2160
atagtgtcac	taagagatct	gaaggatggg	tttacagaac	agttgacttg	gctgggtgca	2220
ggcttggctg	taaatggatg	gaaggatgga	cagatgggtg	gacagagatt	tctgtgcagg	2280
agatcatctc	ctgagctcgg	tgcttgacag	actgcagatc	catcccataa	ccttctccag	2340
catgagagcg	cggggagctt	tggtactgtt	cagtctgctg	cttgttgctt	cctgggtgca	2400
cagtgggtgat	tttcttactc	acacagggca	aaaacctgag	cagcttcaaa	gtgaacagggt	2460
tgctctcata	ggccattcag	ttgtcaagat	gaggtttttg	gtttcttgtt	ttgtaagggtg	2520
ggaagaagca	ctgaaggatc	agttgcgagg	gcaggggttt	agcactgttc	agagaagtct	2580
tattttaact	cctctcatga	acaaaaagag	atgcagggtgc	agattctggc	aagcatgcag	2640
tgaaggagaa	agccctgaat	ttctgatata	tgtgcaatgt	tgggcaccta	acattccccg	2700
ctgaagcaca	gcagctccag	ctccatgcag	tactcacagc	tgggtgcagcc	ctcgggtcca	2760
gggtctgagc	agtgtctggg	ctcacgaggt	tccatgtctt	tcacactgat	aatggtccaa	2820
tttctggaat	gggtgcccac	ccttgagggt	ccccaggcc	aggctggctg	cgtctccgag	2880

019CIP2 1-46 Seq list.txt

cagcccgatc	tggtggtgag	tagccagccc	atggcaggag	ttagagcctg	atggtcttta	2940
aggtcccttc	caacctaaagc	catcctacga	ttctaggaat	catgacttgt	gagtgtgtat	3000
tgcagaggca	atattttaaa	gttataaatg	ttttctcccc	ttccttgttt	gtcaaagtta	3060
tcttgatcgc	cttatcaatg	cttttgaggt	ctccagtcac	ttttcttaca	mcaaaaagag	3120
gaggaagaat	gaagagaatc	atttaatttc	ttgattgaat	agtaggattc	agaaagctgt	3180
acgtaatgcc	gtctctttgt	atcgagctgt	aaggtttctc	atcatttatc	agcgtggtag	3240
atatcagcac	ttttccatct	gatgtggaaa	aaaaaatcct	tatcatctac	agtctctgta	3300
cctaaacatc	gctcagactc	tttaccaaaa	aagctatagg	ttttaaaact	acatctgctg	3360
ataatttgcc	ttgttttagc	tcttcttcca	tatgctgcgt	ttgtgagagg	tgctgtggatg	3420
ggcctaaact	ctcagctgct	gagcttgatg	ggtgcttaag	aatgaagcac	tactgctga	3480
aactgttttc	atttcacagg	aatgttttag	tggcattgtt	tttataacta	catattcctc	3540
agataaatga	aatccagaaa	taattatgca	aactcactgc	atccgttgca	caggtcttta	3600
tctgctagca	aaggaaataa	tttggggatg	gcaaaaacat	tccttcagac	atctatatatt	3660
aaaggaatat	aatcctggta	cccaccact	tcacccctca	ttatgttcac	actcagagat	3720
actcattctc	ttgttggtat	catttgatag	cgttttcttt	ggttctttgc	cacgctctgg	3780
gctatggctg	cacgctctgc	actgatcagc	aagtagatgc	gagggagca	gcagtgagag	3840
gggctgccct	cagctggcac	ccagccgctc	agcctaggag	gggaccttgc	ctttccacca	3900
gctgaggtgc	agccctacaa	gcttacacgt	gctgagagca	ggtgagcaaa	gggagtcttc	3960
atggtgtgtt	tcttgctgcc	cggaagcaaa	actttacttt	cattcattcc	ccttgaagaa	4020
tgaggaatgt	ttggaaacgg	actgctttac	gttcaatttc	tctcttccct	ttaaggctca	4080
gccagggggc	attgctgagg	acggcatcgg	ggccccctgg	accaaactctg	tggcacagat	4140
ggtttcactt	acatcagtgg	atgtgggatc	tgcgcttgta	atgtgtcctt	ctgaaggaag	4200
gaacgtgcct	tccaagtgcc	agccccacag	ccccagccc	ctccctgtgc	tgctccaatt	4260
catctcctct	tcctccttct	ccctttgctg	tttgctgctg	ggtagaaatc	atgaagattt	4320
agaagagaaa	acaaaataac	tggagtggaa	accagggtga	tgcagttcat	tcagctgtca	4380
taggtttgtc	gttgctatag	gtctgtatca	gagatgctar	caccactttg	ctgtcgggtgc	4440
ttaactcggg	tgaactctcc	ttcactcgca	tcatttgcg	gccttattta	catccccagc	4500
atccatcacc	ctctgggaaa	atgggcgcac	tggatctcta	atggaagact	ttccctcttt	4560
cagagcctgt	gggatgtgca	gtgacaagaa	acgtggaggg	gctgagcagc	agcactgccc	4620
ccagggagca	ggagcggatg	ccatcggtgg	cagcatccca	aatgatgtca	gcggatgctg	4680
agcaggcagc	ggacgaacgg	acagaagcga	tgcgtacacc	ttctgttgac	atggatattt	4740
gcagcgattt	aacactcgct	tcctagtcct	gctattctcc	acaggctgca	ttcaaatgaa	4800

## 019CIP2 1-46 Seq list.txt

cgaaggggaag	ggaggcaaaa	agatgcaaaa	tccgagacaa	gcagcagaaa	tattttcttcg	4860
ctacggaagc	gtgcgcaaac	aaccttctcc	aacagcacca	gaagagcaca	gcgtaacctt	4920
tttcaagacc	agaaaaggaa	attcacaaag	cctctgtgga	taccagcgcg	ttcagctctc	4980
ctgatagcag	atttcttgtc	aggttgcgaa	tggggtatgg	tgccaggagg	tgcaggggacc	5040
atatgatcat	atacagcaca	gcagtcattg	tgcattgtatt	aatatatatt	gagtagcagt	5100
gttactttgc	caaagcaata	gttcagagat	gagtcctgct	gcataacctt	atcttaaaac	5160
taacttataa	atagtaaaac	cttctcagtt	cagccacgtg	ctcctctctg	tcagcaccaa	5220
tgggtgcttcg	cctgcaccca	gctgcaagga	atcagcccgt	gatctcatta	acactcagct	5280
ctgcaggata	aattagattg	ttccactctc	ttttgttggt	aattacgacg	gaacaattgt	5340
tcagtgtctga	tggctccta	tgtcagctac	agaaaacgtc	tccatgcagt	tccttctgcg	5400
ccagcaaact	gtccaggcta	tagcaccgtg	atgcatgcta	cctctcactc	catccttctt	5460
ctctttccca	ccaggagag	ctgtgtgttt	tcactctcag	ccactctgaa	caataccaaa	5520
ctgctacgca	ctgcctccct	cggaaagaga	atccccttgt	tgctttttta	tttacaggat	5580
ccttcttaaa	aagcagacca	tcattcactg	caaaccaga	gcttcatgcc	tctccttcca	5640
caaccgaaaa	cagccggctt	catttgtctt	ttttaaatgc	tgttttccag	gtgaattttg	5700
gccagcgtgt	tggctgagat	ccaggagcac	gtgtcagctt	tctgctctca	ttgctcctgt	5760
tctgcattgc	ctctttctgg	ggtttccaag	agggggggag	actttgcgcg	gggatgagat	5820
aatgcccctt	ttcttaggg	ggctgctggg	cagcagagt	gctctgggtc	actgtggcac	5880
caatgggagg	caccagtggg	ggtgtgtttt	gtgcaggggg	gaagcattca	cagaatgggg	5940
ctgatcctga	agcttgagc	ccaaggcttt	gtctgtgtac	ccagtgaat	ccttcctctg	6000
ttacataaag	cccagatagg	actcagaaat	gtagtcattc	cagccccctt	cttcctcaga	6060
tctggagcag	cacttgtttg	cagccagtcc	tccccaaaat	gcacagacct	cgccgagtgg	6120
agggagatgt	aaacagcgaa	ggttaattac	ctccttgtca	aaaacacttt	gtggtccata	6180
gatgtttctg	tcaatcttac	aaaacagaac	cgagaggcag	cgagcactga	agagcgtggt	6240
cccatgctga	gttaatgaga	cttggcagct	cgctgtgcag	agatgatccc	tgtgcttcat	6300
gggaggctgt	aacctgtctc	cccatcgctt	tcacaccgca	gtgctgtcct	ggacacctca	6360
ccctccataa	gctgtaggat	gcagctgccc	agggatcaag	agacttttcc	taaggctctt	6420
aggactcatc	tttgccgctc	agtagcgtgc	agcaattact	catcccaact	atactgaatg	6480
ggtttctgcc	agctctgctt	gtttgtcaat	aagcatttct	tcattttgcc	tctaagtttc	6540
tctcagcagc	accgctctgg	gtgacctgag	tggccacctg	gaacccgagg	ggcacagcca	6600
ccacctccct	gttgctgctg	ctccagggac	tcattgtgctg	ctggatgggg	ggaagcatga	6660

## 019CIP2 1-46 Seq list.txt

agttcctcac	ccagacacct	gggttgcaat	ggctgcagcg	tgctcttctt	ggtatgcaga	6720
ttgtttccag	ccattacttg	tagaaatgtg	ctgtggaagc	cctttgtatc	tctttctgtg	6780
gcccttcagc	aaaagctgtg	ggaaagctct	gaggctgctt	tcttgggtcg	tggaggaatt	6840
gtatgttcct	tctttaacaa	aaattatcct	taggagagag	cactgtgcaa	gcattgtgca	6900
cataaaacaa	ttcagggttg	aagggctctc	tggagggtttc	cagcctgact	actgctcgaa	6960
gcaaggccag	gttcaaagat	ggctcaggat	gctgtgtgcc	ttcctgatta	tctgtgccac	7020
caatggagga	gattcacagc	cactctgctt	cccgtgccac	tcatggagag	gaatattccc	7080
ttatattcag	atagaatgtt	atccttttagc	tcagccttcc	ctataacccc	atgagggagc	7140
tgcagatccc	catactctcc	ccttctctgg	ggtgaaggcc	gtgtccccc	gcccccttc	7200
ccaccctgtg	ccctaagcag	cccgtggcc	tctgctggat	gtgtgcctat	atgtcaatgc	7260
ctgtccttgc	agtccagcct	gggacattta	attcatcacc	agggtaatgt	ggaactgtgt	7320
catcttcccc	tgcagggtac	aaagttctgc	acggggctct	ttcggttcag	gaaaaccttc	7380
actggtgcta	cctgaatcaa	gctctattta	ataagttcat	aagcacatgg	atgtgttttc	7440
ctagagatac	gttttaatgg	tatcagtgat	ttttatttgc	tttgttgctt	acttcaaaca	7500
gtgccttttg	gcaggaggtg	agggacgggt	ctgccgttgg	ctctgcagtg	atttctccag	7560
gcgtgtggct	caggtcagat	agtggtcact	ctgtggccag	aagaaggaca	aagatggaaa	7620
ttgcagattg	agtcacgtta	agcaggcatc	ttggagtgat	ttgaggcagt	ttcatgaaag	7680
agctacgacc	acttattgtt	gttttccccct	tttacaacag	aagttttcat	caaaataacg	7740
tggcaaagcc	caggaatgtt	tgggaaaagt	gtagttaaat	gttttgtaat	tcatttgctg	7800
gagtgtacc	agctaagaaa	aaagtcctac	ctttggtatg	gtagtcctgc	agagaataca	7860
acatcaatat	tagtttgga	aaaaacacca	ccaccaccag	aaactgtaat	ggaaaatgta	7920
aaccaagaaa	ttccttgggt	aagagagaaa	ggatgtcgta	tactggccaa	gtcctgcccc	7980
gctgtcagcc	tgctgaccct	ctgcagttca	ggaccatgaa	acgtggcact	gtaagacgtg	8040
tcccctgcct	ttgcttgccc	acagatctct	gcccttgctg	tgactcctgc	acacaagagc	8100
atttccctgt	agccaaacag	cgattagcca	taagctgcac	ctgactttga	ggattaagag	8160
tttgcaatta	agtggattgc	agcaggagat	cagtggcagg	gttgcatatg	aaatcctttt	8220
ctaggggtag	ctaagggtg	agcaacctgt	cctacagcac	aagccaaacc	agccaagggt	8280
tttcctgtgc	tgttcacaga	ggcaggggcca	gctggagctg	gaggagggtg	tgctgggacc	8340
cttctccctg	tgctgagaat	ggagtgattt	ctgggtgctg	ttcctgtggc	ttgcactgag	8400
cagctcaagg	gagatcggtg	ctcctcatgc	agtgccaaaa	ctcgtgtttg	atgcagaaaag	8460
atggatgtgc	acctccctcc	tgctaattgca	gccgtgagct	tatgaaggca	atgagccctc	8520
agtgacagcag	gagctgtagt	gcactcctgt	aggtgctagg	gaaaatctct	ggttcccagg	8580

## 019CIP2 1-46 Seq list.txt

gatgcattca	taagggcaat	atatcttgag	gctgcgccaa	atctttctga	aatattcatg	8640
cgtgttcctt	taatttatag	aaacaaacac	agcagaataa	ttattccaat	gcctcccctc	8700
gaaggaaacc	catatttcca	tgtagaaatg	taacctatat	acacacagcc	atgctgcatc	8760
cttcagaacg	tgccagtgtc	catctcccat	ggcaaaatac	tacaggtatt	ctcactatgt	8820
tggacctgtg	aaaggaacca	tggtaagaaa	cttcggttaa	aggtatggct	gcaaaactac	8880
tcataccaaa	acagcagagc	tccagacctc	ctcttaggaa	agagccactt	ggagaggggat	8940
gggtgtgaagg	ctggaggtga	gagacagagc	ctgtcccagt	tttcctgtct	ctattttctg	9000
aaacgtttgc	aggaggaaag	gacaactgta	ctttcaggca	tagctgggtgc	cctcacgtaa	9060
ataagttccc	cgaacttctg	tgtcatttgt	tcttaagatg	ctttggcaga	acactttgag	9120
tcaattcgct	taactgtgac	taggtctgta	aataagtgtc	ccctgctgat	aaggttcaag	9180
tgacattttt	agtggatatt	gacagcattt	accttgcttt	caagtcttct	accaagctct	9240
tctatactta	agcagtgaag	ccgccaagaa	acccttcctt	ttatcaagct	agtgtctaat	9300
accattaact	tcataggtta	gatacgggtg	tgccagcttc	acctggcagt	ggttgggtcag	9360
ttctgctggg	gacaaagcct	ccctggcctg	tgcttttacc	tagagggtgaa	tatccaagaa	9420
tgacagaactg	catggaaagc	agagctgcag	gcacgatggg	gctgagcctt	agctgcttcc	9480
tgctggggaga	tgtggatgca	gagacgaatg	aaggacctgt	cccttactcc	cctcagcatt	9540
ctgtgctatt	taggggttcta	ccagagtcct	taagaggttt	tttttttttt	tggtccaaaa	9600
gtctgtttgt	ttggttttga	ccactgagag	catgtgacac	ttgtctcaag	ctattaacca	9660
agtgtccagc	caaaatcaat	tgccctgggag	acgcagacca	ttacctggag	gtcaggacct	9720
caataaatat	taccagcctc	attgtgccgc	tgacagattc	agctggctgc	tccgtgttcc	9780
agtccaacag	ttcggacgcc	acgtttgtat	atatttgtag	gcagcctcgg	ggggaccatc	9840
tcaggagcag	agcaccggca	gccgcctgca	gagccgggca	gtactctcac	catggccatg	9900
gcaggtgtct	tcgtgctgtt	ctctttcgtg	ctttgtggct	tcctcccagg	tgagtaactc	9960
ccagagtgct	gcagaagcct					9980

<210> 27  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Primer OVMUa9

<400> 27  
 aaatgaagcc ggctgttttc

20

<210> 28

## 019CIP2 1-46 Seq list.txt

<211> 20  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer OVINS9  
  
 <400> 28  
 ctctcagcca ctctgaacaa 20  
  
 <210> 29  
 <211> 40  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer  
  
 <400> 29  
 gcgcggccgc ccgggacatg tccatggtga gagtactgcc 40  
  
 <210> 30  
 <211> 29  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Primer  
  
 <400> 30  
 ggcccgggat tcgcttaact gtgactagg 29  
  
 <210> 31  
 <211> 802  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> primer  
  
 <400> 31  
 gcgcggccgc ccgggacatg tccatggtga gagtactgcc cggctctgca ggcggctgcc 60  
 ggtgctctgc tcctgagatg gtccccccga ggctgcctgc aaatatatac aaacgtggcg 120  
 tccgaactgt tggactggaa cacggagcag ccagctgaat ctgtcagcgg cacaatgagg 180  
 ctggtaatat ttattgaggt cctgacctcc aggtaatggt ctgctctcc caggcaattg 240  
 attttggctg gacacttggt taatagcttg agacaagtgt cacatgctct cagtgggtcaa 300  
 aaccaaacia acagactttt ggacaaaaaa aaaaaaaaaac ctcttaagga ctctggtaga 360  
 accctaaata gcacagaatg ctgaggggag taagggacag gtccttcatt cgtctctgca 420  
 tccacatctc ccagcaggaa gcagctaagg ctgagcacca tcgtgcctgc agctctgctt 480  
 tccatgcagt tctgcattct tggatattca cctctaggta aaagcacagg ccagggaggc 540  
 tttgtcacca gcagaactga ccaaccactg ccagggtgaag ctggcagcac cgtatctaac 600



019CIP2 1-46 Seq list.txt

ctatgaagtt aatgggtatct agcactagct tgataaaagg aagggtttct tggcggtttc	660
actgcttaag tatagaagag cttggtagaa gacttgaaag caaggtaaata gctgtcaaata	720
accactaaaa atgtcacttg aaccttatca gcaggaggca cttatttaca gacctagtca	780
cagttaagcg aattcccggg cc	802

<210> 32  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Primer

<400> 32  
 ctccacatgg ccatggc 17

<210> 33  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Primer

<400> 33  
 gagtggtacc ggtaccg 17

<210> 34  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Primer

<400> 34  
 ctcacatgg acatgga 17

<210> 35  
 <211> 17  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Primer

<400> 35  
 gagtggtacc ggtaccg 17

<210> 36  
 <211> 75815  
 <212> DNA  
 <213> chicken

<400> 36

## 019CIP2 1-46 Seq list.txt

aagctttgtg	ctttctgcct	gaataaaaaga	aacctgaact	ctgttcaccc	agtcacctgtc	60
aggcaattac	tgacagagca	cctatggtct	gtgtttggcc	agaacatagg	ctaaggaaga	120
tacctcctgt	ttataaagca	cgcctttggc	atctggcaag	taattagtga	tggcgcatga	180
gagctctgac	tagggcaggg	tgtgggacag	gctggctcta	attgtgccct	gtttatcttg	240
ttgatgcaca	cggctggttt	ctttcaccca	cagctgtctc	tctagacaac	atacctttat	300
ggagaggaac	gtgtcttttc	caatcttggg	ttttcattca	gaattggagt	gaactgggtct	360
ccatcagata	gcattggctg	cggtgattta	ttcttttaca	cttcctagtt	aagcaggata	420
actctctggc	tctgctgtgt	ctaggcaatt	taaatgattt	ataaagcata	gctgttttaa	480
ggaaatcttt	ttttaaacat	ttgacttgcc	aatgtgtggt	cctaaaggca	gaaggactgt	540
tccagagtgt	caggcagaga	cctaccctgg	atttcgttgt	tcagctaccc	attcagtgtg	600
gcttttggca	aggaattctc	tggacctgac	ttccctacct	gcagagctgg	gataagctat	660
caaaccatct	cctccacaca	ctgtgagggg	gggaaaaaaaa	cccaaaccct	taaaagtgtc	720
gtataaaggc	gccttaaggc	tcagtatagc	atgtgtgctg	ctgatgcccc	agacctgttt	780
gcgggtcctg	aagggtcatag	gagaactgct	cagaagagac	agaaatgctt	agaaggttt	840
tactacaaaa	gtcttgtgat	gttaacacat	aatatcacat	tgtgcagaag	gtacaaatgc	900
cccctcctat	ccctgcacac	ctggaagctc	aaggatgga	agggtttgtt	gtctgcagcc	960
tcttcgctgc	cctctgcttt	ttaagatcct	gggtagtgtg	ctcagtgtgt	gccctcagca	1020
gtttgggaaa	cggacatctt	catgcaaaat	taagcaagga	agtgttgctt	ttatactcag	1080
agtagaatct	aagttcttca	ggcaggctct	tgtgtgccgc	ctctattaga	aataaaaactc	1140
ccccggatca	gaagatgaat	gtgctcagct	aagaacacag	atttatttgc	tttacaatgc	1200
gtgctatggt	ttaagaaaaa	cacatcaggc	aaacaattta	tggtttgcca	ctgagttgtg	1260
cctgaaggaa	acacaactgt	tagagatgta	attgattggg	cggtgacgct	gtgtggattc	1320
atgggagatg	catcttggtc	agcatgtctg	tgtgaaacca	catttctggt	gctgctgcag	1380
gacgagtgcc	gggagttccg	ggatctgttc	aagaatggga	agctttcctg	cacgagggag	1440
aatgatcccg	tccgggattc	ctcggggaag	cagcacagca	ataagtgcac	catgtgtgcg	1500
gagaagttgt	gagtagagga	agccaatgtt	tgttatcgag	agtggcaatg	gggccggggg	1560
gggctcctac	agcaatgttc	tcctcacttt	ctcatccttc	tctttcagca	aaaggagaaa	1620
tgagcagaag	gcgacctcaa	ccagagggaa	acaaaagggtg	aggttaaagt	attgggttca	1680
tatacaagtc	tataggattc	ttacccaata	ttaccacact	tgatttcttt	gtcactctgg	1740
ggatccatgt	ggcttttcct	gcttgatctt	cgttgatgct	ctttcatgcc	ctgagagaat	1800
agtttgtctg	aacgctgcag	tctatcccac	tgaccgcagt	gacatgggag	caaaccccat	1860
cgcaataaga	agctgagcag	aactgccctg	acatctggca	caagggcaag	aaggcactgc	1920

## 019CIP2 1-46 Seq list.txt

tgctgagagc	gctaattgagg	ttgaaaagaa	aatctgggtg	agaagcttta	aatgtgagct	1980
ctgagatgct	caaaagtcca	ttatgtcgtg	ggaggagagt	tcagccctgt	gctgtccctg	2040
gggtggctcg	gtttcagctt	tccctgattg	gaaacctcac	tctcatgatg	cagctgctgt	2100
gcccttgatg	accgatactt	ctctgggtgag	agcaattcag	caaggggaag	gaaaaagaag	2160
cactaagtaa	atcttgccat	ttctgtcttg	cgaggaaactg	gtacgggtccc	cttaagcctc	2220
attcttgggg	ataatcctgt	ttcagtgcct	ttcctaataga	cagtggcaca	aaaaaaatgg	2280
aagcgttaat	gaaacttgct	gatggcaaaag	ctgggagggga	ggatcagcag	atcactcagg	2340
actaattgga	tagcactgag	gcctggagta	atagaacaaa	gataaaaatgt	aataacagag	2400
agtgaagat	cacacaggca	gtgattaacg	agaattcctg	ctcatcaatt	agaaatgaca	2460
aaggataaga	aagctctgca	tttattagtg	ggtcacggat	gcggcaggcc	tgagaaggag	2520
gcaaatgcac	atctcagcaa	ggctctgtgca	gcagaggtcg	ggctggcagc	aaatctccag	2580
aaatactgct	ttgaagagag	agggtttgag	agacgctgtt	agggagaagc	agctctgcca	2640
cagcaggtct	gggggttcacc	tgggggttg	ctcattgcct	ccctgtgtcc	ctcctccacg	2700
ctgccagtgc	tgcactggga	aggtgtgggt	aagaagcaat	ggctaaggga	tctggttata	2760
cacctcctgt	atctgtctatt	tgggattggc	tactgcaggg	cctcagggtcc	ctgacttaaa	2820
agtggggact	tcgaagcatg	tttgcatgtg	gctgtcgtgc	cttagatgtt	gctgctgggt	2880
cctcaaagtc	ctgttggttg	tgggggtggg	gggacttctt	gcttcctatg	tgaagttttc	2940
tgagctgcaa	cttcagcaac	agctgtaaga	gtgcattaag	ggcagtggga	gaagtgggag	3000
ggacccatt	acctcatcgg	gtatcgctgg	catgctttgg	atagccccac	gtggagcgtg	3060
acaattagag	cacggcagag	agctcccaac	acgtgccatg	caggcagagg	cacccgccgc	3120
tcttctgact	cactctgttt	gtagccatga	ggctgtgcca	cgtgccctct	tctctctctc	3180
acacctgggc	tctcctgggg	cgcggttg	aagcctctgg	aggatcggag	ggatgtggca	3240
gggtgccctg	actgctgctc	cttccgcagg	atgactgcag	tgagtaccgc	tcccagtttg	3300
aggctggcgg	acgcctgtcc	tgcacgcggg	agaacgacct	cgtcagggat	tcctctggca	3360
agcagcacac	caacaagtgc	ctcatgtgtg	ccgagaagct	gtgagtacag	ttcctggcaa	3420
cagcaaagag	ggaaacctca	cattgcgaaa	ctgcagcttc	tgctgtgtg	gctgcgcctg	3480
ggggagtccc	gagtcaccagc	ggccccccag	gagctgctcc	tgctgtagg	ctgtggctac	3540
tgccccctct	cccacctccc	ccctaacccc	tcaggagca	gaggagaagc	agggttgata	3600
gagagcagcc	ctttccttg	ggcagctccc	aaggaaagtt	tcccacgcgt	gtactttgcc	3660
ttccagatgc	tctctctact	cccatagagc	atatgcagaa	gcagccctga	tatgaaagca	3720
gccacctgga	gccgggatgt	agcatacagt	gggaatggtg	aggagaaggg	agaaggctta	3780

019CIP2 1-46 Seq list.txt

ggggtgggaa	ttaggtgcag	ggccaccagg	gatggggagg	ctggtgccta	atgacatgat	3840
gctggccttc	agggcagccc	caggtccttg	cagcgttcgc	actgccatag	tgctcctttc	3900
tttctcctct	cccttttttc	cagcaaaaaa	gaagctcaaa	gaggagggtca	gtctgggtgga	3960
actgcccagc	gcaacaagca	gtccactgca	gagtgtgcaa	accagggtgag	actgagctca	4020
gagcctcacc	aggcttggga	aaagggggtg	gtggatctgg	ggaccccgat	ggtcaagggc	4080
tgctgtgggt	cctgggtgtt	ggggtgcagg	agcctgctgg	tgatggcaga	gaggcagggt	4140
gcattgcaag	ccctgctagt	tcatgggatg	ggtttgtgta	tgagcgtgca	tagtgggcag	4200
ttctggactc	ctctatgggg	cacgcatcag	agctatttct	tcagaaagag	ccccatgggt	4260
cctagggtcc	aggggggatga	gaggggaagga	caggagctgc	tttaatctca	ctgctttact	4320
gcttggttgt	caaacacgat	cctgccccct	ttccagaaga	gctgcagtgg	ctcagggtta	4380
cagcggggtg	taaatgagag	acggccgttc	tccacaaaca	gagggtgagt	acagcagcac	4440
tgggatccca	gcctggcccc	acaagtcctg	gggtcttgac	actgagaaga	aacacataaa	4500
atagggcata	tacaaccctt	tctcctttcc	aaagacattc	ttgcttcccc	tgcacacgaa	4560
gcactgggtga	ctgctacact	caaaatccct	ccccagcctt	gccccctgaa	tcctgcctcc	4620
tggcaggcac	acacttgtcc	tgctgcctgg	tccagcgcac	cctcatctgc	tgacctgagg	4680
cagtgtgtgt	tgtgcaccat	gtgctgtctg	ggcactgagc	gactcctctg	ggtttttagg	4740
gctgccaggc	tctggcaggg	tgcatatgct	gtgttatcta	agccttgagg	aactctctta	4800
gtcttcctgt	ttttgttggg	gaggcccatt	catctgcccc	cagtcatcac	tgccagcaga	4860
caaacagtgc	acagctctcc	atggcagcaa	tggctgtagc	atatgtaggg	gccagggttc	4920
tgggatcatc	tctgtgacgg	acatctcttg	ctgaccgccc	ataaggactc	aaaagtcccc	4980
ttgcagggag	tgccctccatc	ccatggcaag	ccaagtgcac	tgttgaaaaa	acaagggtgca	5040
gaataatggc	aatggacctt	agtgcagttt	aattccaccc	tgggggtgatg	atgtggctga	5100
gtgggtctgc	atacccttgg	ctgtgccatg	agctctgtgc	tttctctccc	tgccagccca	5160
caaggagact	tggctcagga	ctgcagcccc	gcacctggcc	gccagggaca	gagcggaggc	5220
accaacacct	accagccggt	atgccagctc	catgtgggtc	aggcacagcc	tttcccagca	5280
gctgccccag	tttccattgt	caacctaaag	cctcacaatg	ggacctgtat	ccttggaggg	5340
gtttaaatgg	gtggtagagt	ccgtaccctg	atgctgtccc	ctggcctcaa	agaggagtga	5400
ggctgcacac	gtccaaacgg	gagtcactga	agccagtgtc	gctgctgggt	ttggctcact	5460
gtagaagtat	gtcagggtatg	agagagcatc	ctccaggagg	tgatgggtgg	gtcccttcct	5520
gcatgtctgag	atgttgggtt	gaagactgtg	gccagagcag	ggtgctgggg	ctgagcgggg	5580
gataaggaca	aggctgataa	gaggagggga	gagggagtag	tgggggagga	cacgggtgagc	5640
aatagataac	gactgtttgt	ggaatcatgt	gggaggggaga	agagggtgta	tgctctctcc	5700

## 019CIP2 1-46 Seq list.txt

atctccacaa	aaagaaaatt	tgttattttc	aaccaagcta	aagcagaaat	tatgaaacta	5760
ataggagaaa	ataagttact	ataaaaagga	tgactaacct	gtggatcttg	ctgtcacggg	5820
gtgttgccaa	gagctacagt	gattaaaaaa	aatgacttgc	cacttatagt	ccatacagca	5880
atttaggtaa	cattttggaa	gggataggaa	atgcctttct	gtggggctgg	agggacctga	5940
gtgcagactg	ccttaactct	ctctgaagtc	tctgtcactg	actgccctta	gaaaaatgat	6000
attagaatag	aaaaaccagg	gaggcggttc	aggtatggca	gttttaatgc	attccagagg	6060
aagcattagg	cataataatg	ccagtctgct	tcagggctta	gtggtatttc	ctggtagctc	6120
cgggtgaagga	gtggatgctg	atcagcctga	ctgacgaggg	gtgattcaga	gagcagatct	6180
gtgtctctcc	tcgctgcagg	gccacccgtg	ggctctgtcc	caggagatg	ctgtcctgaa	6240
ggagaggttg	cagtcactgt	gaggactgtg	ggggactgtt	ggtgtggcgg	cggttgcaca	6300
cgcgtgggtc	acaccgtggg	cagtgggtgc	tgggtgtgtg	gaaggcatct	ggcagggaa	6360
tgcaaaggtc	agcgtgtct	gtctttgtgt	catcgtaa	taccaggtg	aggaggaag	6420
cagcacatta	atgaaattag	caagtgatgt	ttaa	acagag	ggtgttactg	6480
tgccactgaa	ccccctgcat	tgccagctg	ggaaaccttt	cttctccatg	gtgctttcaa	6540
ccccatagtg	ctgctgaccc	cagcaaagca	atgagccatt	gcttagtgct	gaatgggggtt	6600
ttttttctcc	aagtgggaca	ggaggtgaga	tgtccttcct	gcagctcttc	tccaattgca	6660
ccatttgag	tcattgcaac	attttttata	ggacctggag	aaggggatgg	gaacagagaa	6720
ttcactcctt	ttgtctctgc	atcttttttt	ttttggcctt	tgggtgcagag	gtgggcagtg	6780
aggctgagga	agagaggggg	ctgtaggatc	tctgacctct	gctgtctgaa	acttgccatg	6840
attctgcagg	cacctgtgcc	agaatgctca	tgggctgata	atcta	atcatgaggagtctt	6900
gttcctcctg	ctccgagctc	tttctagctg	tgccacgtct	gctttgtagg	aaattcgatg	6960
cctagatgct	cctgctgtta	tgctggagaa	taaaacgaga	gggcacgctt	aattagtcag	7020
agcttttcat	acatgtttgc	atctcttcat	tccgtgggtg	tcaagttgtg	ctgtgtgtcg	7080
ggctgccctt	gggcagctgg	actcaattgt	caaggttttc	cctttgtttc	tgccaagtgg	7140
cttgagaag	caacaggtgt	gaaagctctg	ataaaggaca	aaggacaggt	agcagaagtt	7200
tattgtattc	tcgtggattt	gcagggagaa	gtaaaagtgc	cctggactga	gatgtcaggg	7260
tggatcagat	gagtgtatcc	atgcctggca	atgggggtcag	ggcagctttg	tccccacatc	7320
gtggctgggt	ggcccaatag	gaggcgttac	ctctttgctg	aagggtgtgat	ggagctcagg	7380
gcaacgcctg	gtttgtgagt	gctttgagcg	gtg	gcagga	gggtcttgca	7440
caccaa	atgtgatttctttc	tctcttcagc	tggactgtga	tcgaattctg	cacggggtaa	7500
agggtggaag	gattttctgc	agcgaatcct	cacaaccctg	ctgtggcact	gatgggaaaa	7560

019CIP2 1-46 Seq List.txt

catacagaaa	tgaatgtgac	ttgtgttcag	ctgccatgtg	agtaggcgga	gagatttcag	7620
taatacaggg	ccatccacca	ttcccagagt	tcttttgcag	cacagtgttt	gttttgatat	7680
accatgactc	actatcaagt	gtgtccttgg	tgccctgctg	ttaagcaaac	atagatcaaa	7740
tgtctgagat	taatatgatg	acagctaatt	aagatacaca	actttccaga	gtcccttatt	7800
ccctttctgc	tcaatcatag	gattgttttg	ggagtaataa	atgccatcaa	attggaagta	7860
gcatcaaagg	tttaaggagc	ccacagagga	ccaccgtgac	gatgtcaggg	agctgtggca	7920
ctggaagtga	ataagcaatg	tcttgttctc	cctttgcagg	agagcatcag	ttacatcac	7980
ggtaaactac	cgaggtgaat	gccgaaagac	tgtccctgaa	atggtaagtg	cctccctgct	8040
gtggcatccc	atttcttggt	ctgggtgtgt	gctggagacc	cagcctggat	cccgtatctg	8100
tggtgggatc	atcagagccc	tgtagcagg	gtgcttgtgg	ttcacatgcg	taaatacact	8160
tcaggcttgg	atttaaggca	ttttgaggca	taatctccac	gttttttcca	ggctgtgtgg	8220
taggggagtg	acatgtctgg	gaaaacatgt	ggctttcctc	ctgggatttt	ggtgaggcca	8280
agaaaagatt	gcaatcgcac	aaaccataag	ggcctaattt	cccaaagatg	atccaggcag	8340
ttggttggga	aggaaatata	ttccctaagt	ggtatccttt	tgggaaaggt	cttgaatctt	8400
gtgtgattgc	cttgtagtag	atgagtcaaa	gatttgtag	tggtgctttg	tcttcccgct	8460
cgtggcagct	cagcggcatt	cagagctttg	gtttggagcc	aggggtgtccc	agtttgtgtg	8520
tcttgagtgt	atgggactga	ccttagtggt	ggcatggact	gttggaagc	tgagtattca	8580
tttcccaggg	gaaacaccga	catctatccc	cattccaaac	ttggaatgaa	tcaaaatatc	8640
aaatcagcca	aatggagaag	ttgtgcaagt	tttttttgca	atgagagaga	tggcttctga	8700
atatgaattt	gctgacagtt	tgtaggtaaa	acagtattgc	ccgttgaaaa	gctttagagc	8760
aaaattacca	tcatagggct	tttactctcc	tctgcttatt	gacaggatgc	ccacccatcc	8820
ccacaacatt	agaaatgagg	catccccatt	cctcttcctc	tcttctgtga	agtaccagag	8880
tgctctcaac	gctgttttaa	gctgaagaaa	aaatgcagag	aaagagtttt	gcttgtgatc	8940
gtgctggagg	tctttgtgtc	tcgccctttg	gtgcgatgga	gccattgctg	gtttgtgtat	9000
gctgggagtg	gaggcactat	gcatacctgc	tggtggctgt	gctaatagatg	ctggagacag	9060
acaaggttgg	gtgtaccacg	gcaactgaaa	accagagagg	actccctcag	agttgtgcct	9120
ggctgggatt	cctcaccatt	ttgtgtttta	ccaagacgtt	ttaccagctc	tccagtcttt	9180
gcagttagag	gaatatgcc	tactactaaa	gtcagacaat	ttgtagctat	tccaaggaga	9240
gctggaagca	attaaaggga	aagtgataag	gtttttccac	tggggaaaaat	ccccacaaa	9300
aaacaccctt	ccaaacaaag	acttattatt	tcgttcttta	tgtatatattg	gtcacctgaa	9360
gaatcagatt	ggaaatttat	ggaagcccat	ttccttagca	aacccttgt	gtccatcaaa	9420
gacttccctt	ttttttctca	gttggaagct	tatgaacaat	gtactgacca	gtgttatttt	9480

## 019CIP2 1-46 Seq list.txt

atgcctctga	aattcatgct	aacattcagc	ttaatgcatc	cttctgaagg	cccaggcact	9540
cgctgtgtga	aggagatcac	agtgcctttg	gcgtcagaaa	tgatttcagg	ctgttgcaat	9600
acgcagcacg	aagatgcaaa	ggcccaaaga	cttgagcctt	ggaaaaagat	aggagattgc	9660
tgcccgaaaa	tgtagtttgt	ccttgagttg	tgttttgaaa	ttagccacgg	taatgctgtg	9720
ttgcctgcca	aaatgtgtgt	ccaagctcag	agcctgcagc	cattcctgct	agcaaagccc	9780
ctcctggatt	tccagcagtt	tgtggcagtc	cttccctagc	agtggctgga	ttgccatcag	9840
ggagggatgg	ctgtaggaag	ggacaggaga	aatgtggttg	gagagagatc	tgacattaaa	9900
gggtgcatcc	ggacagcctg	cactgatgtg	gtggaaaacc	ttcctgcaga	gagagccctg	9960
gggctggctg	gcagctgggc	ccctgctgcc	tgtgtgagct	ctgtgccaca	accagcctcc	10020
tctgatcctg	ttctgcttta	ctgcagatga	atgtagctga	gtctaggggt	tagattttcta	10080
tgtttatttt	taacaaggca	gctggcctct	gcgtcctcca	tgctgtgaca	tacagctgta	10140
ttaatgggtg	gtctttccag	aatgtttcac	tttcaatgct	gtattttttt	ttattttgca	10200
gtttctcttt	ttgttcagat	gctttttcac	acatctccca	tgtgacagat	accagtctgt	10260
ccatgttagt	tgacaggtca	ggcaaaaaaa	aaaaagggat	atccagtttc	tcctttttta	10320
tctgttttct	aaagaacaaa	gaactcccag	ctttctaatt	ggcaaggcca	ttttcttaca	10380
gtgctctttt	tgtcatacct	ttcttaagaa	tgtagtagaa	gggaaaagaa	acaaacaaaa	10440
aaccaggac	cttttcagc	ttgatattgg	ttttggaaag	cacacagatc	caggctgaaa	10500
tctgtttgtt	ttctgagtct	ggcagtgacc	catccactgc	cccatcccac	ctgggttcctg	10560
tggccactga	gctgccccaa	ggggctgtca	tgtagcccct	aatgctctgc	cagcgtaaca	10620
gcagtggatg	tacttggtga	tccacttata	ttttgctctt	tctttccaga	aataatggag	10680
ttcagactgc	cagcaaatac	cagggatcag	ctgtgaccaa	aggtacagtg	gtgcggtgat	10740
ttgctccctc	ttggacaact	tgtccgcatt	tcacaagggt	ttgggtgtca	gaccttgctt	10800
gggcaggctg	ctgggtatgt	ctggggcaaa	gggctctgca	acacaccctt	ccctattgcc	10860
acagcacaag	aatgaggcgt	gtgtcttttg	cagaagtagc	aagggtgatg	gaagcccctg	10920
ccaagggggc	tgagcccttt	gggggtgtgca	aacttcatga	ggacctcctc	atctctcagg	10980
ggtagggcctt	gcccgttcct	tttccctcag	atatccctgc	agagggggaa	ggatgctggc	11040
agagcagagt	actgcagtcc	ctcctcacia	ggaggtggag	gtggcccaaa	gcaacctggc	11100
tttgagcttt	ccttggtggt	cttctgtgtc	ccttgccctt	tggagccata	gtaataaacc	11160
cgctgcccc	ctgtttctct	aggacaagta	aaggaagatc	tgatgtcagg	caccagggaa	11220
gctgctgagt	tccccagtgc	tgttggatcc	accttcatct	ccttctgcag	ccaacggggc	11280
tgtccttgct	cagggtggagg	gtgaagggtc	gtggggaccc	agtgggtggc	tcccacgttg	11340

019CIP2 1-46 seq list.txt

gccccacgca	tggtgttgta	gtcgtgtgctc	ggctcgggct	ctgccgcctc	gctgtgtctt	11400
agcatgtttc	tacaataaag	ataactccac	agcgtcctgt	cgcttttctt	cactgagcct	11460
cacgggaggg	acgtgtgagt	ccccgctccg	gctgctcgcc	acgcgtccct	tgagctctaa	11520
agcaccaaac	ccaagcggag	atgtcagacg	cagagaagaa	gaacgtggtc	tgggtttctgt	11580
tagcaggggac	cagcagttgg	gttctctgac	tcgctgtgta	gggctttggg	tgtatctctt	11640
tgtctccctt	cagccctttt	ctcttgccctg	taaaaacgga	cattaaagga	tgcttaccta	11700
cctcagaggg	ttgtttggag	attttaattg	gtttacgtta	gagagcccac	gggtggaatt	11760
ctgttcctat	gtgccaatgc	tggtgtgcag	gaggtttaac	tgttgcagtc	atggcctctt	11820
ccagccaaca	cccgatgggc	cgtatgtatt	tcctgttctt	tcgtttatgg	ctgttactta	11880
aagcaaatat	gttcttattt	gtataaactt	tattgcagga	catttccaga	agaccttgag	11940
tgaacgtaca	gtgtttgagt	ccacttttagc	tgtgacctga	tctgcaaata	cactctgctg	12000
tagataaggc	tggagtaact	ttcagatttt	ggcaggggtt	cgctcaatgc	caattaattt	12060
ggctccctcc	acagatattg	atTTTTTTTT	ttcttttcaa	ttaagttatc	gagatctttt	12120
tttcttaatg	cagctaata	aaatcgattt	ttactctcat	aaagtacttc	cgcatgtgtc	12180
acattgatct	gtctatggct	tgattatcgg	caggctttga	catgaggtta	atattttgtg	12240
tgctggtttt	ttttcaccgt	gtgcaaacac	tggtggttag	aaatatgtta	ccgctgctta	12300
tttctacgtg	gaaaatccca	cggcgtgggt	atgcatggca	gaagtcacca	gtttgatcca	12360
atttagctgt	ttctagggat	gcaagattcc	tctgcctttg	agcgggtgaa	tcctcgggtg	12420
ttattttatac	attctgagaa	ggatgaacag	aagacggtaa	aaacgtttgc	taatgatgtc	12480
tgctggctga	ttccggctaa	aatcgtgtgc	agggacctcg	acgtgatttt	tataaaggca	12540
gctcacaatt	tgaggcttaa	agtaagttct	tgcaaataaa	aatgggcgca	cttgagcgcg	12600
ctattataac	ttgtagtgat	ttcaagcact	tagattttga	aataatcgcc	cataaaaacc	12660
tgcatthaatt	gtgctccaaa	accaatgagc	tgatgaggag	ggtgccctgg	tagcctcttt	12720
tgctggattt	gagcaccttc	tgaatttctc	ctgccaccag	cagaaattag	ccacagaaat	12780
catagctgct	ataagggttt	attaatcaga	ttacgaaact	gctaagaagg	cacacaacag	12840
tgacttgctg	aagctgcctg	tgctgctgtt	agcgagcctc	ccgtaggtag	caatgctaac	12900
tccttccttt	tagcagttta	cccactgctt	ccttccatca	ctccttcctt	ttgtagggcc	12960
tacttttgca	gtttgatcca	gtggcttgca	ggcaatatct	gtccccagcg	gtgctctatg	13020
cagctgacct	ccaggtaggg	ctccatgtga	gcgatgcaat	gtgttatttc	catgggggtc	13080
ctaagaagga	ggaagcaaaa	agctcaggag	gtgctccaaa	tatattatcc	tgctctctgt	13140
tttgctcttt	gtggtgccct	ttaacactgt	aaagagacca	taggagtcct	ctatgaacct	13200
ggaaagggtac	cagcactatg	ggagggtctt	agtttgctgt	aaattatgct	ttattagagg	13260



## 019CIP2 1-46 Seq list.txt

tatttcttct	gccaagaccc	actgacccca	tgcggctcac	agtgttttct	aaggctttgc	13320
aggactggtg	ttacgaattg	gcaccctcca	ggcctctcac	aaatctcctg	cttctcacag	13380
cgtttcttca	agttctccca	agcacagctg	agttttgagc	tcaactgctc	cctgcagggg	13440
ccttgagcct	cctgcctttt	tgcataaaag	gtgtcaggta	cttatgcaat	ccttagaggc	13500
atgcaaatgc	tgctctgggt	atatactgag	gactgttgat	tctggcagaa	ccctttgcag	13560
accttgctact	cccttgctat	ttcccaatcc	ctgcagccta	gcagctctgc	ctaacaactg	13620
ccatagccaa	cacagcagca	ggctgtgcat	ggtgcaaggt	gatgtggaaa	gggatgattg	13680
tatgaaagcg	tgatgtgtg	gtactgcctc	tgcaggagac	tcgcactatt	tgtgtaagag	13740
gaccttattt	gtctgtgca	gagctgtttc	aaggctgtcc	atacaccctt	gtgatgctga	13800
gccccctcaa	gcaatgcact	gggaaaagga	ggctgggggg	agaccttatt	gctctcctcc	13860
aatatttgaa	aggtgcttac	agcgagagca	gggttggtct	cttctcactg	gtgacaggat	13920
gaggggaaat	ggcctcaagt	tgcaccaggg	tatgtttaga	ttggatatca	ggaaacactt	13980
atttactaaa	aggttggtta	gcaactggaat	cagctcccca	gggaggtggt	tgagtcacca	14040
tccctggatg	tgtttaaaaa	ctgtttggat	atggtgctca	gggacatgat	ttagcggagg	14100
gttggttagtt	agggtagtgt	ggttagggtg	tggttcactc	gatgggtctt	aagggtcttt	14160
ccaacctgag	caattctatg	atatggatcc	ctggggcttt	cagtcttatc	tccctggatt	14220
atcacagggt	cagctctatg	gcccatttga	tttataccgg	ggtctgatga	acagggtttt	14280
ctcttggtct	ttcagggatc	ctatttagca	ctttttggta	cattcccctg	ccctacaagt	14340
ctccctgata	cacagagctc	ttatccaaga	cttgggacct	tccctactcc	agccctctgc	14400
aggaggtttc	ttgctaacca	gtcctccaac	caggactgca	gtacacgaca	aagagctgga	14460
agaggtctgc	aatactttcc	cagcatgaag	gtatgagcac	tccttttgag	taggttactg	14520
aaagtagtaa	gatgtcaata	caaccaactg	caagatacaa	aaccgcatga	aaattcagtt	14580
tactttgatg	ctgaagggct	gaaaagaaat	gctgtggtgt	tagcacagat	gcactgctgg	14640
caaagtgaaa	atgagcaaag	aggatgagat	ggatggacag	ctgatggaaa	aactcttcct	14700
aattgctcca	cagagcagct	tgctcgcctg	cagggctgca	gcatggagct	gcttgatgat	14760
aatgcagaca	ccccagacc	agtgtgtgtt	gtcttagcca	agacacagtt	gcagctgcag	14820
caattttttc	tagatgtcag	ttccttccct	atgttgctga	caggtgtttg	ctgttctgtc	14880
cttttaattct	gtatcctaca	gcaaacattc	cttgaattta	ataacttagc	tggagacaaa	14940
ttgctgtgat	cttgatagaa	catgctgagc	caatctattt	taactgcaga	tttagtttgc	15000
aaatactgtc	tccttgccga	taagattcag	gtgtcatctt	tgtggacatt	ggcaggaatt	15060
ttcttgaccg	tgacagggtt	tacagagtct	ggcaattaag	ctgtcaagac	acattttcct	15120

019CIP2 1-46 Seq list.txt

ctgccaggaa	gcattaattg	atgatatgtct	tggctgcaat	aggcacagag	agatggatat	15180
tgtaatcaga	atgaatagag	gtccttgtag	ttgagagcta	cgttggtcca	aagttttgta	15240
gtcgttgacg	tttggtgata	ctgagataag	gaacaaggca	cgagatatta	gagctaaata	15300
tcaggcacag	catgagaata	aagacctctc	tagctggaac	tgttggtatc	tggggagatt	15360
ttacttttct	ggatgcatac	tgcaaagtac	taatattagt	agagctactg	gatgcgagag	15420
caaatagttt	tccattaagt	aatcccaaaa	atcatgttgt	tgttggtttg	cttttcaagt	15480
gcgaggggtg	ttggagatgt	atttccctca	gaaaataaac	ctgatatgat	tcaacctgag	15540
ctctctctgt	ttaaatcaca	ctgaaaatag	atctgcaaat	ggggattttg	attaccgagt	15600
acagaatatg	aaagattaaa	acttgggaaa	gttaggggtc	tgattgagaa	aactttttgtt	15660
tttgtggccg	acccttgtag	cttacaaaaa	tctgcctaaa	taaaggagaa	aaccacattt	15720
agaacccatc	caagctatgc	tacttcagta	ctgggcaaaa	cttcaggaga	cgtttgaaga	15780
aaactgaaga	cgtgaagtat	aaaggaatga	ttgatgtgca	cagtaaaactt	tcttggaagg	15840
taatcacgca	tgggctaata	tcaatcttta	caaagttggc	tgacttccta	gataaaggaa	15900
gtacagtaga	tctagtctac	ccaggcagca	aaaatgtttg	acctgttgcc	ctgtgggggtg	15960
gtgtcacctg	ggcttgggga	ggggggtcag	gatgagggtta	caggggatgt	ggaagcatac	16020
tgtggaggag	caggtggggc	accacagga	gttagcagtg	agcagacaga	aagggtggatc	16080
tgaggaccga	acttcgtatt	tttgttcctt	gcattaatac	acaaaaagca	gacacacaca	16140
cagagcagat	tgctgctggt	ttttgttttc	ttttttaaac	agcagaagag	caggattttt	16200
cccacagaga	atggggtgac	cttctaggct	gtgattgcct	gggctcaagc	tgagatgaaa	16260
cgcagtgatg	aggagcacaa	aaccgtgctc	tgagggttaa	taatgagggc	ttcggctatc	16320
agttcagagc	tcagtaaaaa	ctgcagagga	ggaggaagac	ctaattgcat	gtagccagcc	16380
acagggcaaa	tgagagctgc	agcgtgctgg	ggcagatccg	ggagcagagg	ggccgtggca	16440
cgctccctgt	tacttggtc	ccctggagcc	acacaaaagg	ccccttcctg	gcaattgtgc	16500
ccacatcaat	cattagctag	aaaccagag	ctgggtaaat	acgttttggc	ttcccgtctt	16560
gatgacagat	tgggtgttac	atcacaaggt	gggaccactt	gatatgacaa	cacgctatat	16620
attcccgtg	ctacctctgc	ccttcctccc	ccactctgag	agcaagcggg	ctgtgtgtgc	16680
accgaggtgc	tctgccatga	ggactgccag	gcagtttgta	caggtggctc	tggccctctg	16740
ctgctttgca	ggtgagtgtt	tcctgctata	ccccgtagg	gactatagct	agaccagaga	16800
ctaggctatc	tgtgagagta	tctgggtatt	gtaatgtgtt	agagagcctt	gttccatgaa	16860
ggaatgctct	ttctgacagt	gtagcaaaac	accagactgc	aagatccagg	tttcagcaaa	16920
cctcatacag	acgactgttt	tcgtcgtggt	ttataggagc	aaattgctga	gggagcagtg	16980
ctagtgcagg	gcaggagctt	gcacgtgcaa	gcactgagta	taacggcaaa	gcaaagctat	17040

## 019CIP2 1-46 Seq list.txt

gtgaaatggc	tcctgtgtcc	atgtaagcaa	tacaaacact	gcatcttgta	tcactataa	17100
atcttctgtg	ctgttcctgg	cagctgagaa	gtttgttggt	ggaagaacag	tgctagtgg	17160
caacagccac	ctgaaacgtg	catgtctgag	ctcctgcaag	tcaaatacag	agtcttgag	17220
aagagtrtaa	actcagtgc	ggcttgaaaa	tacctacatt	tcttccctgg	ggcatcttag	17280
gaactggcta	acacatgtgg	cctcctactg	aaagtgcagt	gaaacttcat	ttaataacct	17340
ctgattcatt	ttatggacgt	acatcactgg	cataatgtaa	aattgcattt	tcctaaaccc	17400
aataagccaa	tcaacaacgg	tatctaaatg	taactgtttc	atcgaaagat	ttgcatatgt	17460
catctctgca	tattaataat	atgtatttat	tttctgtctc	tacttttctt	ttagatattg	17520
cctttggaat	tgaggtgagt	tacagatttt	ttttcccatt	tattcttttc	tattccaggc	17580
ttctgggtcaa	ataagagcag	tatataatta	cctgatgagc	aagtggatta	atctaataaa	17640
agcctgggtg	ctcaaataat	acttgccagt	gcatgattga	atgatattgc	caagtcacga	17700
aaaagtaaaa	cacaccccg	ttatactatt	ttccattcat	gcaataaaa	gaagaaagga	17760
agaattgtac	gacccattta	tggttaactt	tggtataaac	tgctgttagc	caagtcaagg	17820
ggtaggtggt	acctcctcga	gaggaaagct	gtcttaagat	gataagctcc	aaagcatcaa	17880
agacagtgat	tctgggtatc	ttttctatac	agtaagacac	acactacagt	gttctgcct	17940
ataccatata	caaagcgagg	aaagcagcag	ggtctgtgca	gtgcatttgt	ctgcagggtc	18000
ttcccacgca	gttatgagat	tcctgcaaat	caccagagac	tgacgcgtga	ttggaaacga	18060
tcagattttg	agttgagcgg	ctgtggagca	tggtcaggct	ccaattacc	agctgccttc	18120
gttaggcgct	gtctcaccga	cagctctcct	tcctccatgt	catgcttccc	ccagtcccc	18180
gcaggaaagc	gtgatcagaa	gaagattccc	acctcctgac	tgcttgagca	gattccaaat	18240
gatacctcag	gtgtttgtcc	cggctggagc	tgtgggtggc	aggaggtttc	catactgtct	18300
tttgttgtgg	aaactgaccc	cagggtgat	gtgtgtgtgc	ttccataggt	taattgcagc	18360
ctgtatgcca	gcggcatcgg	caaggatggg	acgagttggg	tagcctgccc	gaggaaactg	18420
aagcctgtct	gtggcacaga	tggtccaca	tacagcaatg	agtgcgggat	ctgcctctac	18480
aacaggtgag	cttatgtgga	agcccagggg	agctgcaggg	caggagactc	gagggtgagg	18540
cggcagctct	gtcccaaaa	tatggtctgt	gtggaggagt	atgtgagtta	gtaccaggat	18600
gctgacctcc	agcctggggg	tggtggctgc	tctctgccat	ctctgacaca	gatctgcgtt	18660
cttccaggga	gcacggggca	aacgtggaga	aggaatatga	tgagagtgct	aggccaaagc	18720
acgttacggg	aagtccaaca	gtaagatgaa	gtcttgctct	gttggtgccc	ataaagactt	18780
atctttatct	catagaatca	ttgaacagct	taggttgga	gggaccttaa	agatcattgg	18840
gctctaacc	ccctggcctg	gccgggctgc	cttcaaccaa	atcagtttgc	ccagtcaaat	18900

019CIP2 1-46 Seq list.txt

gggccttggg	cacctccagg	gatggggcac	ctgctctgct	cagcctgtta	cttattttact	18960
tgtttttttc	ccatttcctgc	tatccttaca	gattgattgc	tctccgtacc	tccaagttgt	19020
aagagatggg	aacaccatgg	tagcctgccc	aaggattctg	aaaccagtct	gtggctcaga	19080
tagcttctact	tatgacaacg	aatgtgggat	ttgcgccctac	aacgcgtaag	tctttttctgt	19140
ggagcatcct	tctgggtaat	tagagatggc	taagtcctct	ggaaacgctt	acataaaaaca	19200
ctttctaagc	ctttcttagg	gtagatgttt	ctgtgggact	ctttgaagct	ggctacttgt	19260
gattctccag	ccagctgcag	atttcttccc	catcctctgt	ctgtgctcat	gaagggaatc	19320
acaaaaaaga	cagaggacaa	cccacagcag	aggcatgaat	agatcaaagt	gttgctcagt	19380
gctgtgtgat	atggaaatac	catgcatttt	ctgctcacia	gtggttgcta	ccacctgtgg	19440
gctgcatcca	gaccactcag	cagttcctta	cgtgaagggg	gggaccttgc	tttcttgccc	19500
cagtatctaa	ggcttttcac	gaggctctct	aactaaaaca	gctcttttct	tcagagaaca	19560
tcacaccaac	atttccaaac	tgcacgatgg	agaatgcaag	ctggagatcg	gctcggtaag	19620
tgtaacagaa	ataaaaatcc	atctcctagg	gctgttaacg	gagagaatcc	cattgatttt	19680
cctaagaaaa	tgtatgaccg	ggctgatcgg	gggtcccggg	ccacgctctg	cttcctgcct	19740
ggtagagggtg	gcttctgaaa	caaagcggta	aaggaagagg	ccccagattt	tccttgcat	19800
gtgctgtgca	gattggcagg	tttctctctg	gaggcgacaa	gcattttccac	cctttgtaac	19860
aagcattcaa	aattctagt	ctggtagctt	ggttagatat	agtgagattc	ataagagcac	19920
caagcataca	tatttatagg	gtatagctta	ttgtatat	atactggggg	aagagtcag	19980
tgcttcagga	agaaaagctt	atatatttca	gcacaaaaat	tctgggatgc	agggagtccg	20040
ttctccaaca	gacggattcc	tcctttatca	cttcaactcc	cgtgcttaac	tgcaagggaat	20100
ctgaattatt	aagcaatcac	agcactgggg	aaggaaggag	aaaaaccaac	acaaacaaaa	20160
acaatgttaa	tcagatttcc	agctgttggg	aaatatttcc	cacttaattc	aaggctgttg	20220
tgctgatgag	aagagggtcg	aaaaggctgt	tttcagttcc	tctgcctgaa	ggtttcattc	20280
tctaagagag	gtcccttttc	ttgtctccta	gagaatgagg	gtagtgttct	gaaagcctat	20340
ttctgataga	cagtttagtt	aagtgtagca	gggctttgtc	ctgtcacaaa	aactaggaag	20400
ccgggaatac	aggatgaaaa	ggtgttacat	tgacttctcc	cgtgtagcac	aggctccggg	20460
agggcttatt	ctccttattt	tggcagggtt	actgcagtaa	gtacctatcc	acagtctcta	20520
aggatggcag	gactttggta	gcctgcccac	ggatcctgag	cccggtttgc	ggcaccgatg	20580
gtttcaccta	tgacaacgaa	tgcgggatct	gcgcccacaa	tgcgtaagt	ctgctcatct	20640
cccactcctc	caaagtagcc	agcaatgctt	tgccgtgctg	ggagccttcc	ttctacgttg	20700
ctgcttatgc	ctgtttcttc	aagcctctta	gaaactgcat	tttttttggt	gttggttctta	20760
ctgagttttc	ttctgatgcc	ttctttgtga	tcacgagggg	aaatctgcaa	gactcagaac	20820

## 019CIP2 1-46 Seq list.txt

acagctcctt	ggattagtct	gtgggctggg	cagtgactga	gcagagaaag	gaatagttca	20880
gaatcttgct	ttaaataaca	cgagaagacg	tgatgagctt	gttaacgagc	agagtaaatgt	20940
agctatatca	atacaatcgt	gcagagagggc	tgaagcccta	ctttgttagg	tacctgcctt	21000
aggctacgtc	tggttcattc	tgcattgcaag	tgtttaaacc	aagagttaaa	gcatctcctt	21060
actcactttg	tctccctctt	tcagagagca	gaggacccat	gtcagcaaga	agcatgatgg	21120
aaaatgcagg	caggagattc	ctgaagttag	tatacaacgt	aaggtgtatt	tctccccttg	21180
cctctgcca	ctgagctatt	tgtctgaggcc	acgtctactc	tgaaagttag	ctggcttgaa	21240
gcctggctct	ctgcacgtgt	cctttgggat	gtgccaacgt	gtatccaaca	cacaaacagt	21300
gtggaagtgg	ggcaggggga	acttaggtct	ttaaggatg	atcactaaat	gcattgccag	21360
caaagtcctt	ttgtgccagt	gaagtcctat	tatgtttgcc	ttcttttgtt	tcattctata	21420
gtgcagagag	aaaaggagat	gatatatctt	tgttggtttt	ttttttgttt	gtttgttttg	21480
cttttctgcc	atatctagca	aactgtttca	gtaggttgtg	acccttttgg	atcacaagtg	21540
aagctcagt	gcatttgga	ttgactgagc	tgtctgccct	ggtgatttgg	catctcacag	21600
attacacagc	gccatgtagc	tcctcctggg	catgagagag	tttctgcaga	gctgactcag	21660
gctggccttg	agagaactga	agtgttagcac	cagcgttgtt	tcagcatccc	agcgtaaaag	21720
acatggattg	cagcaggagg	caatgctagg	gtttgtcttt	gagagcaagg	gctttttcag	21780
ggctgacgct	cctacttttt	gcagattgac	tgtgatcaat	acccaacaag	aaaaaccact	21840
ggtggcaaac	tcctgggtgcg	ctgcccgaag	attctgtctc	cagtctgtgg	cacagacgga	21900
tttacttatg	acaacgagt	tggcatttgt	gcccataatg	cgtaagtact	gcaaacagga	21960
cttccttttg	tagcgactag	ccacgttagt	actgcagatg	gcttcccctc	cacccttcat	22020
cttcttcttt	ctttcttttt	ttttgatagc	agtatgtcta	tatgtctcct	gttcttcctt	22080
caacctcctg	aagctctgtc	gcctcggttt	cctttcctga	tgtgtctcct	agggagctgt	22140
gggagagcca	gctaacagct	gagtgtccta	tgagggtgtg	ggcatttgtg	cagaggaaaa	22200
agagaatggg	tctgctacaa	gtagacctga	gaagcctgta	acttcttagg	atcatgatcc	22260
ctaattggcag	cctttccctt	tcagacaaca	tgggactgag	gttaagaaga	gccacgatgg	22320
aagatgcaag	gagcggagca	ccccggtaag	tggggatgga	tgtcagatga	gcgccagctc	22380
ctgtacgtgc	cttgtggctg	cagaggttgc	taaccagggt	ctgtccattc	aggcagcaga	22440
gaaggggaat	gggccaggat	ttaggttaaca	aaatgtccca	atactgcagg	tctctggagg	22500
gaaacatcag	aggcagccca	gaacagcaca	gcctgtttta	gcacagtagg	agaggaagag	22560
cagaagctgt	gttagatgcc	tgtgtagtca	ttcagtgtca	ggatttccat	tgcagcagac	22620
aggttaaaaa	atctctgtac	cgtgggtcagc	caagaaaagg	ctgcttgcag	gaatgcacgc	22680

019CIP2 1-46 Seq list.txt

agaaatagct	ctataaacat	gcacggtaac	aatatgtgct	gataatatct	cagcacattt	22740
attctgctta	tgcagagcag	ctctaaaaca	ctgaaaataa	ctttgtgcat	ctcaagggat	22800
tgctgtatct	tttctgtagt	aaagacacac	tgttatggtg	ctgtctttgc	tataatttgc	22860
tcttggactg	tgtggggaaa	tatgggtaat	aagagctact	acacagggga	aggtatgcaa	22920
aacgattgtg	aagtgtcaga	agcttagcca	gtgtagactg	acttccagt	ccatcagtag	22980
atacttgctt	atttatcctc	aaatattgga	actgttttta	agtactgtga	ggatttctgc	23040
agcagcagct	gatgagctga	tggaacagtt	tcttcttgcc	gttttgaaaa	cgtggaacaa	23100
aatctaagg	cttagctaag	tcaggcatga	cctaattgtca	aactggacat	aacatcaaac	23160
tccttatatc	aaattccttt	gaataatgct	tgttttgaaa	cttggacata	cgctgcataa	23220
ggaagatgat	ctttctggtc	tgctattcct	ttgcgttccc	tttgttagt	agcaatatca	23280
aaccaacca	caattagttc	atttataatg	ggagactaaa	ctgaaatcaa	ccctgatttt	23340
tcctatggct	cgaggcagtc	tgtccccag	ctcccagcac	ctgactcagc	atccttactg	23400
ttttctcccc	agcttgactg	cacccaatac	ctgagcaata	cccaaacgg	tgaagccatt	23460
accgcctgcc	ccttcacctc	gcaggaggtc	tgtggcactg	acggcgtcac	ctacagcaac	23520
gactgttctc	tgtgtgcccc	caacatgtaa	gccctgcagg	tcacccactc	gtgtgtcacc	23580
gcagctgctt	gttgagcttt	gtcaactctg	ttttctctct	cttccagtga	attgggaacc	23640
agcgttgcca	aaaagcacga	tgggagggtg	agagaggagg	ttcctgaggt	aagcgataaa	23700
gaaaacaaga	gcttgagggtg	gtgcttattg	cctaacaagt	acaacgctgg	ctggtttttg	23760
tgatgctggg	tcatgccctc	ctgctgccat	ccttctctgca	ggtaaaccatc	aaccctggca	23820
gcagggatgc	tgtgcatttt	ctgcatgtag	tcagggaag	aaagagaaga	ggacgggtga	23880
ggaatgagtt	atgatgcagg	tagcataaat	gatttaaggc	gttacgaaga	aatctctttc	23940
ccacagcagt	ctatcatacc	tgccgtggga	gtgtagctgt	ctgttctggc	aatatgggaa	24000
agggacacag	agcaccgcga	ggtacctggt	gccttctgga	tacctgtgct	gtgcaaaagg	24060
atgtttgca	aagatcagaa	aactacctgc	attttgaatg	cttttaccta	atgtaccaga	24120
ggattcaaac	acctctctct	tcctattgta	aatgcgatat	aatgtaatgt	ataccaacaa	24180
tgaatcttgt	aaaaatacca	gataaactat	atttggccag	ctctaaacta	tttacgctca	24240
ctgggggaata	gaaaaacaaa	gccatctcat	tatcttgtgt	ttgaaagagt	caacgtcgtg	24300
agtcagatat	ttcatttcta	tgcaaacaga	ctatgaaatg	tcattgcttt	gtttcctgcg	24360
tatgctctgt	gctcagacca	agtcagatgc	ataaatcagt	gaggaagagc	tcacactgga	24420
gaaactggga	tagctgaaac	tcaaggccag	ttcttcaa	ggcataaatc	attttgaact	24480
gctgttggc	cttctgtccg	attgcaacac	acagaaccag	cccctcgcaa	caaaaggcat	24540
gtcagcacat	ctcctcagtt	cttgtggggc	gtgacacact	ccttggccac	actgagcttc	24600

## 019CIP2 1-46 Seq List.txt

tcttgcagga	attgcataaa	tcacgccagt	ttgatttgca	gattatttat	gagctgcgtt	24660
ttgcagcgtc	ccagcaagtg	gttcagcaag	ctctaagggc	atcgtgataa	atgcagggct	24720
gaatgagtga	tacgcgcctt	caagctttga	ttcagtcttc	tccagtataa	ggctgtgaca	24780
gaaaattgat	agttttcaat	gaagaatgag	tcaatgcata	accataatcc	atcctgtggc	24840
agatcttgaa	aggcagaggc	gtaaggaagg	gggttggtgc	tgagcacctt	tacacagagc	24900
atttgctgcc	tttgtttcct	agcttgactg	cagcaagtac	aaaacctcca	cgctgaagga	24960
tggcagacag	gtggtggcct	gcacatgat	ctacgatccc	gtctgtgcta	ccaatggtgt	25020
cacatatgcc	agcgaatgca	cgctgtgcgc	tcacaacctg	taagtactca	ttcatctcca	25080
gggggaccca	ccgtggctgt	gactggacac	atctttgagt	gctgaataac	atgcaagggc	25140
tctgtctaaa	atctcgtgct	gcatgggtcc	tgtctgccta	tccccgtttc	cctgggtgcc	25200
atggttggtg	tttgagatgg	gcattttagca	aggccactg	cccccagtga	cccagaaaaa	25260
gggttctactg	cctgggaaag	cattattcca	aaagacacat	ccctagtcct	taagggcatg	25320
ttcttgctaa	tgcttctcag	gcaatgctta	gctaatttat	ctgaaattgt	cctgtgtacc	25380
acatgggaac	gaggttggtc	tcttgacta	cggttgtaaa	tgggaagggt	ttctgcta	25440
atccatctct	ccttcctcca	gggagcagcg	gaccaatctt	ggcaagagaa	agaatggaag	25500
atgtgaagag	gatataacaa	agggtgagtgt	gaaaggatgg	gcacaaagag	ttacagtcgt	25560
aggggaccgt	cctctgctcc	acatcaaaaa	ctgggggagc	ggtgtgcagc	cctggcgagg	25620
tcgcttgggg	atgtcatact	ggttatagaa	tagctgccat	ccatcccatg	ggaatggaca	25680
tggcagtga	caggaacagt	gtgaggtcac	atccctcacc	aggaggaact	gagctgatta	25740
ctgccgtaat	tttcagttt	cactctttgt	gctgggggaa	tactgtttgc	tcccaggcag	25800
agactcacat	cttccttggtg	tgtgcaggaa	cattgccgtg	agttccagaa	agtctctccc	25860
atctgcacca	tgggaatacgt	acccactgt	ggctctgatg	gcgtaacata	cagcaacaga	25920
tgtttcttct	gcaacgcata	tgtgtaagta	taggagtga	acccttcctg	taactgctac	25980
aaacgcagag	ttgattttat	aaggagttct	ttactaacac	tttatgggtg	tgtgctagac	26040
atttcggatg	caccgtgacg	tgcaaggagg	tgcttttttg	ctttttaaga	aaaaatgcaa	26100
agcaccaca	tctgcccata	tgtatgtggc	ttcctgtttt	atttagtttc	aaagacattt	26160
tgctaatttt	caccagcata	gtttgtccca	caagctcatc	agggtatggg	gaaagtactt	26220
caccaaacta	cctggagcgt	ttcaagtgtg	tgaaacctgt	catctttcct	ttaattttca	26280
taatgaaagg	aagtgggttg	ccttctgaga	ctgttcttta	tcttctgcca	acattatcaa	26340
catttgggct	ggtaaggaga	ggaacaaggc	tgcagcacia	attctattgt	gtttaatcct	26400
ttcttctctt	ttcattaggc	agagcaatag	gactctcaac	ctcgtgagta	tggcagcgtg	26460

## 019CIP2 1-46 Seq list.txt

ttaactctgc	actggagtcc	atcgtgggaa	acaatctgcc	ttgcacatga	gtcttcgtgg	26520
gccaatatcc	cccaacgggt	ttccttcagc	ttgtcttgtc	tccaagctc	tcaaaacacc	26580
tttttggtga	ataaactcac	ttggcaacgt	ttatctgtct	taccttagtg	tcacgtttca	26640
tccctattcc	cctttctcct	cctccgtgtg	gtacacagtg	gtgcacactg	gttcttctgt	26700
tgatgttctg	ctctgacagc	caatgtgggt	aaagtcttct	ctgccatgtg	tctgtgttgt	26760
tttcacttca	aaaagggccc	tgggctcccc	ttggagctct	caggcatttc	cttaatcatc	26820
acagtcacgc	tggcaggatt	agtctctcct	aaaccttaga	atgacctgaa	cgtgtgctcc	26880
ctctttgtag	tcagtgcagg	gagacgtttg	cctcaagatc	agggtccatc	tcacccacag	26940
ggcaattccc	aagatgaggt	ggatgggttta	ctctcacaaa	aagttttctt	acgttttgct	27000
agaaaggaga	gctcactgcc	tacctgtgaa	ttcccctagt	cctggttctg	ctgccaccgc	27060
tgctgtgca	gcctgtccca	tggagggggc	agcaactgct	gtcacaaagg	tgatcccacc	27120
ctgtctccac	tgaaatgacc	tcagtgccac	gtgttgata	ggatataaag	tacgggaggg	27180
gaatgcccgg	ctcccttcag	ggttgccagg	cagaagtgtc	tgtgtataga	gtgtgtgtct	27240
taatctatta	atgcaacaga	acaacttcag	tcctgggtgt	ttgtgggctg	gaattgcccc	27300
tgtggtaggg	acaggcctgc	taaatcactg	caatcgcta	tgttctgaag	gtatttgggg	27360
aagaaaggga	tttgggggat	tgccctgtgat	tggctttaat	tgaatggcaa	atcacaggaa	27420
agcagttctg	ctcaacagtt	ggttgtttca	gccaattctt	gcagccaaag	agccgggtgc	27480
ccagcgatat	aatagttgtc	acttggtgtc	gtatggatga	caggagggtg	gggtgacctg	27540
aggaccaccc	tccagcttct	gccagcgtag	gtacagtcac	cacctccagc	tccacacgag	27600
tcccatcgtg	gtttaccaa	gaaacacaat	tatttggacc	agtttggaag	gtcaccgggt	27660
gtattgtgag	gctagattaa	taggctgaag	gcaaatgttc	ccaacttgga	gatactgttg	27720
gtattgtatc	agggaaacag	gccatagcac	ctccatgcta	ttagattccg	gctggcatgt	27780
acttttcaag	atgatttgta	actaacaatg	gcttattgtg	cttgtcttaa	gtctgtgtcc	27840
taatgtaaat	gttcctttgg	tttatataac	cttcttgccg	tttgctcttc	aggtgttctt	27900
gcagaacact	ggctgcttta	atctagttta	actgttgctt	gattattctt	agggataaga	27960
tctgaataaa	ctttttgtgg	ctttggcaga	cttttagctg	ggcttagctc	ccacattagc	28020
ttttgcagcc	ttttctgtga	agctatcaag	atcctactca	gtgacattag	ctgggtgcag	28080
gtgtaccaaa	tcctgctctg	tggaaacacat	tgtctgatga	taccgaaggc	aaacgtgaac	28140
tcaaagaggc	acagagttaa	gaagaagtct	gtgcaattca	gaggaaaagc	caaagtggcc	28200
attagacaca	ctttccatgc	agtatttgcc	agtaggtttc	atataaaact	acaaaatgga	28260
ataaaccact	acaaatggga	aaaacctgat	actggaattt	aaatattcac	ccaggctcaa	28320
ggggtgtttc	atggagtaac	atcactctat	aaaagtaggg	cagccaatta	ttcacagaca	28380



## 019CIP2 1-46 Seq list.txt

aagctttttt	ttttttctgt	gctgcagtgc	tgtttttcgg	ctgatccagg	gttacttatt	28440
gtgggtctga	gagctgaatg	atttctcctt	gtgtcatggt	ggtgaaggag	atatggccag	28500
ggggagatga	gcatgttcga	gaggaaacgt	tgcattttgg	tggcttgga	gaaaggtaga	28560
acgatatcag	gtctacagtg	tcactaagg	atctgaagga	tggttttaca	gaacagttga	28620
cttggctggg	tgcaggcttg	gctgtaaagt	gatggaagga	tggacagatg	ggtggacaga	28680
gatttctgtg	caggagatca	tctcctgagc	tcggtgcttg	acagactgca	gatccatccc	28740
ataaccttct	ccagcatgag	agcgcgggga	gctttggtac	tgttcagtct	gctgcttggt	28800
gcttcctggg	tgcacagtgg	tgattttctt	actcacacag	ggcaaaaacc	tgagcagctt	28860
caaagtgaac	aggttgctct	cataggccat	tcagttgtca	agatgagggt	tttggtttct	28920
tgttttgtaa	ggtgggaaga	agcactgaag	gatcggttgc	gagggcaggg	gtttagcact	28980
gttcagagaa	gtcttatttt	aactcctctc	atgaacaaaa	agagatgcag	gtgcagattc	29040
tggcaaggat	gcagtgaagg	agaaagccct	gaatttctga	tatatgtgca	atgttgggca	29100
cctaacattc	cctgctgaag	cacagcagct	ccagctccat	gcagtactca	cagctgggtgc	29160
agccctcggc	tccagggctt	gagcagtgtc	gggactcatg	aggttccatg	tctttcacac	29220
tgataatggt	ccaatttctg	gaatgggtgc	ccatccttgg	aggtcccaa	ggccaggctg	29280
gctgcgtctc	cgagcagccc	gatctggtgg	tgagtagcca	gcccattggc	ggagttagag	29340
cctgatggtc	tttaagggtc	cttccaacct	aagccatcct	acgattctag	gaatcatgac	29400
ttgtgagtgt	gtattgcaga	ggcaatatatt	taaagttata	aatgttttct	ccccttcctt	29460
gtttgtcaaa	gttatcttga	tcgccttatc	aatgcttttg	gagtctccag	tcatttttct	29520
tacaacaaaa	agaggaggaa	gaatgaagag	aatcatttaa	tttcttgatt	gaatagtagg	29580
attcagaaa	ctgtacgtaa	tgccgtctct	ttgtatcgag	ctgtaagggt	tctcatcatt	29640
tatcagcgtg	gtacatatca	gcacttttcc	atctgatgtg	gaaaaaaaa	tccttatcat	29700
ctacagtctc	tgtacctaaa	catcgctcag	actctttacc	aaaaaagcta	taggttttaa	29760
aactacatct	gctgataatt	tgcccttggtt	tagctcttct	tccatatgct	gcgtttgtga	29820
gagggtcgtg	gatgggccta	aactctcagt	tgctgagctt	gatgggtgct	taagaatgaa	29880
gcactcactg	ctgaaactgt	tttcatttca	caggaatgtt	ttagtggtcat	tgtttttata	29940
actacatatt	cctcagataa	atgaaatcca	gaaataatta	tgcaaactca	ctgcatccgt	30000
tgcacaggtc	tttatctgct	agcaaaggaa	ataatttggg	gatggcaaaa	acattccttc	30060
agacatctat	atttaaagga	atataatcct	ggtaccacc	cacttcatcc	ctcattatgt	30120
tcacactcag	agatactcat	tctcttggtg	ttatcatttg	atagcgtttt	ctttggttct	30180
ttgccacgct	ctgggctatg	gctgcacgct	ctgcactgat	cagcaagtag	atgcgaggga	30240

## 019CIP2 1-46 Seq list.txt

agcagcagtg	agaggggctg	ccctcagctg	gcacccagcc	gctcagccta	ggaggggacc	30300
ttgcctttcc	accagctgag	gtgcagccct	acaagcttac	acgtgctgcg	agcaggtgag	30360
caaagggagt	cctcatggtg	tgtttcttgc	tgcccggaa	caaaacttta	ctttcattca	30420
ttccccctga	agaatgagga	atgtttggaa	acggactgct	ttacgttcaa	tttctctctt	30480
ccctttaagg	ctcagccagg	ggccattgct	gaggacggca	tcggggcccc	ctggaccaaa	30540
tctgtggcac	agatggtttc	acttacatca	gtggatgtgg	gatctgcgcc	tgtaatgtgt	30600
ccttctgaag	gaaggaacgt	gccttccaag	tgccagcccc	acagcccca	gcccctccct	30660
gtgctgctcc	aattcatctc	ctcttctctc	ttctcccttt	gctgtttgtg	ctcgggtaga	30720
aatcatgaag	atttagaaga	gaaaacaaaa	taactggagt	ggaaaccag	gtgatgcagt	30780
tcattcagct	gtcatagggt	tgtcattgct	ataggctctgt	atcagagatg	ctaacaccac	30840
tttgctgtcg	gtgcttaact	cggttgaact	ctccttctact	cgcattcattt	gcgggcctta	30900
tttacatccc	cagcatccat	caccctctgg	gaaaatgggc	acactggatc	tctaattggaa	30960
gactttccct	ctttcagagc	ctgtgggatg	tgcatgaca	agaaacgtgg	aggggctgag	31020
cagcagcact	gccccagg	agcaggagcg	gatgccatcg	gtggcagcat	cccaaattgat	31080
gtcagcggat	gctgagcagg	cagcggacga	acagacagaa	gcgatgcgta	caccttctgt	31140
tgacatggca	tttggcagcg	atttaacact	cgcttccctag	tcctgctatt	ctccacaggc	31200
tgcatcctaaa	tgaacgaagg	gaagggaggc	aaaaagatgc	aaaatccgag	acaagcagca	31260
gaaatatattc	ttcgctacgg	aagcgtgcgc	aaacaacctt	ctccaacagc	accagaagag	31320
cacagcgtaa	cctttttcaa	gaccagaaaa	ggaaattcac	aaagcctctg	tggtataccag	31380
cgcgttcagc	tctcctgata	gcagatttct	tgtcagggtg	caaattgggt	atgggtgccag	31440
gaggtgcagg	gaccatatga	tcatatacag	cacagcagtc	attgtgcatg	tattaatata	31500
tattgagtag	cagtgttact	ttgccaaagc	aatagttcag	agatgagtcc	tgctgcatac	31560
ctctatctta	aaactaactt	ataaatagta	aaaccttctc	agttcagcca	cgtgctcctc	31620
tctgtcagca	ccaatgggtg	ttcgcttgca	cccagctgca	aggaatcagc	ccgtgatctc	31680
attaacactc	agctctgcag	gataaattag	attgttccac	tctcttttgt	tgtaatttac	31740
gacggaacaa	ttgttcagtg	ctgatgggtc	taattgtcag	ctacagaaaa	cgtctccatg	31800
cagttccttc	tgctccagca	aactgtccag	gctatagcac	cgtgatgcat	gctacctctc	31860
actccatcct	tcttctcttt	cccaccagg	agagctgtgt	gttttctactc	tcagccgctc	31920
tgaacaatac	caaactgcta	cgactgcct	ccctcgga	gagaatcccc	ttgttgcttt	31980
tttatattaca	ggatccttct	taaaaagcag	accatcattc	actgcaaacc	cagagcttcc	32040
tgcttctcct	tccacaaccg	aaaacagccg	gcttcatttg	tcttttttaa	atgctgtttt	32100
ccaggtgaat	tttggccagc	gtgttggtg	agatccagga	gcacgtgtca	gctttctgct	32160

## 019CIP2 1-46 Seq list.txt

ctcattgctc	ctgttctgca	ttgcctcttt	ctggggcttc	caagaggggg	ggagactttg	32220
cacggggatg	agataatgcc	ccttttctta	gggtggctgc	tgggcagcag	agtggctctg	32280
ggtcactgtg	gcaccaatgg	gaggcaccag	tgggggtgtg	ttttgtgcag	ggaggaagca	32340
ttcacagaat	ggggctgata	ctgaagcttg	cagtccaagg	ctttgtctgt	gtacccagtg	32400
aaatccttcc	tctgttacat	aaagcccaga	taggactcag	aatgtagtc	attccagccc	32460
ccctcttcct	cagatctgga	gcagcacttg	tttgagccca	gtcctcccca	aaatgcacag	32520
acctcgccga	gtggagggag	atgtaaacag	cgaagggtta	ttacctcctt	gtcaaaaaca	32580
ctttgtggtc	catagatgtt	tctgtcaatc	ttacaaaaca	gaaccgaggg	cagcgagcac	32640
tgaaggcgtg	ttcccatgct	gagttaatga	gacttggcag	ctcgctgtgc	agagatgata	32700
cctgtgcttc	atgggaggct	gtaacctgtc	tccccatcgc	cttcacaccg	cagtgtgtgc	32760
ctggacacct	caccctccat	aagctgtagg	atgcagctgc	ccagggatca	agagactttt	32820
cctaaggctc	ttaggactca	tctttgccgc	tcagtagcgt	gcagcaatta	ctcatcccaa	32880
ctatactgaa	tgggtttctg	ccagctctgc	ttgtttgtca	ataagcattt	tttcattttg	32940
cctctaagtt	tctctcagca	gcaccgcttt	gggtgacttc	agtggccgcc	tggaaaccga	33000
ggggcacagc	caccacctcc	ctgttgctgc	tgctccgggg	actcacgtgc	tgctggatgg	33060
ggggaagcat	gaagtccctc	acccagacac	ctgggttgca	atggttgcag	tgtgtctctc	33120
ttggtatgca	gattgtttct	agccattact	tgtagaaatg	tgctgtggaa	gccctttgta	33180
tctctttctg	tggcccttca	gcaaaagctg	tgggaaagct	ctgaggctgc	tttcttgggt	33240
cgtggaggaa	ttgtatgttc	cttctttaac	aaaaattatc	cttaggagag	agcactgtgc	33300
aagcattgtg	cacataaaac	aattcagggt	gaaagggctc	tctggagggt	tccagcctga	33360
ctactgctcg	aagcaaggcc	aggttcaaag	atggctcagg	atgctgtgtg	ccttcctgat	33420
tatctgtgcc	accaatggag	gagattcaca	gccactctgc	ttcccgtgcc	actcatggag	33480
aggaatattc	ccttatattc	agatagaatg	tcatccttta	gctcagcctt	ccctataacc	33540
ccatgaggga	gctgcagatc	cccatactct	cctcttctct	ggggtgaagg	ccgtgtcctc	33600
cagccccctt	tcccaccctg	tgccctgagc	agcccgtggt	cctctgtgtg	atgtgtgccc	33660
atatgtcaat	gcctgtcctt	gcagtccagc	ctggaacatt	taattcatca	ccagggtaat	33720
gtggaactgt	gtcatcttcc	cctgcagggt	acaaagtctt	gcacggggtc	ctttcggttc	33780
aggaaaacct	tcgctgggtg	tacctgaatc	aagctctatt	taataagttc	ataagcacat	33840
ggatgtgttt	tcctagagat	acgttttaat	ggatatcagt	atttttatct	gctttgtgtg	33900
ttacttcaaa	cagtgccttt	gggcaggagg	tgagggacgg	gtctgccgtt	ggctctgcag	33960
tgatttctcc	aggcgtgtgg	ctcaggctcag	atagtgggtca	ctctgtggcc	agaagaagga	34020

019CIP2 1-46 Seq list.txt

caaagatgga	aattgcagat	tgagtcacgt	taagcaggca	tcttggagtg	atttgaggca	34080
gtttcatgaa	agagctacga	ccacttattg	ttgttttccc	cttttacaac	agaagttttc	34140
atcaaaaataa	cgtggcaaag	cccaggaatg	tttgggaaaa	gtgtagttaa	atgttttgta	34200
attcatttgt	cggagtggtta	ccagctaaga	aaaaagtcct	acctttggta	tggtagtcct	34260
gcagagaata	cgacatcaat	attagtttgg	aaaaaaacac	caccaccacc	agaaactgta	34320
atggaaaatg	taaaccaaga	aatttccttg	gtaagagaga	aaggatgtcg	tatactggcc	34380
aagtcctgcc	cagctgtcag	cctgctgacc	ctctgcagct	caggaccatg	aaacgtggca	34440
ctgtaagacg	tgtccctgcc	tttgcttgct	cacagatctc	tgccctcgtg	ctgactcctg	34500
cacacaagag	catttccttg	tagccaaaca	gcgattagcc	ataagctgca	cctgactttg	34560
aggattaaga	gtttgcaatt	aagtggattg	cagcaggaga	tcagtggcag	ggttgagat	34620
gaaatccttt	ctaggggtag	ctaagggctg	agcaacctgt	cctacagcac	aagccaaacc	34680
agccaagggt	tttctgtgac	tggtcacaga	ggcagggcca	gctggagctg	gaggagggtg	34740
tgctgggact	cttctccctg	tgctgagaat	ggagtgattt	ctgggtgctg	ttcctgtggc	34800
ttgactgag	cagctcaagg	gagatcgggt	ctcctcatgc	agtgccaaaa	ctcgtgtttg	34860
atgcagaaa	atggatgtgc	acctccctcc	tgctaatagc	gccgtgagct	tatgaaggca	34920
atgagccctc	agtgcagcag	gagctgtagt	gcactcctgt	aggtgctagg	gaaaatctct	34980
ggttcccagg	gatgcattca	taaggacaat	atatcttgag	gctgtgccaa	atctttctga	35040
aatattcatg	catgttccct	taatttatag	aaacaaacac	agcagaataa	ttattccaat	35100
gcctcccctc	gaaggaaacc	catattttcca	tgtagaaatg	taacctatat	acacacagcc	35160
atgctgcatc	cttcagaaca	tgccagtgct	catctcccat	ggcaaaatac	tacaggtatt	35220
ctcactatgt	tggacctgtg	aaaggaacca	tggttaagaaa	ctcaggttaa	aggtatggct	35280
gcaaaaactac	tcatacaaa	acagcagagc	tccagacctc	ctcttaggaa	agagccactt	35340
ggagagggat	ggtgtgaagg	ctggaggtga	gagacagagc	ctgtcccagt	tttcctgtct	35400
ctattttctg	aaatgtctgc	aggaggaaa	gacaactgta	ctttcaggca	tagctgggtg	35460
cctcacgtaa	ataagttccc	cgaacttctg	tgtcatttgt	tcttaagatg	ctttggcaga	35520
acactttgag	tcaattcgct	taactgtgac	taggtctgta	aataagtgtc	ccctgctgat	35580
aaggttcaag	tgacattttt	agtggatatt	gacagcattt	accttgcttt	caagtcttct	35640
accaagctct	tctatactta	agcagtgaag	ccgccaagaa	acccttcctt	ttatcaagct	35700
agtgtctaat	accattaaact	tcatagggtta	gatacgggtg	tgccagcttc	acctggcagt	35760
ggttggtcag	ttctgctggg	gacaaagcct	ccctggcctg	tgcttttacc	tagaggtgaa	35820
tatccaagaa	tgcagaactg	catggaaagc	agagctgcag	gcacgatggg	gctgagcctt	35880
agctgcttcc	tgctggggaga	tgtggatgca	gagacgaatg	aaggacctgt	cccttactcc	35940

## 019CIP2 1-46 Seq list.txt

cctcagcggtt	ctgtgctatt	taggggttcta	ccagagtcct	taagagggtt	tttttttttt	36000
ttgggtccaaa	agtctgtttg	tttggttttg	accactgaga	gcatgtgaca	cttgtctcaa	36060
gctattaacc	aagtgtccag	ccaaaatcaa	ttgcctggga	gacgcagacc	attacctgga	36120
ggtcaggacc	tcaataaata	ttaccagcct	cattgtgccg	ctgacagatt	cagctggctg	36180
ctctgtgttc	cagtccaaca	gttcggacgc	cacgtttgta	tatatattgca	ggcagcctcg	36240
gggggaccat	ctcaggagca	gagcaccggc	agccgcctgc	agagccgggc	agtacctcac	36300
catggccatg	gcaggcgtct	tcgtgctgtt	ctctttcgtg	ctttgtggct	tcctcccagg	36360
tgagtaactc	ccagagtgc	gcagaagctt	tgtgcctgcc	agtcctggct	ctccttagca	36420
gaacatggtg	gtgaccatca	gagagagact	cccctacaaa	gtgcctgcaa	aggctgcctc	36480
agtacatcag	tattaaacgg	attactgttg	tgctgggtgt	ctgttgggtt	ctgtgctccc	36540
aacacatttc	ttacgctctc	agctctgtta	cactgcttgc	atttgctgca	cagttgcata	36600
gaatggataa	atgcttgaaa	caaggccata	acgaggtgg	cagacctcca	ggaactagtt	36660
agggaatat	tgtcatggcc	caagcaagct	ctgtgcagga	acctggcagc	tttcctgcaa	36720
tgcttttgct	gctaattggag	aaacaagaga	tgcaaacaag	ccaggatctg	atgttctcct	36780
tctgtattta	catctcatga	aattacaaag	tcaaagacaa	gcgtgggtta	tttcttacac	36840
tcagcttctt	taaaatgtat	atccctgaca	acagatgctg	tgtatgtttg	cttatcctgt	36900
atgtgactat	ttgcatttgc	atttatctct	attgactcag	gtttcttttc	agatatgtga	36960
tagatgtttt	ctagggacaa	aacggatgtg	tgaatagata	aggaaggaaa	agatattcat	37020
ttttcaatta	ataaatctac	ctatctctta	actttttttt	ttttttaaga	acagagctat	37080
tcaagaactc	gtttcatcag	ccagcaataa	gaagctaaat	tatgtttatc	agcattaaac	37140
aaaaatcata	tatagtttgc	ttagttcaag	aatcgaatcg	gtggaaatca	ctcagtttgg	37200
ttctctgtgc	tggagttttg	cacacacatt	tcagctagct	gtggtctcac	tgatcagact	37260
gcctttgttt	cccatTTTTTg	tccccttttt	ttccccagat	gctgcctttg	gggctgaggt	37320
gagtaagaga	gttcttcttg	tccacttttc	tcttttctct	tttctctctc	tctctttttt	37380
tccccccgtc	ttaattagta	tcactataat	cagatcccag	agtgtaaaat	gttaaattat	37440
gcagttctga	gctctacatc	tatgctgcat	gtaagtaatg	tagcagtgat	ataaaactgt	37500
tagatgaatt	aatttctgac	caactctgaa	ctgggtctaag	ctttaagttg	atcatatgtt	37560
ctactaaata	atacagtgg	ttgggttgga	agggtccttt	aagatcatct	acttccaacc	37620
cctctgctat	aggcaggggac	aactcccact	agacaagatt	gctcaaagct	ccatccatat	37680
gatcagctgt	agactgatgg	ctgtagacta	tagcattaaa	aactacccca	aagcagccta	37740
ctgaaagaag	aaagtactgt	gaggtgctac	agcttccaaa	tcccatgttg	ttagacctgt	37800

019CIP2 1-46 Seq list.txt

tcttttgaat	aaacgtgttt	gtacgttgag	aatgaatgag	taacaatggc	agaacactgg	37860
agggggccaac	tctcaggctt	tgcaaaatgg	tgccctggggg	gcatgataga	tccctgctgg	37920
tttatcacat	ggggagctgc	atggctataa	ccccattgcc	cagttctctc	ccactgcatg	37980
gagagaaggc	tggatctggt	cgctgccctg	ctgaaaatgg	cagatgtaac	tacaaaatgt	38040
cactttgtcc	tgttactgtg	tgtttctttg	tcagggtggac	tgtagtaggt	ttcccaacgc	38100
tacagacaag	gaaggcaaag	atgtattggt	ttgcaacaag	gacctccgcc	ccatctgtgg	38160
taccgatgga	gtcacttaca	ccaacgattg	cttgctgtgt	gcctacagca	tgtgtgtact	38220
gcagagagag	ctcactactgc	aagcaagcag	ctgtgcttag	ggctcctgac	agcaccctt	38280
tccaacaaac	agtgatctgt	cacatgtcac	ttatgtcaac	tctttcaggg	aaagcttgag	38340
tatcactgcg	tgacactcgg	ttgcctagac	atcactttgg	ttactgtgtc	ttttttgttg	38400
atgtaattta	ttcagggtttt	tctcctccat	ctcgggggatg	aggcagatga	cagcccctag	38460
ggcatatttc	atcccagcaa	aaaaggagca	aaaggatgga	gagggtgctcc	agtctgaatg	38520
gtccaaaaca	gtcctaaaga	tttcagagtc	tttagatccc	tgccagccac	tcagtatggc	38580
actaccctct	ccaatacaaa	tatatatata	tacaaagatg	acttagccag	actcagcctc	38640
attgcattag	gtacatatct	ccaataacga	gaagctgagc	ttcctaatac	ctgttttccc	38700
tcttcagaga	atttggaaac	aatatcagca	aagagcacga	tggagaatgc	aaggaaactg	38760
ttcctgtaag	tgaaaccaag	ttcatccttt	gtgcagccaa	aactgcttat	tgacttgccc	38820
aataaataat	gtaaatgctg	actaagaggc	catgtgagat	gtcagaatct	tgtattgatc	38880
atcttcagggt	gaagtttcat	cacaataaca	caaaaaaaga	ctttatttcc	tgctgagggtg	38940
gcatttttagg	agaccaacg	cacgcgctcc	gctgggtctac	gtgggtccctg	taagccctca	39000
ccagcgcttt	gctgtgtgct	ccttccacag	atgaactgca	gtagtattgc	caacacgaca	39060
agcgaggacg	gaaaagtgat	ggctcctctgc	aacagggcct	tcaaccccg	ctgtggtact	39120
gatggagtca	cctacgacaa	tgagtgtctg	ctgtgtgccc	acaaagtgt	agtaccgagc	39180
tgtgctccct	tggcaggaat	gggtcctg	ctcctggcag	ccactctttg	agcactggga	39240
tttccaatga	ggctttttct	gtatggctct	tggactccgt	ccctcctctc	cctgataacc	39300
tcattgctgtt	ttcctttgtg	attagaaaga	gaactgtggc	tttgatcttg	agagagaagc	39360
agagagctgg	gtggggactt	aagagaagca	ctctgttctg	tgtaactaa	gttaaaagg	39420
tctgtgtggc	acacactgcc	ttgcagagga	cagcagtga	cctctgctgc	acctatatgt	39480
taaaacaacc	tagctcctag	gccatgacag	cctgtcacct	ctcctccttt	gcacatgca	39540
atactgcaac	actgtggcac	atagtaccac	ctcccataag	gactgatatg	ttgaaccagt	39600
gtgtcagaga	ccagtagcat	ctctgtcttc	aggatcatca	ggtagcattc	tatatacagg	39660
gtgttgccca	ggactccgag	tcccatgaag	tatggcaggg	gttttggaac	tggatgacct	39720

## 019CIP2 1-46 Seq list.txt

tcgaggtcac	ttccaacca	agccattcta	ttattctgtg	aaagccaggg	aggtgggggt	39780
gcttgcaggg	ctggtatctt	gagcagtgtg	ggcacaaact	aggctgggca	tctgcagccc	39840
atcagcactg	cggggatgtg	gagttcagca	cagcaggatg	caggcacagc	tccctaacat	39900
ggatTTTTTT	cTTTTcagag	agcagggggc	cagcgttgac	aagaggcatg	atggtggatg	39960
taggaaggaa	cttgctgctg	tgagtgtgag	tagcacaatg	aaggagcagg	ttctggtccc	40020
actgatgtca	agggaaacat	ggccagcatc	tttagtagcc	tcaggagcat	cagttgtgct	40080
tcagcacaga	gaagatttta	ctttctacac	acgtaataca	cattatccac	agtaatgtca	40140
ggaagggaa	aggatgactg	cacaggcagg	gatcagtaaa	agaccataag	cagaaataac	40200
ccatgagggc	agaactgaga	ataagaactg	agactagatc	caggggggtca	gaccaatggg	40260
ccatcaaacc	catgatggtt	tgatgcagag	tccactcttt	cagcattcat	aagaattgag	40320
taggggggag	taaggggtgg	gtgagtacgt	acggatcttc	ccaaacaccc	ttccaacct	40380
cagctatgca	cctcagccag	gtgtgatttc	tgtgtagttc	acaagcctca	gtggatttct	40440
ctcccatggg	attctccagc	ctctttctgg	acctgtatac	acggtagttg	ggttggTTTT	40500
TTTTTctgt	ctctctTTTT	ttccccccac	tacaatgtcc	ctcagcaaac	atagtcctca	40560
tctctcaaac	aaacaaatct	cattctctaa	gtaccagat	aagagctgat	TTTTgcttta	40620
agcctgtggg	ggagatgctg	gactattata	aaggatatcag	tgctgcctct	tctccagaca	40680
ccaatgtttt	ttccatttaa	tttcctgaac	aggtcaggaa	cacggtgcaa	catgattgta	40740
agcacagcac	gttcatggag	cgagctgctg	ctgcagctca	gaaatgcagc	agtcagattg	40800
tgatatgcat	ctcttacaca	ggaaattatg	ctctatTTTT	atattattaa	atctagcata	40860
cgagaaagga	catccagttt	atatcagatc	gtgcaaggaa	gttaattatt	tttagtttga	40920
tcattatcat	cggcactgca	gctgtagcta	gggagggggt	gaagctcttc	agctatcgac	40980
tccttcatat	cctccacgtt	acaattgtgt	TTTTgcaggt	tgactgcagc	gagtacccta	41040
agcctgactg	cacggcagaa	gacagacctc	tctgtggctc	cgacaacaaa	acatatggca	41100
acaagtgcaa	cttctgcaat	gcagtcgtgt	acgtacagcc	ctgattgcat	tcacgttgtc	41160
ggctgcctcc	tacaggcacc	agcttgca	gttcctgctt	tcgttgctga	ttgctgacca	41220
ggatctgggg	gcagaaaaga	acaccgggca	tcacgccagc	cattcatttg	atttttcacc	41280
agagcttgct	tggtttggt	ggatggatgt	tttgaacgcc	attaacctta	agggagttt	41340
tccttgctgc	gaagaaaatc	agatttggtg	tttcattata	gttttcagaa	ggggttaaac	41400
gatttcactc	atctccta	aatcaggtag	ctgaggagat	gctgagtctg	ccagttcttg	41460
ggctctgggc	aggatcccat	ctcctgcctt	ctctaggaca	gagctcagca	ggcagggctc	41520
tgtggctctg	tgtctaacc	acttcttcct	ctcctcgctt	tcagggaaag	caacgggact	41580

019CIP2 1-46 Seq list.txt

ctcactttaa	gccatttttg	aaaatgctga	atatcagagc	tgagagaatt	caccacagga	41640
tccccactgg	cgaatcccag	cgagaggtct	cacctcgggt	catctcgcac	tctggggagc	41700
tcagctcact	cccgattttc	tttctcaata	aactaaatca	gcaacactcc	tttgtcttgt	41760
ttaatgctct	gcctcatgca	atgttttctt	ctgatttggt	ggacgggtgat	accagactca	41820
atatgtttcca	tgctcgtggc	tctgggggtat	aacaagaaca	acatcttgct	cccatccctg	41880
tcataaaagg	cagaaaatta	aatacagatg	cataaacctc	ggctgtgtga	ctttgcgcac	41940
aaatgacagt	cagcctccat	tagtgttcag	acccttttag	acagctgaaa	tactgctacg	42000
aactgctgat	gctggctgag	ctccccatgg	tacgtgtggg	gcactttccc	tgcgacgcat	42060
tagcagtga	agcagctcag	gggtgcgggtg	tggccaaacc	cagggccgat	cccacggcct	42120
cctgtacctg	gtcataccca	cgggcacagc	tgctagttag	gtgcgtgctt	ttcagacacg	42180
tcatataagt	gtgccctgcc	tacatgtctg	ggctctccaa	atgacgttgc	aagggtttatc	42240
tcatcttggg	attgtccctt	actgaccacc	aagtgttttg	agatgaatgc	cctcctaggt	42300
ctggttctgc	tcttgccctg	tgggtcttttc	tcatagtagt	ccttgccagc	ccaagtatct	42360
gagcagtgtt	ttgcaatcca	aggacaaagt	accctctctg	ctttgagagt	gtgacctctg	42420
tcattggcac	attgtccgtg	aaatatatct	tgcttttctg	ctttgttggt	gtattgaact	42480
gatgttttct	tgatccacat	gagagaaact	ttataaaaaa	ttataaaaaa	taatgcctcc	42540
cttaagcatt	tcttttccct	gatggaatga	ggccattcaa	aagaaggatg	ctttggcggt	42600
aaaacagagg	atttatgttg	agatgggcag	atgaatcaag	cagtgatctc	cagtttggtg	42660
tgaacttttc	tgggatccag	gctgtggggc	tcatgtcatt	ctgtcatcat	caggctatca	42720
gtctgctgct	gcaaactctc	cccacaacgc	taatggcttt	tagggaaaat	cgcaattggt	42780
agttctttgc	taatgcccac	aaaacttctt	ccatcacttg	tccagctcca	ggactccctt	42840
cagccccagg	tttccctctt	gctctctctc	ccagttcagt	ttttctggat	ttgctatgat	42900
ttgatgatgc	attattgaca	ggacaagggg	aaatgggttc	aaaccagagg	agaggagatt	42960
tagactggac	ataagcaaga	cattttttac	aatgggtggt	aggcactgac	agagggtgcc	43020
cagagaggtg	gtgggtgccc	atccatggag	acagccaagg	tcaggagggg	ctctgagcac	43080
tgatggagct	gtgggtgccc	ctgttcattg	caggggggtg	gaccagatgg	cctttaaaga	43140
tcccttccaa	ctcaaatgct	tcaatgattc	tgtgattcta	ttgggttgaa	gcatgccaac	43200
taagactttc	cactctggaa	aacattcaat	tcagttcaac	aacattttcc	agcaacagtg	43260
agaaagcact	gcatataggt	aagcactgat	aacatgcaca	tggaggaaat	cctgcagcat	43320
tctctcttca	ggtttgtaca	gttgcccttt	tgccacagg	aattttccat	ggtccttcag	43380
caggcacctg	tcacacactt	cactggaaat	aatgaagccg	agggcgtact	tcacatatct	43440
aaacctgcaa	ttgctgttga	taaagaagca	ttctttgtgg	ctcacttggt	taagtgccat	43500



## 019CIP2 1-46 Seq list.txt

caagattttac	aaccctgaca	ccagagctgg	aacgctgggt	atttcaaagt	agggggtggc	43560
taaaccaaac	gtgaatgcac	acagccacgc	acacacagat	caggtggcca	tccaagggca	43620
gaagggccgc	attccatgag	cacgatgcac	ttctgccctt	tgctgctgcc	caggtgagt	43680
gctgtgctcc	tgctccgtgc	ttcgtcgagt	gctggctgta	aaaacacaac	aaacatcctc	43740
agactggaaa	gagctgtgtt	ctacaaggac	ttattttactc	ctagagggat	ggtgttgaaa	43800
agacttgaca	tcaaagacta	tcacttatgg	ggtaatatatt	tagcaacaga	actgagtggg	43860
taagaacaac	tgtgggaaca	gctccgcgct	cggtgctagt	ttatgcataa	tgaaagcagt	43920
gacacgtacg	tggtaccacg	acatccacca	ttgaacctcc	gaaacgctgc	agaatcacia	43980
attctttttac	tgaatggaag	cgagcgtttc	ccgcagtcac	cctgaactga	gatgcaattg	44040
gaggggctga	gcggtctgcag	cagcgttagg	ggagtttcac	ctcgtctgagc	cctcccgtta	44100
tttcagtgtc	gttgtggagc	tgacgcgagg	agctgccgcc	agtcctgtcc	agctctgcgg	44160
ccctgcttcc	ccggcacctt	gcttatctct	gagcacctgt	ccttgctcat	cctgtgaatc	44220
acggagaatt	gcttttctct	cctccctttc	atttcgcgcg	tcctttctca	cccgggctgt	44280
aaccctcctg	agaaaaaacg	tagtacggaa	tcgatgttgt	aaacactcag	cgtggcacaa	44340
cgttttgcct	gaaatccctt	ttgtctgaga	gtcacacact	gaattgcaag	ttgtttattc	44400
aggacatgca	ctcacggatt	ttaacactaa	cgaaggagat	gaattgcatt	tgtgtcacac	44460
ttcctattcc	cttcttttact	ccagacccca	ctgcactgaa	ggtaaggagc	agatctttca	44520
ggtttttttt	tttttttctc	catcatttct	ttcctcaaag	cagtttccgt	ataaatcatt	44580
actaatcgca	ttgtgatcga	gcgtttgaaa	gccctgagtc	atcccacagc	ctgagcaata	44640
tttgctacag	atattaccga	gtgaaatggc	cattttcatc	tgatggtttc	aaaaaaaaaa	44700
aaaagataat	aataataata	ataataataa	ataaatagcg	cagcattcag	ttggtgtcca	44760
agttattgtc	acggttactg	cagcagcact	gaggatgttt	acatgggatt	tacatcactg	44820
gaggctgaaa	gggcactgca	ggcgtgtacc	gcgctattcg	ctgccccatc	cttaagctct	44880
tctttgacat	ctgctgatgg	tcggtgctgg	gggaagccc	gggctgtggg	ggtctcctgg	44940
catctgccct	gctgatagct	gtgctgctga	gggtatttct	gtgagcacia	ggctgcatcg	45000
atccacaggg	cgactgcagt	gcctgcgccg	taccccgcaa	tttctgctct	cgggagcgca	45060
tcccacactg	cgggtctgat	ggcgtaacat	atgccagcga	gtgtttattc	cgcaatgcat	45120
ttctgggtgt	atgaaaataa	atctcttcgc	tcactgagt	gtgaacttca	actgtcttat	45180
caacctcagg	gactgcctgg	agatggaagg	tggttgtgtt	tggcgctctc	ctcttctctt	45240
gctagcaagg	gcagcacttt	tttttttaaa	ctgggaggat	ttaccaggga	ctcctttctt	45300
tcaggtaaaa	agaagtcaca	tttagcagag	atcttcatct	ccacgttggg	taatttgctg	45360

019CIP2 1-46 Seq list.txt

aagagctcgc	ttccagcaaa	tacagtctat	ttcctacagc	ctatttgttc	ttctttttaa	45420
ttaagtcttt	atcgtgcctt	tgaatgtag	taataagagg	aagtagctgg	aatagctttc	45480
cgaatgttct	gttttggtta	agttcctctg	tgatgtatcc	ttaagcagag	ggaggggatgc	45540
acagcagaag	cgcagagggt	caatctctga	ggccctgagc	tctttctctc	cagaactcat	45600
tgagtctca	ccttgctgtg	ccctgcgcag	cgctcacatc	acagcccacc	gggctccagc	45660
tcagacagga	ggaccctctc	tggctgtgtt	ccttacaggg	gatgctgccc	aaagcctcgt	45720
cctgaacttt	gagtgtctct	gataaagcct	gaagctatgc	tcaataaaaa	aaaaaacct	45780
tcagcatttt	ggtcttgctt	tcatactacg	tatcatgctg	ttgttttttt	ttcttaagat	45840
gctgtgtgat	tgcatcactg	caacagtcct	gggggtgtgg	tcttaatggg	aaaattacag	45900
ggagaaagaa	cgggttgctt	gatttatgaa	gaaatcaacc	cctccaaaag	gcatgagct	45960
tctgctttct	tccagatttc	caaaagaaag	ccactgctgg	ggatgagatc	cagtgcagtg	46020
ttcagggcat	cctgtgcaga	cattgactcc	ttaggagctg	aaaataaagt	agtgggtggg	46080
acccgtaggt	gtgggaagcc	tttctgcagc	cacctggtct	gcctcccaa	gcagaggatg	46140
ggatgttttc	ccctccgggc	agcaccaaca	gaggggtggc	agcaggggtga	ggaagatgat	46200
tggccctct	gctctgctct	tgtggggacc	acatgcagta	ttgcatccag	gcctggggcc	46260
ccagcatgag	aaagacgtgg	aactgttgga	gtgggtccat	aggaggccat	gaagacaatc	46320
acagggctgg	agcacctctc	ttatgaagaa	aggctgaggg	agctgggctt	gttcagcatc	46380
aagaagggaa	agctgagagg	acacctcatt	ggagtcttcc	agtacttgaa	gggagcttgc	46440
aagcaggaag	gggaacaaac	ttctacatgg	tctgacagag	atagaacaag	ggggagtggc	46500
tttaagctaa	aagaggggaag	atttgggtga	gatgttggga	agaaataact	tactcagagg	46560
ttgggtgtgac	actggcactg	ctgcccagag	ctgtgggtgc	cccatccctg	tacatgagct	46620
gaaggccaga	ttggatgggg	ctctgtgcag	cctgatctgg	tggggggcag	ccagcccatg	46680
gcaggggttg	gggtagatgg	gttgatggc	ccttttcaac	ccaaaccatt	caatgattct	46740
atgattctca	gataagcctg	cctgcccaca	tctgagctca	cgggtgctcg	tgggggtggg	46800
gtatggtaca	ctaaatgatg	ctcagaggac	tgcacgcagg	acctgccgca	gacgtttatc	46860
acctcaccca	ccacttagct	gctgcttgta	gttaattacg	tcagctgtca	cttgtagaga	46920
atcctttgag	atccttgggc	ctccggaaat	cttggctgat	gaaaggaagg	gctcagagtc	46980
atagcgtaaa	tttattattc	attaacacca	aagtgtcggc	tgtacgggca	gtgggctcac	47040
agtcaaatag	ttaatgatct	taagtgacaa	tgtgtcactt	tgcagacagc	agagagaaca	47100
gctctcctaa	gggagacagc	atctttccaa	ttctgcagcc	attcagtgcc	aagctcctct	47160
ttgggacgaa	agtgaagatg	aggaaggcaa	tgaggatgag	gaggggcctc	aaggaacctg	47220
gctggcttgg	agacaagtga	tgatcccagc	tgctctcagg	gtcccagcgg	tcttcaaagg	47280

## 019CIP2 1-46 Seq list.txt

gcatcttgca ggggctgtgt cctctgaaca gcaaaaccca ggtcatagag gggaaagtgt 47340  
 gagcagagat gggacaaatc tcccatcctg ccacggagct gcactgctaa gggggtgatg 47400  
 gggagcagca tgggacccca gcgttcccc catccctgca ccaggcccag ctctgcggga 47460  
 tggcgaggag gacaaggctc tgtcacaagc atcgctggca attattattt tgttggtgct 47520  
 gctcaataaa atcctgacac agtacaacac aatatcctct catcattact aatctaactc 47580  
 tccctccagg aaatttcagg caggaaacgt tgtctgcctg ccgaggtgct ttatggcact 47640  
 gttctttagt ggtacctcag cacttcgtgt cattatctgg tgtcagtga tttaggaaat 47700  
 gccattcaat taccgcaa actgattaac gcattgcgtg cagttatttt gttctgctct 47760  
 attttatatc agttcctctg ttttatgtat ttctctactt gttgctggcc agaacacacc 47820  
 tcgggccagt ctagacctg ctggtgatgc agcttttccc cagggttca tcagcacaaa 47880  
 tggtttgtca acgtggggaa aaataaaatt atgctttaa ataaaaccac ctggagatgc 47940  
 tgttctgggg tctggctgtg tcacagctat tgcagcgatg gagctgaggg attgggatgt 48000  
 gctgggccgg atcctcagcg ctttgctata agccaaataa ttccagacac ctttcttccc 48060  
 tcagatatca tctgtgctta agcagcagga gatatgcagg cagcgatcag atagctgagc 48120  
 tgcaaggaga aatatcaca gagcgcggt tagagcaggg gcttgctcg ctctaaattg 48180  
 aattcccatc ctcataggag atccagtcct gccccgtgt gcatcgctcc ggtaacagca 48240  
 atgtgttttg ctccatcttg cagaggggtcc agaagctggg gaaaggaaat gtgtcgtgcg 48300  
 ttctccctg cagcagctcg gccataaaa ttaatgaaa tcttttttag gtcattgtag 48360  
 attacagatt tctttgagat agagaatctc aagagcagag gagaagattc tcagaaaata 48420  
 gcagtgatat gagatggcat aacgctgagt tggaaactgg ggaggatttc cagggttact 48480  
 ggaaatttac ttaagcacga gagaatgcat cgtgtgactg ccagtgcctc cccactcaca 48540  
 tggctataac cttcttgcat acaattacca tcttggaact tgaaatagct gaaagagttt 48600  
 tatttgatct tttcaatgga tcttacatct gcagaaaaaa aaaaaaagg ctagaaataa 48660  
 tcctgcactc aaactcactt tactgaacca ccatcatgaa actccagcaa cacacaggga 48720  
 ttgggcagg cgtgttcac ttctcttcc catttgcaac atgtgtatgg catttcctga 48780  
 agctcactcc tccaaatgca ttgagacagt tgttttcat tcttcctaat gcctgcattc 48840  
 acccatctgc tgatcggcaa ttatttctat ccattccct tctgttctt attaatcaag 48900  
 ctctttatgc aatcccacgt aacactttgc ccagctgccc tgccctaacc actaccaatt 48960  
 atctcatcct gttttataga ccctgtagca agactctggc ctgctcctc ttctctccc 49020  
 tgatagagct ttgggtgcag ggctggctgg ctctcagggt gttcagagga tcagaggctc 49080  
 cccagaagga tcttgtaaat caaggacagg tgctggctat atgggaggat ggcaccgtat 49140

## 019CIP2 1-46 Seq list.txt

cctaaagctc	tacaagaagg	agacggagct	cagcctggga	ggacagagag	aagcagcagc	49200
acaggtttca	ggatccaggg	atggcagacc	tgggtgtggg	ctcataggat	tgaagaaggg	49260
ataggctgtg	ctcctgtagc	ctcactgcag	aagcagcact	gctatctccc	cagcgaagct	49320
gtgtgtgccc	catccctgga	ggtgctcagg	accagggtggg	atggggccct	gggcagtctg	49380
agccggaggg	agcagccggc	ccacagcagg	ggttggaatg	gggtggggtt	taagttcccc	49440
tccaaccaa	gccatttctt	gatctctgtt	ggtggctggt	gcaagttctg	aggaaacctc	49500
atcttcagct	caggcggttct	tgtccctggg	gaaaaatcaa	tattaatgct	tcagtgatta	49560
ctgctcgctt	tccaaatgtg	cttctgatca	gttcaagaaa	tctgacagtc	acgtcgctca	49620
ggatgctaag	aatacaacag	aaacagcttt	gaaaggaacc	cttcaactct	tgatatttgt	49680
gaatgagctc	caaagaacat	tactcattta	tttttcagga	aatgatttc	attgacatga	49740
acaggccaaa	gcctacaagc	tctgttttgt	gactgcagct	ccttacactt	tcagctgcat	49800
tttcatgatt	tatgtgcca	tgatgagact	tgaacacctc	ccaggataat	gggaaaagca	49860
gttctgattt	ccattttaa	acgtaggctg	cctttaagcc	atgtgtgtgg	ctcaggctcc	49920
ttctgaagca	caaagggtgt	ccaccctcg	ctccttttct	attacaactt	tcaatcaaaa	49980
atgtgtttta	tgagatattt	gttttgccat	gtatctgtga	cggagttgaa	ccccttagtg	50040
aaacctctgt	tcttcactta	gctgagaggt	atttcttagg	gaatgtgatg	ccctaaattt	50100
attgtggtgt	aatagaaggg	gggatgtgtg	gactcacctt	ctgtttgttg	tggctgcagt	50160
ggttttatgc	actacctgag	tattaagcaa	gcccttttca	tctgcacgga	acacctcctg	50220
cttgccagtg	ggatgaaaca	acaacaaca	agatttaagg	tttgctattc	tcaatgtttc	50280
ttaatcgggt	tcacattgat	tgccaacaga	tgaataattc	ctccttctcc	atggatgtac	50340
ctcttaaact	tgtgaagtct	taggtaacgc	ttttctgctg	tgatgactgt	ttcagtcctc	50400
tcagtgaaga	atcaggcgca	ccagtaagac	acaaggaga	ccgtggagat	gttcattgtg	50460
ccctcagcat	ctccaaaagg	cactgctgcc	tgccgagccc	cagacttcgc	tcctgtaaaa	50520
gcaaagcatg	tccaattctg	ctgtgccata	agagtcctgt	ggagcccaga	cacggcgtag	50580
cgtgtgtaac	atagcgtgca	cgagctcaaa	cgctttcaac	aatcagctt	ttttgctttg	50640
ccaacttcca	tatgtaattt	cacaacatct	agtattgaga	cagtgtgtgt	gtttgggcag	50700
cataaatcac	tcattgtaca	gcaggcgcc	tctcttaaca	agttgggtgt	agttcatgtt	50760
tttgtcta	ttctctgcgc	atctctctaa	caaacaacta	ttcttttagg	ctcgactcaa	50820
taatcaatac	atctttttca	gtttacagag	caaataatta	cttgacctga	tgacttcaca	50880
aggttaggg	gatgggtgta	taaagtctgc	agtgtgaagg	cagagcaaca	tctctgcaga	50940
ccttgagagc	aacagggtctg	caagtaacag	gctgcacagc	cacctctgcc	atggaggcaa	51000
tgagagctgc	tgccctcctt	ggattggtgc	ttctcagctc	ctttcctggt	aagttgtttt	51060

## 019CIP2 1-46 Seq list.txt

tgttacattc	tctgcttata	tctctactcc	tactgaacta	aatgtggttc	aggatgcctt	51120
tagaatccta	aaagagagct	cagcctgccg	gagaagtgat	ggtttggtta	aacatgagct	51180
ctcttcta	gatctttatc	cttgtgcaaa	tatttacgta	actctagcag	gatgcctctg	51240
tctgacataa	actcattatc	ctcagtaagt	ctcatagcac	tcgagagaga	aaatgtatac	51300
cctatttctt	ccttagtgag	tcaaagttta	tattttcacc	caaatggct	atTTTTTTta	51360
atcataggat	atagcttgct	tataggaact	ggataaaata	tttaggaaac	aagtaattct	51420
cagtgataaa	aaagaagtat	gtgatgactc	tgtagggaaa	ttgataattc	cagaggaatt	51480
gtaaccaagg	acgccgtaac	attctgtatt	ttataacctc	tgTTTTTTcc	agatattggt	51540
tctggtcac	aacgggtgag	tagcagatct	gcatcattta	gttgtggttt	ctatgaatag	51600
atgaataatt	catactcaca	ccatataccta	cgggagccta	gaggagagaaa	aaaaaaaaag	51660
aaaagaaaat	aacaagggaa	ggagaaaaag	ggcccccagg	aattatgtga	catttttccc	51720
ccagcaaata	agaaaacatc	tttgtcagag	aaagataacg	taccacgttg	gtgataagag	51780
ttggcaatta	ataatgcaga	gtgggagccg	gcgtggcaca	gcgtgccagc	agaaaatctg	51840
cacagctttt	ccctaactgc	ctccatatct	cccctgcctg	attccctgag	gacccatcag	51900
tcagtcgtgt	gtctgccatg	ccaaaagcct	cagtagtgac	actgtgctca	ggcatactgt	51960
aaggaacgct	gtaatttgct	cccacttctt	caccgtggag	gagtgacaga	gaataaaatg	52020
accgcctgca	gcacggctat	gcgtggaaaa	cacaagcaga	cccttccgtg	ccctgcagag	52080
ctgtcccact	tgtgctcttc	ccaggcctcc	tgcggtgagt	accggctggt	aggcagcagg	52140
aacctcgcct	gttccaggat	cttccagccc	gtctgtggca	ccaataacat	cacctacccc	52200
aatgagtgtc	cgctctgcag	agaaatcctg	tgagtagcga	tcgcccgatt	acccatcgtg	52260
atggctcagg	tggcagacag	aagccttttg	aattgtgact	aatcacgggt	ggattcgtt	52320
ttttttcccc	ctgtttctgt	cttcccagag	tgcaggctgt	gtttcttcct	tgtcaaaact	52380
cctgagtcta	attaattagt	ggggctgggc	gtggagaggc	ttgatgagtg	aggtgactgc	52440
atggcaccac	caggttaacc	cttcccctcc	ttctctccta	gccggagtgg	gacggttgac	52500
aagaagcacg	atgggagggtg	tgtgaaggta	tggttccagc	tcagccactg	tgtggagcga	52560
tggcagaatc	ccttcccagc	actgattgta	catttagaat	ggacagctcc	aaacccattg	52620
gaaatgtaac	agaaaggaag	aatttcaggt	cttttatata	tatatatata	tatatatata	52680
tgtatgtatt	aatttcattt	tgaacagtgc	aaatctgttt	caacggtgag	ttttgagatg	52740
ttatcttggtg	tagcacagct	gacttaaaaa	cagaatcctc	tcatttcaat	aatcctttgg	52800
tggtgtgaa	atagttccct	ttagacttag	acagaagtct	gttgaaatta	agaagttccc	52860
caaggaagtc	tggattttga	ctaaatcata	atTTTtgaac	agggaaaaag	aaaaaaaaaa	52920

019CIP2 1-46 Seq list.txt

aggattccat	cagaacatct	accctgaggt	ttgtttatca	atacacggag	ctgccacgaa	52980
gtggagaagt	gtctctatct	ttagattaga	gagataatgt	aaagaaacac	tccggctgtg	53040
caattgaaca	taatgctaca	atcttcactt	cagtacactc	agagtaatgg	caggaacacc	53100
gaggtgagca	tcagctccat	tttcaagtgg	agcagacatt	tcacagcagc	agttgctgcc	53160
atgtagggca	tgtaggcac	agatcctatg	tggtggcatt	tggggtggaa	agccctaaga	53220
tgacaccaac	aaaaccatt	ctgtgaaccc	atttcctcca	ggattctgct	gggctcatgt	53280
cctcaaaggc	aggacttcac	ctgcctgtgc	tcccttgccc	gcactgtgct	gggttggaag	53340
ctcacatctc	catacagccc	cactcaccgt	gagtctgggg	gtgggagaca	cctctcacac	53400
catgcaccat	tacacagggc	tgacggaagt	gttggtctgt	ggctgtttca	ggttgattgc	53460
actggctaca	tgagaacaac	tgatgggctt	ggaacagcct	gcatccagca	gtacagcccc	53520
ctctatgcc	ccaacgggct	cgtctacagc	aacaagtgca	ccttctgctc	ggcagtggcg	53580
tgagtgggtg	gtcacaccct	gggtgctggg	gtctgggtgg	tggtgtttgc	agcatattga	53640
ggcttctgga	gtggctgtgc	tgtgctcatt	cattctcaac	ttgctttctt	ccccaaggaa	53700
tggagaggac	atagatctgc	tcgctgttgg	aaaagagccc	gaggtaaagc	tcgaaagtct	53760
gcgctatgaa	ctgttggtat	aatatattat	acagcacaaa	ttcagtgagt	cagaactacg	53820
caatagcaat	gtcttcactg	tgctgggtgta	tttgtcctgg	aaaaagggtt	tgaggaaaat	53880
gactcaagta	tgccagggtc	agaggacgat	gaacaaaact	cctggctcct	gtgtcagtat	53940
cacctgcaca	gcccctgaca	ggggttgatg	ctcagagcat	tggtcagatg	gtggctgtgc	54000
cagaggtgct	caccgctcct	ggtgagcgtg	gggctcatgc	agcaccagct	gtcattactt	54060
gggtgggtgg	acttcatagt	gtgctgttgg	agacacactg	cttcctggca	gccccctctt	54120
gctggctgct	gaaccagagc	agagcaggta	gcgggcccgc	agccggggag	cactgctttg	54180
gctgtgtcgc	tgcttctgag	ggtatttagt	agatttttcc	ctctgacttc	tccttttgtg	54240
ctctgctggg	caagagcatt	agaatttgca	gagttgctag	aacaacagga	gcctgcatct	54300
gaaaaaatgt	tttttttgct	ttgccatgac	ataaatgtaa	agcgcccatg	taggaaaata	54360
caccaaaca	aggcttctca	atacgttctt	gtccattac	ctacagattg	actgcagtga	54420
attcaagagc	actgatgcct	actgcactga	agagtacatg	cccctttgcg	gctctgacgg	54480
cgtaacgtat	gggaacaaat	gccacttctg	cattgcagtt	ttgtaagtac	agtgtcccc	54540
atgcagccat	gaaaccactg	ctgtgccgga	gtatgaaggc	agaagctgcc	aggaagcctt	54600
tgtgtccccg	ttatccccct	ggtaaatccg	tccccatccc	caacctgatc	ccagctctac	54660
ctctgctgtg	ccttcccca	gactgcaga	tcttgaacac	aggtgagtct	tctccctccc	54720
tcaccattaa	attcagattc	tcatttgcg	gctcatagcg	ctcctgatcc	atccctgcga	54780
gagtaatttg	agtggtaact	gtagaaggag	tatccaaaat	tacagggttt	gtcccagatc	54840

## 019CIP2 1-46 Seq list.txt

tctctaacat	gacaaaacgt	gtaacctggg	gaatcaggag	acgggtgaag	gtgcaactgg	54900
gacagcatgg	agcattggct	tgcccatgca	aagtcagcag	tggcaccatc	agggctataa	54960
aaccaccttc	catgtcagtg	atTTtggcct	cctcctttct	ctgcaggaag	agtcatggat	55020
ctctgtctct	gcagcaccgt	ggagaatgct	gaatgctgga	tcgtaacctt	taccctcatc	55080
catctttcac	ttccaaagcc	tgcaattcca	acacgctctt	ccccgctccc	tgctgtacat	55140
tgctttctgc	cttgacccgc	cagtaaataca	cagacagcaa	ctctcttcgc	catgggctgg	55200
tgtgttattt	atttatttat	ttatttattg	ttgttattat	tttttccagg	gcagaggtaa	55260
aagtcttcag	gctttcaggc	acttatctgt	caggcaggag	aagttttgaa	ataaaccaca	55320
ataaaggcca	aagtgcaaca	cccatcacac	aaaagccata	agccctcacg	aaagtgcgtc	55380
accccatctc	aaaccatcag	aagaggaaat	gttgctataa	aacacatgct	gctctcccca	55440
gttctgtgtc	ttacagcaca	taaatggatt	tgctttaaga	gtcaggatgt	ggctttgtag	55500
aagcacggag	ccctggagga	agcagtcctt	ttgggagcct	tggtatggag	gaaagatggc	55560
tttgatacac	ctgagcaagg	ggcaagtctg	gcggcacggt	acaaggaggc	ttatggcaaa	55620
gggaggagac	tatctcacag	ggaagaaaat	taggaactgt	tgcttccttg	aagggtgtgt	55680
cccttgagag	tgtggtgatc	agcagaaaat	tgcaagccagc	tgggcaaggc	tgtaatgagc	55740
ctaattgagga	ccagaggaga	aaccagattg	ggctcagggt	tcttgaaaaa	gagatctgaa	55800
aagctgcact	gggagcgttt	gaggcagagg	aaagagaaag	gactcttcag	gaaaaggttt	55860
gggagtcttc	atgcctagaa	aagaaaggac	agaaggagtg	cttggttagct	ccaaggctgt	55920
ttctgtctgc	agtgaagagt	gatgtgtgga	tgatgcgtgt	gagcggtcac	agtgatgtgc	55980
catctctttg	ggcgagtcaa	ggaatgagta	tgcaaaacaac	aggtgaaaag	tcccaagtgc	56040
ctccactcat	gccaccttcc	ccttcctttc	tccacctccc	atcctctcat	tacgtaggaa	56100
gacattcagc	tgttcaggct	gatattgagg	acaaaatctg	tgacttccaa	gcttttctct	56160
ggctttattt	cctgaaatag	gctgtatctt	gacctagaaa	tcttatgggt	gcttcctgcc	56220
agaagatggg	aagctgtcct	ttaatagcgt	gtcagggcag	tgctccgtcc	taggaagaca	56280
gatggaactt	tgaaatgttt	attctattag	cacaggcagt	ataaagcaca	gtgtgcctct	56340
gtgcctgctg	gtgagaaaaa	gcaagctgca	gagccgtgag	ggtgctccct	gctaactctg	56400
ctagaaggga	aaagagtaga	caagaaatag	catatgctac	tactgaatgt	gagcagaaga	56460
cctttagtga	aggacacagc	tcagctgtaa	tgctcctgtt	gccaggagggt	ttgttgagtt	56520
atcgacagag	ggtagagttc	tggtcagagc	aggaagggtgc	cttcaacagc	aagatcccat	56580
ggtaggcctc	ttctgcagtg	tgctggcaca	agcctgggtac	ctgctcagga	gcaaaaaaag	56640
gctttggaaa	agctcaaaga	agggctgatg	tcttacaggg	aaaggagggg	caaaaggcaa	56700

019CIP2 1-46 Seq list.txt

gtgcagagca	tatggctgta	cagacaaaaa	cccttcagaa	aatggaaaag	gtttttatca	56760
agtaagccca	gaagttggcc	cagtgcaggt	aaacacttgg	ctaggtaaca	gtgaggctct	56820
gcccagccat	acccattcct	ctgtaaggca	aatcccaggt	gcctttgtct	tgtctggtcc	56880
tgttctgttc	ctatttttct	gagaaatcag	acagaaacttc	cccacctaca	gcatcaagca	56940
gctactttat	aggtgaagaa	gtgcaaagag	aagcaataag	gataatcacc	acttggctaa	57000
tttagtctct	tcctctcagc	ccacaaagga	ctggtccctg	tggtacattt	tctaaggctt	57060
ttcccagtc	gctgtgctgt	agcaaatgaa	atgtttggct	agataaagag	ctgagggtatt	57120
agtgtggtg	cggcgagcag	tgtctggagc	aagaaaaggc	aaacgaggga	ttctgcgagt	57180
ggcagaacta	agcctgattt	tgaatggcgt	tgtgggtggc	ggacttgtaa	attatatgag	57240
aggctgtgct	gtgagctcac	cctaatagac	atctgagaac	tcacctgtca	atcgcggttc	57300
ctctgctgtg	tgggttttat	ggtgtctagt	gagctgcaag	ctctaattgct	ttcccagggtg	57360
cagggcagtt	gtggcattgc	tctcctacag	aaactctcac	ttgctggctg	aggatgttta	57420
ggaagtcctt	ggttgctaga	aaaaatatat	tgaagtgcct	tttttgtttg	tttgttttcc	57480
attcttgtgt	gaaattttgt	tggaaatcaca	gaatcataga	ggttgaaaga	gaaactctgg	57540
aaattatcaa	gttcaacccc	ttgctaaagc	aggcttcata	cagtaggttg	cagttacaac	57600
atttgcgtgg	gaaatgaata	tgaagatctg	tctataaaga	gtgttcccat	agcacttggt	57660
tctttaggaa	agcatgctga	aattctaaag	gctgtgccta	tctgaagaga	tactttgcaa	57720
gtggtgcaac	taaatgctgc	tcttggtgga	gagatggctg	gagatggatc	gatgggtggg	57780
tgatcttcgt	ggtcttttcc	aactttaatg	attctatgat	tctatactct	ttacacagaa	57840
tcagctggga	atagagttag	agtctcctga	ttccccacca	aattcctttg	attgatgctt	57900
ggtgtggaag	cagagctctg	ggacacgttg	gtgagtgtga	aaactggaaa	acattgacag	57960
ctatagttta	aatagttcag	ggaggagagg	cagccatcct	atgtgggact	ctgcacacgg	58020
ctatgagagc	atcagtgcgc	ttctccaccc	caacccaaca	aatttagagc	catcctccaa	58080
aatagccagg	gaacaacgca	taattggttt	cacagacaac	acattctcat	gctgtgattt	58140
atttcgtaat	gtctggtgag	tgtcatcacg	ccgtgctcaa	agcctggagc	tggcattcag	58200
cgaggaccca	gagaatgaaa	attaccagct	tccccgatga	atcaccactt	tgaaaattca	58260
cccttgtag	aatcctgtga	ctattcagaa	aaaaaaaaaa	aaaagaagaa	gaagaagaag	58320
aagatattac	aggcccaagt	ctatcagtca	tgttaattagc	cctttctagg	tttgatgtgg	58380
acagggcggc	attcctaaag	caccataaac	acggccggga	ccaataatgg	ctctagaatc	58440
gaagcggaga	agttctcaca	attaagggtga	ggaatgaggc	cagcagcgga	taggtacata	58500
aatacacgga	ggcagggccg	tgagcacgct	gtgggcttgt	ggctgagaca	acacctccea	58560
aaccggtcgc	ttgccgggga	ctaaaagagc	agcatgaagg	caacaggcac	ctcggtgctc	58620



## 019CIP2 1-46 Seq list.txt

ctccagcctgc tgctgctgct gtcgttcttc tcgggtaagt tatatttctg tagcctagaa 58680  
 agaaacttta tgacgagagc aacttcagag agccttgatc aacggatgac aggcttgaag 58740  
 agaaagctga gcaagtagaa aatatctgcg ggactcgctt gcttggtgtca catctttcca 58800  
 ttccctcggt gcctccgcag tgaataacac tgtggaggtg tccactgggag acagaatgag 58860  
 caaattgtaa gcagctcggt cagcagaggc accaaagcag agcgtaatta tgagttttgg 58920  
 tggaaatggt tgctggagag ctttgctgaa ccagttagag aagaaactca tacctcaggg 58980  
 tcatcagctc ctgttctgat gctaagcact tggggggttg tgttctcctc agagatgtgg 59040  
 cagcgtaatt agatgaaagt ttcagcttcc aaatacgttg cagaggaggg ctcgaaaatt 59100  
 aaattcagat gtcctcgagg aacccgaaca aagagggcaa attgaaaggg tccagcgttt 59160  
 atttatcttg aggtttacac gtctctctgt tgggtctgggg aggctggctg atggtttggg 59220  
 ggtgtgtagg gcacaccggg gtgctcaaat gctcgctgac ggccgatgag aatgtggaag 59280  
 cggtgcggtg gccattactg aagactgcag accaaggatt atttatactt gtttttctgt 59340  
 gaataatttg aataaagaat tcgcttgaga aaatcgaggg ctgtgcatgg agagaagagg 59400  
 tgaattactt tgtacacatc attaattatg aaatattcat ctgtctttta ttgagtctta 59460  
 attggggctg gggtccgtca gagtgctaaa gcttctttcc aaggccaggc agaatagcag 59520  
 caaactctgt gatctcaaat aagataaaca gatgccaaga gacgttctca caaagtcttg 59580  
 tgtagctgca tgtaatatat ataaaaatta tctaattgagc tgttttgtaa ataatatgca 59640  
 gatagcccta acggcggtt ccctgtccag cctagctgag gatgtgacag atacagcagt 59700  
 ggcaaggatc aaacactgaa aggcacgca gcaggcagaa gctgggtggg gtgatggatg 59760  
 gtcccgtga gcgtgatgct gcaatgctcc cagcctgcac cctaaccaaa gggatgcccc 59820  
 attgcaatgc gccccagccc ctgcagcgt gtgtgcagcc cactccctgt ccccgacacc 59880  
 acaggatcca tcccggtggc gtgacctggc cccatgcaaa gtttgcaggc aggaaatagc 59940  
 aaagaggatg gactgattgt ctccaggccc agagcctgtg cctgcagcag gtatttttgc 60000  
 tctgctgctg tctggcactg cctgttctgc cccagatcac gccaggctat ccctttgtat 60060  
 ctcatccgga tgaggctgtt ctgggagcct cggctgtgct gtactgcaga cggctctgat 60120  
 gctgactgag ggggtctctc catctcccct gtgtgctttt gttaccgtac tggccagttt 60180  
 tgtaattcag aggtgcaaga gcctaaaagc cataagactc aatgaagctt taaaatctct 60240  
 gctgagagag gctcagctct tacatagctc cccgcttccc cggcggtggc tgcctgccag 60300  
 ggagatgggt ttatgtgtct gtggtgcagt tagcagctga atgactgatt acatgggtatt 60360  
 ttagtaacat ttttcaaata gcaaaatact gaaaagcaat tccgataatg tatttcctac 60420  
 ccctcctcca ccacacagaa cggcagagga gggaaaacct ggtgtgtgct gtgctgcagt 60480

## 019CIP2 1-46 Seq list.txt

ttgcaaaggg	atttgtgact	tcggttcagt	cctctcagaa	aataatgcta	atgtggataa	60540
aatctttttt	tttgttgcaa	ttctaggtgt	agcagctcaa	gacattgaag	aggtttagtgc	60600
agctctttct	gctttctgaa	tctgcatttt	ctcctggctc	tggaagaatg	cttttctaac	60660
agatcttggt	gcattgggtgc	atgctgaact	gctttgggtt	ttgctgggat	cagggtgggtc	60720
ctgccaaggt	gccccaatgc	ttcggagtgc	tcacacagta	caggggtgtt	agctatggcc	60780
acagtagcaa	acaagttggg	gatgatttag	ctggtttagc	acatgctccc	catggtctga	60840
tccagcacag	ggctgtctgc	agtatcgctt	ctgtctgctt	tgctcctcca	cgaaacaaat	60900
gtgatatcag	gagtgatata	ctcctttaaa	ccatatccat	aactggggct	tgtccaaaag	60960
cctgttcact	tcatagaatc	attaagggtt	gaaagaccac	tatggtcata	gagtgcacc	61020
actccatgcc	cagatccctg	tgtatggcag	ccccaggcca	cgtgggtggtg	tgagctgcat	61080
ggtagcgggc	actgatattg	ggctgcatca	gtgctgatgc	tctcctgttg	aaccactca	61140
tgttcttgga	acaccagagc	tgctccctgg	tggtgacagc	ttccctctc	tgccacaggg	61200
cagaaattcc	cccatctcag	ccagttctga	caggcctttg	tttttcaagt	aagcaggccg	61260
tgctctggtg	ctgcttttgg	cctctgggtg	ggaagaagat	cacattagag	atcttctttc	61320
ctgtttggaa	agcgaaaccc	gacggtttat	tgctgttatt	atctttgatt	tcttttgag	61380
atctgcaaag	agttctttaa	caggagcgtg	ttctgcacca	gggagtccaa	ccctcactgc	61440
ggcacggatg	gcgtgacgta	cggcaacaag	tgtgccttct	gcaaggccgt	gctgtaagtg	61500
ggggcggtgg	gatacggacc	cacacaggga	tggtccactt	ccaaccccg	gctgctgctc	61560
ccctcacaca	gagcaatccc	tggtccataga	atcatagaac	tagagaatgg	ttaaggttgg	61620
aaaagaccaa	taagtgcata	tagttcaa	ggcagctcct	caccgccacg	cttgggaata	61680
tttcagctta	atgttgattc	atttctaggc	ttagtgtgat	gctcatagcc	gtacagagat	61740
ggcacagagc	ctgggaggcc	attgtacctg	cctgtacctt	ctgcgtgggc	taaattgatg	61800
cacattttcc	tctgtgtgcc	acaggctgaa	gctctccctg	tccacacctc	tggtatgctga	61860
agtgtgtgga	ggaacgcagg	cttatgcatg	ccaaattatt	agaggaaagt	catagactcg	61920
tagaatcata	gattcgtttg	agtcgaatgg	gacctttgaa	ggcatcttgg	tccagcatcc	61980
ctgcaacgag	cagggaaagt	gctgaaatga	aagtctgaat	ggacttagtg	gaaaagtaca	62040
caaaatctca	gaggaagggc	tgcatgttct	cctctcctgt	ctcctctaaa	ggagctgtaa	62100
taggagccaa	cacctctgga	ctgaaggcct	gcaaaaattg	atttatcctt	atcaatcctg	62160
cactctggag	gctgccttat	cctaaggga	attagagaag	agggaaagat	ggcttgatgc	62220
tccctgtgag	gcaccagagt	gaggcaaatg	atcgtgctcg	gagggacaag	ctccctgtcc	62280
cagccgtgtg	gtctgtgctg	gatgccatac	actgctttgt	ttccataccg	ctccttttac	62340
aggaggagtg	gagggaaagt	acgattgaag	cacatgggga	agtgtgagc	ctgagcacca	62400

## 019CIP2 1-46 Seq list.txt

agcactgac	ttcgtcggc	acaggtgcag	gagcctgggc	acggcagcag	ctgtcctcat	62460
ctctgccata	tctgtcfaat	aaagtaaagc	tcagcacacc	tccttgactg	gattcctttt	62520
tccataaac	ccggataagc	cttccatgca	gccgtgctag	cagctaaaat	gtttgccgca	62580
ctgtgctgtt	acatcttaga	atcacagaat	caggcaccat	gctgcctgag	caggagcaat	62640
gattcccaca	gctcttccat	gccatgccat	gccatgccat	gccatgccat	gccatgccat	62700
gccatgccat	gccatgccat	gccatgccat	gccatgccat	cccatcccat	cccatcccat	62760
cccatcccac	tgacaaatgg	acacatggcc	accagcttg	actgtcccat	gggtgggtga	62820
cagcatgcaa	cgttgcctct	cagcagcctc	cccatatgtg	tccctctcgc	tgaggtgtga	62880
gcatgaaggt	ggcagagagc	tatgagtgg	gtggctgtgg	atgcctcatc	tgcttgggaa	62940
gccagaagca	aacaggctga	ggctgaggag	gtttgctgca	tgtaagcctg	caccgggaag	63000
gtggcagggg	aagctggctt	taggcagaaa	cacaaaggct	ttgctttcct	tgtgtgtcct	63060
aagagaggac	tttgcctcaa	agactgtcaa	ctcgccagca	tcaggttgca	gttgcacaca	63120
aacttgattt	ctttcttttag	ttttcacact	gctgctctct	ctctccttga	tgctggctgg	63180
aaaatccttc	tttgcgccag	cagaggaaaa	taaagcctat	agtctctccc	cattcgctgt	63240
acaaaatata	cacagggaaa	tgcttgtggc	atcccctcgt	taaaacgttg	gcagcacatc	63300
aatgggactc	tactcactta	atgttgaaca	cttaagtttc	aaaggagct	ttagatttta	63360
tcgtgaggtc	agccaactca	ttttgcaaac	acctctatgc	tgagcatctc	agctcctgga	63420
tggtgtttgg	acagagctga	gtgtttgcct	gtggtgccac	gctgcaggct	ttgaagtga	63480
ttgggacatt	atattttgta	gccaaggaga	gttgacgttt	gctttgttcc	aattcagatg	63540
tttctttagt	aaacacaaca	gctagacctc	cagaacatgg	ataagcttga	ggggaggaaa	63600
aagcacctcc	tgacagagga	cagctgatca	caaaggaccc	cagtgggcag	tgggagaacc	63660
ttcatcatcc	tctctaccgc	ctggatcagg	atgagccctg	catacccttt	ccaactggag	63720
ttaccctgtg	agccaacttg	tggctctgga	gtagtgtgtg	atctcaatac	agtttctcag	63780
atgggaagag	gcatttcaat	gagagggggg	atatgggaca	tttctatgcc	tgagatggct	63840
ctcgagagact	ccaaaagcct	cacggcgtat	ccccatgcct	aatccttttt	aatctggagg	63900
ctgaaataac	aaggacagat	cacaagagaa	cagaagcggc	gagacttctc	tgctttataa	63960
tcagcctgca	ttttgctctt	tcagtgcaaa	cagcaaatag	aaccgcctct	gtacccctcc	64020
agaccaacc	accatcccca	gcaacactgt	ggcaggctgg	agaagggtgg	ctctgcccct	64080
ccttgccctca	actgggttg	tcagcacgac	cataaccaga	gctctccttg	gccccagctg	64140
ggcttatcca	tgtaaacctc	tcagtgtccc	aggagctggc	tggtggctct	gtccatttca	64200
ctttcctcca	gcaggtgttc	cctttaacaa	gcatccaagt	gcctggagca	ggagcaggca	64260

## 019CIP2 1-46 Seq list.txt

ctgcagaaga	tgagctcagg	caaggacatg	gcatgtgggg	atccatgctg	ttgtgcaatg	64320
cagatgacgt	tagatacgtg	caaagcagat	ctcagcaatc	acccaacgac	tcataactgc	64380
aatcatggaa	cgcaattgca	tctggaagta	taaaagcaca	gtgataccag	gaagctcttg	64440
ttaatggcac	agccattttg	gagcaatttg	cccaggtggg	gagagccctc	acagcgcctt	64500
cagtcacagg	gagtggtgtg	agtgtcccca	tggctgtctc	cagccccag	ccctgggtga	64560
tgggggtcac	ttggctgtaa	ccctctgaac	acagggacag	tgagacagcc	ctctggcctg	64620
gctgagctct	tggctacgtc	cagctgcagt	cctgggcaca	tactgaacca	gaaagcaagc	64680
attcagctgg	tatttttcct	ttaatttcct	tcctccacat	tttaagttgt	gggatttttt	64740
tttttttttt	ttgacagctt	tgagagatga	gtgagtcacg	aagcactcga	gatctctatt	64800
agataacaga	gcatctctgc	agctcttcct	ggggagggag	ttccttggac	caagggccaa	64860
ggctgggtga	gaattgtccc	agcatcacag	tggctgtctc	atcacctgac	acagcccctc	64920
tgacgtgaaa	caaggggaagc	attacatctt	tgacgggctg	ctttcactga	acaaaaagcg	64980
ctgcttcaca	gctgagcacc	atgatgaagg	ggaaggagca	tctccatgat	gaaggggaag	65040
gagcatctcc	acatctccat	cacgagctct	gctctgtctg	tgatgcggct	gacaccatgg	65100
tgtgccctga	ctcctggccc	atttaactgc	tgtgcaccag	tgccctctcc	ccagcatagc	65160
cctgtgtccc	tgccacaact	cattgcaatc	ctttgtccta	cttcttccct	tgacattcac	65220
agctcttgat	aaggcttttt	gagccactcc	tggctgatgt	gggctggtgg	ttcctgctgc	65280
agggttccca	ccaccagct	gggcagcatt	cggttgttgt	tccagttccc	aggggattgg	65340
gacagattgg	aagggtcttt	gggactgtgg	aagagtatct	cctgaagtca	gggcagactg	65400
ctcagcgctt	tgtcccatcc	agacttgaaa	acatccaagg	gtggagaaca	cacagactcc	65460
ctgggctgcc	agtcccagag	tttgactgtc	atcacgttga	agactttttg	ccttgtctcc	65520
atttgcaacc	tctttccttt	cagctgcccc	atctctcagc	catgcaccac	tggggagccc	65580
agctctgtct	ggtcaggaac	agagccctta	cagagccaca	gcacccctct	gaagtgtcca	65640
tctcaccact	cagcctcagc	aagtgtcca	gccctcaact	cccattttcc	attatctttc	65700
tatcactgga	tatgggaggg	aaggcagagc	tgtggggcca	agagaaacga	ttgctcagga	65760
ggcagttggg	agaactttat	tgcaaagcac	tgaagagata	taaagtgaca	tttgcaggaa	65820
aaagtagaag	ggtatctgtg	tgtgttggtt	cctttaagga	ttagagagca	gctgagcttt	65880
gggatgagag	ggctcccaga	tgctgtgaat	cagctaacag	atccctccac	cccgtcattg	65940
gtggtgaagt	taaatagggg	cccaggggaa	acatcagggg	tgtttttctt	tttacggact	66000
ccagagcaag	gagaagggtga	gggggttgtg	ctttggaatg	ggagtgaag	agtttggttg	66060
tgttttcctc	tccccagaat	aagtagtgtg	gtgtaggagc	gtctcatagg	agtagctgcg	66120
ttaattgtgg	ctgggtgttag	catcctataa	tgttgctcca	gaaatgctgg	agcaggctta	66180

## 019CIP2 1-46 Seq List.txt

taatgatgtg	tatgtattac	cataatacat	gaagggagaa	tggggggggg	gggggtagat	66240
ttaagatgta	tgcccttaga	aaggcgggtg	tcacttaaag	aagtacttgc	tttatagctc	66300
cagtgataga	attcattgag	atactctgaa	cctatggggc	atgaagtgac	cagatcttca	66360
gtttggtcag	ctctgggggt	ttctgggggg	agcggggata	gagcctcaat	ccaggctctga	66420
aagacaaggc	tgagatgtgc	tgggcctggg	gtgctgccct	gagcaacgtg	gggctggccc	66480
tagagagcag	cattagtgcc	tgcagcaggg	ctggcccttg	tgcccagtgt	gtggggtaag	66540
gtggggaacg	taggtgctgc	ataatgtggt	gcttctgata	taaaactgct	ctgttaattg	66600
ggagtgacca	gagatggccc	tatggctttc	ttcccaaaga	gctctgtgtc	cttctctgca	66660
gggtaatctg	tgataaaaac	atcgccctatg	ctctgccctg	cagatgcagg	ggtttttgtc	66720
atcctccttc	tcgagacata	ctctaatact	tacgcaagca	gggagctcca	agcttttggg	66780
gataacctct	caaggaggag	ctggaagggc	agctctgccg	agcagtgact	gcgctgcacg	66840
gggcgcattc	tgacggaggc	gggtggtgta	gcgggactcc	gctcgttccc	ggctatgggg	66900
ctccccctgc	tgaccgccgg	gcggtggcca	ggagacctcg	gggccgctgc	tgcccctcgg	66960
tgggtgctttt	cgggacagct	ttcaggatgg	ggcagcccag	ctgctctcgc	ggggaattaa	67020
gcggctcggg	gcagggcggc	acggcgctga	gctgccccag	caaagcgccg	ctcgtcccg	67080
ggcaccttcg	gtagatgctc	tctgcttggc	agctccttgg	tcgttctctt	ggccggtggc	67140
caccccagca	tcgctcgggg	ctcggtgcc	tccccccag	ggcctgcgga	ggtgccggtg	67200
cccgtcccgg	gggtggcgga	cgggcgggtg	agtaccgatg	ctgggcgctg	ggtgctgccg	67260
cagaccgagc	ggcgtgcgc	ggctccgggg	cgctcctgga	gtgcgagctg	agcaacctgg	67320
tagaaaaata	agtgttgtcc	cgtgataaac	gtcatcgtgc	tgagctctca	gactctgcca	67380
gaggcctgaa	tgaagctgcg	tcaggggaga	atcaggttgg	ggctaaggaa	aggtcctgcc	67440
ccagagggcg	gtgggtatag	aaggggtgcc	cagggcagtg	ggtgcagtg	tgggctccca	67500
gagctggagg	agcgtctgga	cagtgtcag	gtttggatgt	tgggtgggtt	tctgaaggga	67560
cggattctgg	gctcgtttat	cctgagggtc	ccttccaact	tgggttggtc	tattcaatga	67620
atattgttta	tgttcattct	attctatgat	cttggtcagg	ctctcactgc	tgcttccaag	67680
ggttcagctc	ccccagagct	ggcagggtct	cagccacttg	cttacagtg	tcatttcattg	67740
cctggcccat	ggcttctgcc	tgagccttgt	gggagatcag	ctgctgccag	aaacccagcc	67800
ctcagcactc	cacttgccca	gcttgctgcc	ttagtagtct	aacttggcag	tggcttgaca	67860
tgacttgagg	ttgtttttta	tttccaaggt	gccactgact	tttttccttc	catagtttct	67920
ggaagcattt	ccttcctact	tgactgagtc	gtgctctgtg	gatctgtaat	tatccacctt	67980
ggctatgtgt	cctttacggg	attttatatg	ttaacctccc	aagatcattt	tgctgctctc	68040

## 019CIP2 1-46 Seq list.txt

atcttagtg	ctgctgtgag	ctccaccagc	accacactgg	atgagctgca	ggctgaggcc	68100
gggcacctct	cctgactctg	ctcttctctg	acccagagc	tgtgcagttg	ggatcctaac	68160
accatgcaga	tgtccagga	cctgcaccga	gccccagcac	tggcactcat	ctcttctttc	68220
caccctctg	agagcaacaa	gtggctctgc	aatggcaatg	taagtgaaac	cgggcgggta	68280
tcttagagca	cctggaagct	tgcatgcctg	caggctcgact	ctagaggatc	ccgggttacc	68340
gagctcgaat	tcgccctata	gtgagtcgta	ttacaattca	ctggccgtcg	ttttacaacg	68400
tcgtgactgg	gaaaaccctg	gcgttaccca	acttaatcgc	cttgacgac	atcccccttt	68460
cgccagctgg	cgtaatagcg	aagaggcccg	caccgatcgc	ccttcccaac	agttgcgcag	68520
cctgaatggc	gaatggcgcc	tgatgcggta	ttttctcctt	acgcatctgt	gcgggtatttc	68580
acaccgcata	tgggtgactc	tcagtacaat	ctgctctgat	gccgcatagt	taagccagcc	68640
ccgacacccg	ccaacacccg	ctgacgcgaa	ccccttgccg	ccgcatcgaa	tataacttcg	68700
tataatgtat	gctatacgaa	gttattagcg	atgagctcgg	acttccattg	ttcattccac	68760
ggacaaaaac	agagaaagga	aacgacagag	gccaaaaagc	tcgctttcag	cacctgtcgt	68820
ttcctttctt	ttcagagggg	attttaaata	aaaacattaa	gttatgacga	agaagaacgg	68880
aaacgcctta	aaccggaaaa	ttttcataaa	tagcgaaaac	ccgcgagggtc	gccgccccgt	68940
aacctgtcgg	atcaccggaa	aggaccgcta	aagtgataat	gattatcatc	tacatatcac	69000
aacgtgcgtg	gaggccatca	aaccacgtca	aataatcaat	tatgacgcag	gtatcgtatt	69060
aattgatctg	catcaactta	acgtaaaaac	aacttcagac	aatacaaatac	agcgacactg	69120
aatacggggc	aacctcatgt	ccgagctcgc	gagctcgtcg	acagcgacac	acttgcatcg	69180
gatgcagccc	ggttaacgtg	ccggcacggc	ctgggtaacc	aggtattttg	tccacataac	69240
cgtgcgcaaa	atgttggtga	taagcaggac	acagcagcaa	tccacagcag	gcatacaacc	69300
gcacaccgag	gttactccgt	tctacagggt	acgacgacat	gtcaataactt	gcccttgaca	69360
ggcattgatg	gaatcgtagt	ctcacgctga	tagtctgatc	gacaatacaa	gtgggaccgt	69420
ggtcccagac	cgataatcag	accgacaaca	cgagtgggat	cgtggtccca	gactaataat	69480
cagaccgacg	atacgagtgg	gaccgtgggtc	ccagactaat	aatcagaccg	acgatacgag	69540
tgggaccgtg	gttccagact	aataatcaga	ccgacgatac	gagtgggacc	gtggtcccag	69600
actaataatc	agaccgacga	tacgagtggg	accatgggtcc	cagactaata	atcagaccga	69660
cgatacgagt	gggaccgtgg	tcccagtctg	attatcagac	cgacgatacg	agtgggaccg	69720
tgggtcccaga	ctaataatca	gaccgacgat	acgagtggga	ccgtgggtccc	agactaataa	69780
tcagaccgac	gatacgagtg	ggaccgtgggt	cccagtctga	ttatcagacc	gacgatacaa	69840
gtggaacagt	gggcccagag	agaatattca	ggccagttat	gctttctggc	ctgtaacaaa	69900
ggacattaag	taaagacaga	taaacgtaga	ctaaaacgtg	gtcgcatacg	ggtgctggct	69960

## 019CIP2 1-46 Seq list.txt

tttcaagttc	cttaagaatg	gcctcaat	tttctataca	ctcagttgga	acacgagacc	70020
tgtccagg	aagcaccatt	ttatcgccct	tatacaatac	tgtcgctcca	ggagcaaact	70080
gatgtcgtga	gcttaaacta	gttcttgatg	cagatgacgt	tttaagcaca	gaagttaaaa	70140
gagtataac	ttcttcagct	tcaaataatca	ccccagcttt	tttctgctca	tgaagggttag	70200
atgcctgctg	cttaagtaat	tcctctttat	ctgtaaaggc	tttttgaagt	gcatcacctg	70260
accgggcaga	tagttcaccg	gggtgagaaa	aaagagcaac	aactgattta	ggcaatttgg	70320
cgggtgttgat	acagcgggta	ataatcttac	gtgaaatatt	ttccgcatca	gccagcgag	70380
aaatattttcc	agcaaattca	ttctgcaatc	ggcttgcata	acgctgacca	cgttcataag	70440
cacttgttgg	gcgataatcg	ttaccaatc	tggataatgc	agccatctgc	tcatcatcca	70500
gctcgccaac	cagaacacga	taatcacttt	cggtgaagtgc	agcagcttta	cgacggcgac	70560
tcccatcggc	aattttctatg	acaccagata	ctcttcgacc	gaacgccggt	gtctgttgac	70620
cagtcagtag	aaaagaaggg	atgagatcat	ccagtgcgtc	ctcagtaagc	agctcctggt	70680
cacgttcatt	acctgaccat	acccgagagg	tcttctcaac	actatcacc	cggagcactt	70740
caagagtaaa	cttcacatcc	cgaccacata	caggcaaagt	aatggcatta	ccgcgagcca	70800
ttactcctac	gcgcgcaatt	aacgaatcca	ccatcggggc	agctgggtgc	gataacgaag	70860
tatcttcaac	cggttgagta	ttgagcgtat	gttttggaa	aacaggcgca	cgcttcatta	70920
tctaattctcc	cagcgtgggt	taatcagacg	atcgaaaatt	tcattgcaga	caggttccca	70980
aatagaaaga	gcattttctcc	aggcaccagt	tgaagagcgt	tgatcaatgg	cctgttcaaa	71040
aacagttctc	atccggatct	gacctttacc	aacttcatcc	gtttcacgta	caacattttt	71100
tagaaccatg	cttccccagg	catccccgaat	ttgctcctcc	atccacgggg	actgagagcc	71160
attactattg	ctgtatttgg	taagcaaaat	acgtacatca	ggctcgaacc	ctttaagatc	71220
aacgttcttg	agcagatcac	gaagcatatc	gaaaaactgc	agtgcggagg	tgtagtcaaa	71280
caactcagca	ggcgtgggaa	caatcagcac	atcagcagca	catacgacat	taatcgtgcc	71340
gatacccagg	ttaggcgcgc	tgtcaataac	tatgacatca	tagtcatgag	caacagtttc	71400
aatggccagt	cggagcatca	ggtgtggatc	ggtgggcagt	ttaccttc	caaatttgcc	71460
cattaactca	gtttcaatac	ggtgcagagc	cagacaggaa	ggaataatgt	caagccccgg	71520
ccagcaagtg	ggctttattg	cataagtac	atcgtccttt	tccccaagat	agaaaggcag	71580
gagagtgtct	tctgcatgaa	tatgaagatc	tggtaacct	ccgtgataca	ttgaggctgt	71640
tccctggggg	tcgttacctt	ccacgagcaa	aacacgtagc	cccttcagag	ccagatcctg	71700
agcaagatga	acagaaactg	aggttttgta	aacgccacct	ttatgggcag	caaccccgat	71760
caccggtgga	aatacgtctt	cagcacgtcg	caatcgcgta	ccaaacacat	cacgcatatg	71820

019CIP2 1-46 Seq list.txt

attaatttgt	tcaattgtat	aaccaacacg	ttgctcaacc	cgtcctcgaa	tttccatatac	71880
cgggtgcggt	agtcgccctg	ctttctcggc	atctctgata	gcctgagaag	aaacccaac	71940
taaatccgct	gcttcaccta	ttctccagcg	ccgggttatt	ttcctcgctt	ccgggctgtc	72000
atcattaaac	tgtgcaatgg	cgatagcctt	cgtcatttca	tgaccagcgt	ttatgcactg	72060
gttaagtgtt	tccatgagtt	tcattctgaa	catcctttaa	tcattgcttt	gcgttttttt	72120
attaaatctt	gcaattttact	gcaaagcaac	aacaaaatcg	caaagtcatac	aaaaaaccgc	72180
aaagttgttt	aaaataagag	caacactaca	aaaggagata	agaagagcac	atacctcagt	72240
cacttattat	cactagcgct	cgccgcagcc	gtgtaaccga	gcatagcgag	cgaactggcg	72300
aggaagcaaa	gaagaactgt	tctgtcagat	agctcttacg	ctcagcgcaa	gaagaaatat	72360
ccaccgtggg	aaaaactcca	ggtagaggta	cacacgcgga	tagccaattc	agagtaataa	72420
actgtgataa	tcaaccctca	tcaatgatga	cgaactaacc	cccgatatac	ggtcacatga	72480
cgaagggaaa	gagaaggaaa	tcaactgtga	caaactgccc	tcaaatttgg	cttccttaaa	72540
aattacagtt	caaaaagtat	gagaaaatcc	atgcaggctg	aaggaaacag	caaaaactgtg	72600
acaaattacc	ctcagtaggt	cagaacaaat	gtgacgaacc	accctcaaatac	ctgtgacaga	72660
taaccctcag	actatcctgt	cgtcatggaa	gtgatatcgc	ggaaggaaaa	tacgatatac	72720
gtcgtctggc	ggcctttctt	tttctcaatg	tatgagaggc	gcattggagt	tctgctgttg	72780
atctcattaa	cacagacctg	caggaagcgg	cgccggaagt	caggcatac	ctggtaactt	72840
tgaggcagct	ggtaacgctc	tatgatccag	tcgattttca	gagagacgat	gcctgagcca	72900
tccggcttac	gatactgaca	cagggattcg	tataaacgca	tggcatacgg	attggtgatt	72960
tcttttgttt	cactaagccg	aaactgcgta	aaccggttct	gtaacccgat	aaagaaggga	73020
atgagatatg	ggttgatatg	tacactgtaa	agccctctgg	atggactgtg	cgcacgtttg	73080
ataaaccaag	gaaaagattc	atagcctttt	tcatcgccgg	catcctcttc	agggcgataa	73140
aaaaccactt	ccttccccgc	gaaactcttc	aatgcctgcc	gtatatcctt	actggcttcc	73200
gcagaggcca	atccgaatat	ttcagcatat	ttagcaacat	ggatctcgca	gataccgtca	73260
tgttcctgta	gggtgccatc	agattttctg	atctgggtcaa	cgaacagata	cagcatacgt	73320
ttttgatccc	gggagagact	atatgccgcc	tcagtggagt	cgtttgactg	gacgattcgc	73380
gggctatttt	tacgtttctt	gtgattgata	accgctgttt	ccgccatgac	agatccatgt	73440
gaagtgtgac	aagtttttag	attgtcacac	taaataaaaa	agagtcaata	agcagggata	73500
actttgtgaa	aaaacagctt	cttctgaggg	caatttgtca	caggggttaag	ggcaatttgt	73560
cacagacagg	actgtcattt	gaggggtgatt	tgtcacactg	aaagggcaat	ttgtcacaac	73620
accttctcta	gaaccagcat	ggataaaggc	ctacaaggcg	ctctaataaaa	gaagatctaa	73680
aaactataaa	aaaaataatt	ataaaaaatat	ccccgtggat	aagtggataa	ccccaaggga	73740



## 019CIP2 1-46 Seq list.txt

```

agttttttca ggcacgcgtgt gtaagcagaa tatataagtg ctgttccctg gtgcttcctc 73800
gtcactcga gggcttcgcc ctgtcgctcg actgcggcga gcactactgg ctgtaaaagg 73860
acagaccaca tcatggttct gtgttcatta ggttggtctg tccattgctg acataatccg 73920
ctccacttca acgtaacacc gcacgaagat ttctattgtt cctgaaggca tattcaaadc 73980
gttttcgtta ccgcttgca gcatcatgac agaacactac ttcctataaa cgctacacag 74040
gtccttgaga ttaataatgc ggatctctac gataatggga gattttcccg actgtttcgt 74100
tcgcttctca gtggataaca gccagcttct ctgtttaaca gacaaaaaca gcataatccac 74160
tcagttccac atttccatat aaaggccaag gcatttattc tcaggataat tgtttcagca 74220
tcgcaaccgc atcagactcc ggcacgcga actgcacccg gtgccgggca gccacatcca 74280
gcgcaaaaac cttcgtgtag acttccgttg aactgatgga cttatgtccc atcaggcttt 74340
gcagaacttt cagcgggtata ccggcataca gcatgtgcat cgcataaggaa tggcggaacg 74400
tatgtggtgt gaccggaaca gagaacgtca caccgtcagc agcagcggcg gcaaccgcct 74460
ccccaatcca ggtcctgacc gttctgtccg tcacttccca gatccgcgct ttctctgtcc 74520
ttcctgtgcg acggttacgc cgctccatga gcttatcgcg aataaatacc tgtgacggaa 74580
gatcacttgc cagaataaat aaatcctggg gtccctgttg ataccgggaa gccctgggcc 74640
aacttttggc gaaaatgaga cgttgatcgg cacgtaagag gttccaactt tcaccataat 74700
gaaataagat cactaccggg cgtatTTTTT gagttatcga gattttcagg agctaaggaa 74760
gctaaaatgg agaaaaaaat cactggatat accaccgttg atatatccca atggcatcgt 74820
aaagaacatt ttgaggcatt tcagtcagtt gctcaatgta cctataacca gaccgttcag 74880
ctggatatata cggcctTTTT aaagaccgta aagaaaaata agcacaagtt ttatccggcc 74940
tttattcaca ttcttgcccg cctgatgaat gctcatccgg aatttacatc tgggaattacg 75000
tatggcaatg aaagacggtg agctggtgat atgggatagt gttcacctt gttacaccgt 75060
tttccatgag caaactgaaa cgttttcata gctctggagt gaataccacg acgatttccg 75120
gcagtttcta cacatatatt cgcaagatgt ggcgtgttac ggtgaaaacc tggcctatTT 75180
ccctaaaggg ttatttgaga atatgtTTTT cgtctcagcc aatccctggg tgagtttcac 75240
cagttttgat ttaaactgtg ccaatatgga caacttcttc gccccgTTT tcaccatggg 75300
caaataattat acgcaaggcg acaagggtgct gatgccgctg gcgattcagg ttcatcatgc 75360
cgtttgtgat ggcttccatg tcggcagaat gcttaatgaa ttacaacagt actgcgatga 75420
gtggcagggc ggggcgtaat ttttttaagg cagttattgg tgcccttaaa cgcttggttg 75480
ctacgcctga ataagtgata ataagcggat gaatggcaga aattcgatga taagctgtca 75540
aacatgagaa ttggtcgacg gcccgggcgg ccgcaagggg ttcgcgttg cgcattcatt 75600

```

## 019CIP2 1-46 Seq list.txt

aatgcagctg gcacgacagg tttcccgact ggaaagcggg cagtgagcgc aacgcaatta 75660  
 atgtgagtta gctcactcat taggcacccc aggcctttaca ctttatgctt ccggctcgta 75720  
 tgttgtgtgg aattgtgagc ggataacaat ttcacacagg aaacagctat gaccatgatt 75780  
 acgccaaagct atttaggtga cactatagaa tactc 75815

<210> 37  
 <211> 26  
 <212> DNA  
 <213> chicken

<400> 37  
 cgggcagtac ctcaccatgg acatgt 26

<210> 38  
 <211> 21  
 <212> DNA  
 <213> chicken

<400> 38  
 attcgcttaa ctgtgactag g 21

<210> 39  
 <211> 20  
 <212> DNA  
 <213> chicken

<400> 39  
 cgaggaactt gaagcctgtc 20

<210> 40  
 <211> 20  
 <212> DNA  
 <213> chicken

<400> 40  
 ggcctgcact ctccatcata 20

<210> 41  
 <211> 1680  
 <212> DNA  
 <213> chicken

<220>  
 <221> misc\_feature  
 <222> (823)..(1203)  
 <223> n is a, c, g, or t

<400> 41  
 gatttcactc atctcctaataat aatcaggttag ctgaggagat gctgagtctg ccagttcttg 60  
 ggctctgggc aggatcccat ctctgcctt ctctaggaca gagctcagca ggcagggctc 120  
 tgtggctctg tgtctaacc acttcttcct ctctcgctt tcagggaaag caacgggact 180

019CIP2 1-46 Seq list.txt

```

ctcacttttaa gccatttttg aaaatgctga atatcagagc tgagagaatt ccgcccctct 240
ccctccccc cccctaactg tactggccga agccgcttgg aataaggccg gtgtgcgttt 300
gtctatatgt tattttccac catattgccg tcttttgga atgtgagggc ccggaaacct 360
ggccctgtct tcttgacgag cattcctagg ggtctttccc ctctcgccaa aggaatgcaa 420
ggtctgttga atgtcgtgaa ggaagcagtt cctctggaag cttcttgaag acaaacaacg 480
tctgtagcga ccctttgcag gcagcggaac cccccacctg gcgacagggtg cctctgcggc 540
caaaagccac gtgtataaga tacacctgca aaggcggcac aaccccagtg ccacgttgtg 600
agttggatag ttgtggaaag agtcaaattg ctctcctcaa gcgtattcaa caaggggctg 660
aaggatgccc agaagggtacc ccattgtatg ggatctgatc tggggcctcg gtgcacatgc 720
tttacgtgtg tttagtcgag gttaaaaaac gtctaggccc cccgaaccac ggggacgtgg 780
ttttcctttg aaaaacacga tgataagctt gccacaacca tgnnnnnnnnn nnnnnnnnnnn 840
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 900
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 960
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 1020
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 1080
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 1140
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 1200
nnnacggtgg cggcgccatc tgtcttcac ttcccgccat ctgatgagca gttgaaatct 1260
ggaactgcct ctgttgtgtg cctgctgaat aacttctatc ccagagaggc caaagtacag 1320
tggaagggtg ataacgccct ccaatcgggt aactcccagg agagtgtcac agagcaggac 1380
agcaaggaca gcacctacag cctcagcagc accctgacgc tgagcaaagc agactacgag 1440
aaacacaaag tctacgcctg cgaagtcacc catcagggcc tgagctcgcc cgtcaciaag 1500
agcttcaaca ggggagagtg ttaggggatcc actagtccag tgtggtggaa ttcaccacag 1560
gatccccact ggcgaatccc agcgagaggt ctcacctcgg ttcattctgc actctgggga 1620
gctcagctca ctcccgattt tctttctcaa taaactaaat cagcaacact cctttgtctt 1680

```

<210> 42  
<211> 2340  
<212> DNA  
<213> chicken

<220>  
<221> misc\_feature  
<222> (823)..(1224)  
<223> n is a, c, g, or t  
<400> 42

## 019CIP2 1-46 Seq list.txt

gatttcactc	atctcctaata	aatcaggtag	ctgaggagat	gctgagtcctg	ccagttctctg	60
ggctctgggc	aggatcccat	ctcctgcctt	ctctaggaca	gagctcagca	ggcagggctc	120
tgtggctctg	tgtctaaccc	acttcttcct	ctcctcgctt	tcagggaag	caacgggact	180
ctcactttaa	gccattttgg	aaaatgctga	atatcagagc	tgagagaatt	ccgcccctct	240
ccctccccc	cccctaacgt	tactggccga	agccgcttgg	aataaggccg	gtgtgcgttt	300
gtctatatgt	tattttccac	catattgccg	tcttttgga	atgtgagggc	ccggaaacct	360
ggccctgtct	tcttgacgag	cattcctagg	ggcttttccc	ctctcgccaa	aggaatgcaa	420
ggctctgttg	atgtcgtgaa	ggaagcagtt	cctctggaag	cttcttgaa	acaaacaacg	480
tctgtagcga	ccctttgcag	gcagcggaac	ccccacctg	gcgacaggtg	cctctgcggc	540
caaaagccac	gtgtataaga	tacacctgca	aaggcggcac	aacccagtg	ccacgttgtg	600
agttggatag	ttgtggaaag	agtcaaattg	ctctcctcaa	gcgtattcaa	caaggggctg	660
aaggatgccc	agaaggtacc	ccattgtatg	ggatctgatc	tggggcctcg	gtgcacatgc	720
tttacgtgtg	tttagtcgag	gttaaaaaac	gtctaggccc	cccgaaccac	ggggacgtgg	780
ttttcctttg	aaaaacacga	tgataagctt	gccacaacca	tgnnnnnnnn	nnnnnnnnnn	840
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	900
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	960
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	1020
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	1080
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	1140
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	1200
nnnnnnnnnn	nnnnnnnnnn	nnnnntcagct	agcaccaagg	gcccacggt	cttccccctg	1260
gcaccctcct	ccaagagcac	ctctgggggc	acagcggccc	tgggctgcct	ggtcaaggac	1320
tacttccccg	aaccggtgac	ggtgtcgtgg	aactcaggcg	ccctgaccag	cggcgtgcac	1380
accttccccg	ccgtcctaca	gtcctcagga	ctctactccc	tcagcagcgt	ggtgaccgtg	1440
ccctccagca	gcttgggcac	ccagacctac	atctgcaacg	tgaatcacia	gccagcaac	1500
accaaggtgg	acaagagagt	tgagcccaa	tcttgtgaca	aaactcacac	atgccaccg	1560
tgcccagcac	ctgaactcct	ggggggaccg	tcagtcttcc	tcttcccccc	aaaaccaag	1620
gacaccctca	tgatctcccg	gacccttag	gtcacatgcg	tgggtggtgga	cgtgagccac	1680
gaagaccctg	aggtcaagtt	caactggtac	gtggacggcg	tggaggtgca	taatgccaag	1740
acaaagccgc	gggaggagca	gtacaacagc	acgtaccgtg	tggtcagcgt	cctcaccgtc	1800
ctgcaccagg	actggctgaa	tggcaaggag	tacaagtgca	aggtctccaa	caaagccctc	1860
ccagccccc	tcgagaaaac	catctccaaa	gccaaagggc	agccccgaga	accacaggtg	1920

## 019CIP2 1-46 Seq list.txt

tacaccctgc	ccccatcccg	ggatgagctg	accaagaacc	aggtcagcct	gacctgcctg	1980
gtcaaaggct	tctatcccag	cgacatcgcc	gtggagtggg	agagcaatgg	gcagccggag	2040
aacaactaca	agaccacgcc	tcccgtgctg	gactccgacg	gctccttctt	cctctacagc	2100
aagctcaccg	tggacaagag	caggtggcag	caggggaacg	tcttctcatg	ctccgtgatg	2160
catgaggctc	tgcacaacca	ctacacgcag	aagagcctct	ccctgtctcc	gggtaaatag	2220
ggatccacta	gtccagtgtg	gtggaattca	ccacaggatc	cccactggcg	aatcccagcg	2280
agaggtctca	cctcggttca	tctcgcactc	tggggagctc	agctcactcc	cgattttctt	2340

<210> 43  
 <211> 11  
 <212> PRT  
 <213> SV40

<400> 43

Cys Gly Gly Pro Lys Lys Lys Arg Lys Val Gly  
 1 5 10

<210> 9  
 <211> 77872  
 <212> DNA  
 <213> chicken

<400> 44	
attcaccaca	ggatccccac tggcgaatcc cagcgagagg tctcacctcg gttcatctcg 60
cactctgggg	agctcagctc actcccgatt ttcttttctca ataaactaaa tcagcaacac 120
tcctttgtct	tgtttaatgc tctgcctcat gcaatgtttt cttctgattt gttggacggt 180
gataccagac	tcaatatgtt ccatgctcgt ggctctgggg tataacaaga acaacatctt 240
gctcccatcc	ctgtcataaa aggcagaaaa tttaatacag atgcataaac ctcggtctgtg 300
tgactttgcg	cataaatgac agtcagcctc cattagtgtt cagacccttt tagacagctg 360
aaatactgct	acgaactgct gatgctggct gagctcccca tgggtacgtgt ggtgcacttt 420
ccctgcgcag	cattagcagt gaaagcagct caggggtgcgg tgggtggccaa acccagggcc 480
gatccacagg	cctcctgtac ctggtcatac ccacgggcac agctgctagt gaggtgcgtg 540
cttttcagac	acgtcatata agtgtgccct gcctacatgt ctgggtcctc caaatgacgt 600
tgcaagggtt	atctcatctt ggaattgtcc cttactgacc accaagtgtt ttgagatgaa 660
tgccctccta	ggtctgggtc tgctcttgcc tgctgggtctt ttctcatagt agtccttgcc 720
agcccaagta	tctgagcagt gttttgcaat ccaaggacaa agtacccttc tgcctttgag 780
agtgtgacct	ctgtcattgg cacattgtcc gtgaaatata ttttgctttt gtcctttgtt 840
ggtgtattga	actgatgttt tcttgatcca catgagagaa actttaataa aaattataaa 900

019CIP2 1-46 Seq list.txt

aaataatgcc	tcctttaagc	atttcttttc	cctgatggaa	tgaggccatt	caaaagaagg	960
atgctttggc	ggtaaaacag	aggatttatg	ttgagatggg	cagatgaatc	aagcagtgat	1020
ttccagtttg	gattgaactt	ttctgggata	caggctgtgg	gcctcatgtc	attctgtcat	1080
catcaggcta	tcagtctgct	gctgcaaata	ctccccacaa	cgctaattgg	ttttagggaa	1140
aatcgcaatt	gttagttctt	tgctaatacc	cataaaactt	cttccatcac	ttgtccagct	1200
ccaggactcc	cttcagcccc	aggtttccct	cttgctctct	ctcccagttc	agtttttctg	1260
gatttgctat	gatttgatga	tgcattattg	acaggacaag	gggaaatggg	ttcaaaccag	1320
aggagaggag	atttagactg	gacataagca	agacattttt	tacaatgggtg	gtgaggcact	1380
gacagagggt	gcccagagag	gtgggtgggtg	cccatccatg	gagacagcca	aggtcaggag	1440
gggctctgag	cactgatgga	gctgtgggtg	cccctgttca	ttgcaggggg	ttggaccaga	1500
tggcctttta	agatcccttc	caactcaaata	gcttcaatga	ttctgtgatt	ctattggggt	1560
gaagcatgcc	aactaagact	ttccactctg	gaaaacattc	aattcagttc	aacaacattt	1620
tccagcaaca	gtgagaaaagc	actgcatata	ggtaagcact	gataacatgc	acatggagga	1680
aatcctgcag	cattctctct	tcaggtttgt	acagttgccc	ttttgcccac	aggaattttc	1740
catggtcctt	cagcaggcac	ctgtcacaca	cttactgga	aataatgaag	ccgagggcgt	1800
acttcacata	tttaaacctg	caattgctgt	tgataaagaa	gcattctttg	tggctcactt	1860
gtgtaagtgc	catcaagatt	tacaaccctg	acaccagagc	tggaacgctg	gttatttcaa	1920
agtagggggg	ggctaaacca	aacgtgaatg	cacacagcca	cgcacacaca	gatcagggtg	1980
ccatccaagg	gcagaagggc	cgcattccat	gagcacgatg	cacttctgcc	ctttgctgct	2040
gcccagggtga	gtggctgtgc	tcctgctccg	tgcttcgtcg	agtgtgtggc	gtaaaaacac	2100
aacaaacatc	ctcagactgg	aaagagctgt	gttctacaag	gacttattta	ctcctagagg	2160
gatggtgttg	aaaagacttg	acatcaaaga	ctatcactta	tggggtaata	ttttagcaac	2220
agaactgagt	gggtaagaac	aactgtggga	acagctccgc	gctcgggtgct	agtttatgca	2280
taatgaaagc	agtacacgt	acgtggtacc	acgacatcca	ccattgaacc	tccgaaacgc	2340
tgcagaatca	caaattcttt	tactgaatgg	aagcgagcgt	ttcccgcagt	catcctgaac	2400
tgagatgcaa	ttggaggggc	tgagcggctg	cagcagcggt	aggggagttt	cacctcgctg	2460
agccctcccc	ttattttcagt	gctgtttgtg	agctgcacgc	aggagctgcc	gccagtccgt	2520
gccagctctg	cggccctgct	tccccggcac	cttgcttata	tctgagcacc	tgtccttgct	2580
catcctgtga	atcacggaga	attgctttct	cttcctccct	ttcatttcgc	gcgtccttct	2640
ccacccgggc	tgtaaccctc	ctgagaaaaa	acgtagtacg	gaatcgatgt	tgtaaacact	2700
cagcgtggca	caacgttttg	cctgaaatcc	cttttgctctg	agagtcacac	actgaattgc	2760
aagttgttta	ttcaggacat	gcactcacgg	attttaaacac	taacgaagga	gatgaattgc	2820

## 019CIP2 1-46 Seq list.txt

atttgtgtca	cacttcctat	tcccttcttt	actccagacc	ccactgcact	gaaggtaagg	2880
gacagatcct	tcagggtttt	ttttttttt	ctccatcatt	tctttcctca	aagcagtttc	2940
cgtataaatc	attactaatc	gcattgtgat	cgagcgtttg	aaagccctga	gtcatcccac	3000
agcctgagca	atatttgcta	cagatattac	cgagtgaat	ggccattttc	atctgatgg	3060
ttcaaaaaa	aaaaaagat	aataataata	ataataataa	taaataaata	gcgcagcatt	3120
cagttgggtg	ccaagttatt	gtcacgggta	ctgcagcagc	actgaggatg	tttcatggg	3180
atttacatca	ctggaggctg	aaagggcact	gcaggcggtg	accgcgctat	tcgctgcccc	3240
atccttaagc	tcttctttga	catctgctga	tggtcgggtg	tgggggaagc	ccggggctgt	3300
gggggtctcc	tggtcatctg	cctgctgata	gctgtgctgc	tgagggtatt	tctgtgagca	3360
caaggctgca	tcgatccaca	gggcgactgc	agtgccctgc	ccgtaccccg	caatttctgc	3420
tctcgggagc	gcacccaca	ctgcgggtct	gatggcgtaa	catatgccag	cgagtgttta	3480
ttccgcaatg	catttctggg	tgtatgaaaa	taaatctctt	cgctcactga	gtggtgaact	3540
tcaactgtct	tatcaacctc	agggactgcc	tggagatgga	aggtggttgt	gtttggcgct	3600
ctcctcttct	cttgctagca	agggcagcac	ttttttttt	aaactgggag	gatttaccag	3660
ggactccttt	ctttcaggta	aaaagaagtc	acatttagca	gagatcttca	tctccacggt	3720
gggtaatttg	ctgaagagct	cgcttcagc	aaatacagtc	tatttcctac	agcctatttg	3780
ttcttctttt	aaattaagtc	tttatcgtgc	ctttgaatgt	tagtaataag	aggaagtagc	3840
tggaaatagct	ttccgaatgt	tctgttttgg	ttaagttcct	ctgtgatgta	tccttaagca	3900
gagggaggga	tgcacagcag	aagcgcagag	gttcaatctc	tgaggccctg	agctctttct	3960
ctccagaact	cattgagttc	tcaccttgct	gtgccctgcg	cagcgctcac	atcacagccc	4020
accgggctcc	agctcagaca	ggaggaccct	ctctggctgt	gttccttaca	ggggatgctg	4080
cccaaagcct	cgctcctgaac	tttgagtgc	cctgataaag	cctgaagcta	tgctcaataa	4140
aaaaaaaaa	ccttcagcat	tttggctctg	ctttcatact	acgtatcatg	ctgttggttt	4200
tttttcttaa	gatgctgtgt	gattgcatca	ctgcaacagt	cctgggggtg	gggtcttaat	4260
gggaaaatta	cagggagaaa	gaacgggttg	tctgatttat	gaagaaatca	acccctccaa	4320
aaggccatga	gcttctgctt	tcttccagat	ttccaaaaga	aagccactgc	tggggatgag	4380
atccagtgca	gtgttcaggg	catcctgtgc	agacattgac	tccttaggag	ctgaaaataa	4440
agtagtggtg	ggtacccgta	ggtgtgggaa	gcctttctgc	agccacctgg	tctgcctccc	4500
aaagcagagg	atgggatggt	ttccctccg	ggcagcacca	acagaggggt	ggcagcaggg	4560
tgaggaagat	gattggcccc	tctgctctgc	tcttggtggg	accacatgca	gtattgcatc	4620
caggcctggg	gccccagcat	gagaaagacg	tggaaactgt	ggagtgggtc	cataggaggc	4680

019CIP2 1-46 Seq List.txt

catgaagaca atcacagggc tggagcacct ctcttatgaa gaaaggctga gggagctggg	4740
cttgttcagc atcaagaagg gaaagctgag aggacacctc attggagtct tccagtactt	4800
gaagggagct tgcaagcagg aaggggaaca aacttctaca tggctctgaca gagatagaac	4860
aagggggagt ggctttaagc taaaagaggg aagatttggg tgagatgttg ggaagaaata	4920
ctttactcag aggttggtgt gacactggca ctgctgccca gagctgtggg tgcccatcc	4980
ctgtacatga gctgaaggcc agattggatg gggctctgtg cagcctgatc tgggtggggg	5040
cagccagccc atggcagggg ttggggtaga tgggttgtat ggcccttttc aacccaaacc	5100
attcaatgat tctatgattc tcagataagc ctgcctgccc acatctgagc tcacggtgct	5160
cgctgggggt ggggtatggg aactaaatg atgctcagag gactgcacgc aggacctgcc	5220
gcagacgttt atcacctcac ccaccactta gctgctgctt gtagttaatt acgtcagctg	5280
tcactttag agaatccttt gagatccttg ggcctccgga aatcttggct gatgaaagga	5340
agggtcaga gtcatagcgt taatttatta ttcattaaca ccaaagtgtc ggctgtacgg	5400
gcagtgggct cacagtcaaa tagttaatga tcttaagtga caatgtgtca ctttgcagac	5460
agcagagaga acagctctcc taaggagagc agcatctttc caattctgca gccattcagt	5520
gccaaagctcc tctttgggac gaaagtgaag atgaggaagg caatgaggat gaggaggggc	5580
ctcaaggaac ctggctggct tggagacaag tgatgatccc agctgctctc agggctccag	5640
cggtcttcaa agggcatctt gcaggggctg tgtcctctga acagcaaac ccaggtcata	5700
gaggggaaag tgtgagcaga gatgggacaa atctcccatc ctgccacgga gctgcactgc	5760
taagggggtg atggggagca gcatgggacc ccagcgttcc ccccatccct gcaccaggcc	5820
cagctctgcg ggatggcgag gaggacaagg ctctgtcaca agcatcgctg gcaattatta	5880
ttttgttgtt gctgctcaat aaaatcctga cacagtacaa cacaatatcc tctcatcatt	5940
actaatctaa ctctccctcc aggaaatttc aggcaggaaa cgttgtctgc ctgccgaggt	6000
gctttatggc actgttcttt agtggtacct cagcacttcg tgtcattatc tgggtgtcagt	6060
gaatttagga aatgccattc aattaccccg caaactgatt aacgcattgc gtgcagttat	6120
tttgttctgc tctattttat atcagttcct ctgttttatg tatttctcta cttgttgctg	6180
gccagaacac acctcgggcc agtctagacc ttgctgttga tgcagctttt cccagggct	6240
tcatacagcac aaatggtttg tcaacgtggg gaaaaataaa attatgcttt aaaataaaac	6300
cacctggaga tgctgttctg gggctctggc gtgtcacagc tattgcagcg atggagctga	6360
gggattggga tgtgctgggc cggatcctca gcgctttgct ataagccaaa taattccaga	6420
cacccttctt ccctcagata tcatactgtgc ttaagcagca ggagatatgc aggcagcgat	6480
cagatagctg agctgcaagg agaaatatca caagagcgcg gcttagagca ggggctttgc	6540
tcgctctaaa ttgaattccc atcctcatag gagatccagt cctgcccccg tgtgcatcgc	6600



## 019CIP2 1-46 Seq list.txt

tccggttaaca	gcaatgtggtt	ttgctccatc	ttgcagaggg	tccagaagct	ggggaaagga	6660
aatgtgtcgt	gcgttcgtcc	ctgcagcagc	tcggcccata	aaattaatga	aaatcttttt	6720
taggtcatgg	tagattacag	atttctttga	gatagagaat	ctcaagagca	gaggagaaga	6780
ttctcagaaa	atagcagtga	tatgagatgg	cataacgctg	agttggaaac	tggggaggat	6840
ttccagggtt	actggaaatt	tacttaagca	cgagagaatg	catcgtgtga	ctgccagtgc	6900
ttccccactc	acatggctat	aaccttcttg	catacaatta	ccatcttgga	acttgaaata	6960
gctgaaagag	ttttatttga	tcttttcaat	ggatcttaca	tctgcagaaa	aaaaaaaaaa	7020
aggctagaaa	taatcctgca	ctcaaaactca	ctttactgaa	ccaccatcat	gaaactccag	7080
caacacacag	ggatttgggc	aggcgtgttc	atcttcctct	tcccatttgc	aacatgtgta	7140
tggcatttcc	tgaagctcac	tcctccaaat	gcattgagac	agttgttttt	cattcttcct	7200
aatgcctgca	tccacccatc	tgctgatcgg	caattatttc	tatcccatc	ccttctgttt	7260
cttattaatc	aagctcttta	tgcaatccca	cgtaacactt	tgcccagctg	ccctgcccta	7320
accactacca	attatctcat	cctgttttat	agaccctgta	gcaagactct	ggccttgctc	7380
ctcttcctct	ccctgataga	gcttttgggtg	cagggtggc	tggctcctca	ggtgttcaga	7440
ggatcagagg	tctcccagaa	ggatcttggt	aatcaaggac	aggtgctggc	tatatgggag	7500
gatggcaccg	tatcctaaag	ctctacaaga	aggagacgga	gctcagcctg	ggaggacaga	7560
gagaagcagc	agcacagggt	tcaggatcca	gggatggcag	acctgggtgt	gggctcatag	7620
gattgaagaa	gggatagggt	gtgctcctgt	agcctcactg	cagaagcagc	actgctatct	7680
ccccagcgaa	gctgtgtgtg	ccccatccct	ggagggtgctc	aggaccaggt	gggatggggc	7740
cctgggcagt	ctgagccgga	gggagcagcc	ggccacagc	aggggttgga	atgggggtggg	7800
ttttaagttc	ccctccaacc	aaagccattt	cttgatctct	gttggtggct	ggtgcaagtt	7860
ctgaggaaac	ctcatTTTTca	gctcaggcgt	tcttgtccct	ggggaaaaat	caatattaat	7920
gcttcagtga	ttactgctcg	ccttccaaat	gtgcttctga	tcagttcaag	aaatctgaca	7980
gtcacgtcgc	tcaggatgct	aagaatacaa	cagaaacagc	tttgaaagga	acccttcaac	8040
tcttgatatt	tgtgaatgag	ctccaaagaa	cattactcat	ttatTTTTca	ggaaaatgat	8100
ttcattgaca	tgaacaggcc	aaagcctaca	agctctgttt	tgtgactgca	gctccttaca	8160
ctttcagctg	cattttcatg	atttatgtgc	ccatgatgag	acttgaacac	ctcccaggat	8220
aatgggaaaa	gcagttctga	tttccattt	aaaacgtagg	ctgcctttta	gccatgtgtg	8280
tggctcaggc	tccttctgaa	gcacaaaggt	gttcacccc	tcgctccttt	ttcattacaa	8340
ctttcaatca	aaaatgtgtt	ttatgagata	tttgTTTTgc	catgtatctg	tgacggagtt	8400
gaaccctta	gtgaaacctc	tgttcttcac	ttagctgaga	ggtatttctt	agggaatgtg	8460

019CIP2 1-46 Seq list.txt

atgccctaaa	tttattgtgg	tgtaatagaa	ggggggatgt	gtggactcac	cttctgtttg	8520
ttgtggctgc	agtggtttta	tgcactacct	gagtattaa	caagcccttt	tcatctgcac	8580
ggaacacctc	ctgcttgcca	gtgggatgaa	acaacaacaa	caaagattta	aggtttgcta	8640
ttctcaatgt	ttcttaatcg	ggttcacatt	gattgccaac	agatgaataa	ttcctccttc	8700
tccatggatg	tacctcttaa	acttgtgaag	tcttaggtaa	cgcttttctg	ctgtgatgac	8760
tgtttcagtc	ccctcagtga	gaaatcaggc	gcaccagtaa	gacacaaagg	agaccgtgga	8820
gatgttcatt	gtgccctcag	catctccaaa	aggcactgct	gcctgccgag	ccccagactt	8880
cgctcctgta	aaagcaaagc	atgtccaatt	ctgctgtgcc	ataagagtcc	tgtggagccc	8940
agacacggcg	tagcgtgtgt	aacatagcgt	gcacgagctc	aaacgctttc	aacaaatcag	9000
cttttttgct	ttgccaactt	ccatatgtaa	tttcacaaca	tctagtattg	agacagtgct	9060
gttgtttggg	cagcataaat	cactcattgt	acagcagggc	gcctctctta	acaagttggg	9120
tgtagtccat	gtttttgtct	aattcctctg	cgcatctctc	taacaaacaa	ctattcttta	9180
gggctcgact	caataatcaa	tacatttttt	tcagtttaca	gagcaaataa	ttacttgacc	9240
tgatgacttc	acaaggtttag	ggagatgggt	gtataaagtc	tgcagtgtga	aggcagagca	9300
acatctctgc	agaccttgag	agcaacaggt	ctgcaagtaa	caggctgcac	agccacctct	9360
gccatggagg	caatgagagc	tgctgccctc	cttggattgg	tgcttctcag	ctcctttcct	9420
ggtaagttgt	ttttgttaca	ttctctgctt	atatctctac	tcctactgaa	ctaaatgtgg	9480
ttcaggatgc	ctttagaatc	ctaaaagaga	gctcagcctg	ccggagaagt	gatggtttgg	9540
taaaacatga	gctctcttct	aatgatcttt	atccttgtgc	aaatatttac	gtaactctag	9600
caggatgcct	ctgtctgaca	taaactcatt	atcctcagta	agtctcatag	cactcgagag	9660
agaaaatgta	taccctatft	cttccttagt	gagtcaaagt	ttatatfttc	acccaaaatg	9720
gctatftttt	ttaatcatag	gatatagctt	gcttatagga	actggataaa	atatttagga	9780
aacaagtaat	tctcagtgat	aaaaaagaag	tatgtgatga	ctctgtaggg	aaattgataa	9840
ttccagagga	attgtaacca	aggacgccgt	aacattctgt	atftttataac	ctctgtfttt	9900
tccagatatt	gtttctggtc	atcaacgggt	gagtagcaga	tctgcatcat	ttagtgtgg	9960
tttctatgaa	tagatgaata	attcatactc	acaccatatc	ctacggggagc	ctagagggag	10020
aaaaaaaaaa	aagaaaagaa	aataacaagg	gaaggagaaa	aaggggcccc	aggaattatg	10080
tgacatfttt	ccccagcaa	ataagaaaac	atctttgtca	gagaaagata	acgtaccacg	10140
ttggtgataa	gagttggcaa	ttaataatgc	agagtgggag	ccggcgtagc	acagcgtgcc	10200
agcagaaaat	ctgcacagct	tttccctaac	tgctccata	tctccctgc	ctgattccct	10260
gaggacccat	cagtcagtcg	tgtgtctgcc	atgccaaaag	cctcagtagt	gacactgtgc	10320
tcaggcatac	tgtaaggaac	gctgtaattt	gctcccactt	cttcaccgtg	gaggagtgc	10380

## 019CIP2 1-46 Seq list.txt

agagaataaa	atgaccgcct	gcagcacggc	tatgcgtgga	aaacacaagc	agacccttcc	10440
gtgccctgca	gagctgtccc	acttgtgtctc	ttcccaggcc	tcctgcggtg	agtaccggct	10500
gttaggcagc	aggaacctcg	cctgttccag	gatcttccag	cccgtctgtg	gcaccaataa	10560
catcacctac	cccaatgagt	gctcgctctg	cagagaaatc	ctgtgagtag	cgatcgcccg	10620
attacccatc	gtgatggctc	agggtggcaga	cagaagcctt	ttgaattgtg	actaatcacg	10680
gggtggattcg	atTTTTTTTt	cccctgtttc	tgtcttccca	gagtgccaggc	tgtgttttctt	10740
ccttgtcaaa	actcctgagt	ctaattaatt	agtggggctg	ggcgtggaga	ggcttgatga	10800
gtgagggtgac	tgcatggcac	caccagggtta	acccttcccc	tccttctctc	ctagccggag	10860
tgggacgggt	gacaagaagc	acgatgggag	gtgtgtgaag	gtatgggtcc	agctcagcca	10920
ctgtgtggag	cgatggcaga	atcccttccc	agcactgatt	gtacatttag	aatggacagc	10980
tccaaaccca	ttggaaatgt	aacagaaagg	aagaatttca	ggtcttttat	atatatatat	11040
atatatatat	atatgtatgt	attaatttca	ttttgaacag	tgcaaatctg	tttcaacggt	11100
gagttttgag	atgttatctt	gtgtagcaca	gctgacttaa	aaacagaatc	ctctcatttc	11160
aataatcctt	tgggtgtgtt	gaaatagttc	ccttttagact	tagacagaag	tctgttgaaa	11220
ttaagaagtt	cccccaaggaa	gtctggattt	tgactaaatc	ataattttgt	aacagggaaa	11280
aagaaaaaaa	aaaaggattc	catcagaaca	tctaccctga	ggtttgttta	tcaatacacg	11340
gagctgccac	gaagtggaga	agtgtctcta	tttttagatt	agagagataa	tgtaaagaaa	11400
cactccggct	gtgcaattga	acataatgct	acaattttca	cttcagtaca	ctcagagtaa	11460
tggcaggaac	accgagggtga	gcatcagctc	cattttcaag	tggagcagac	atttcacagc	11520
agcagttgct	gccatgtagg	gcatgttagg	cacagatcct	atgtgggtggc	atttgggggtg	11580
gaaagcccta	agatgacacc	aacaaaaccc	attctgtgaa	cccatttcct	ccaggattct	11640
gctgggctca	tgtcctcaaa	ggcaggactt	cacctgcctg	tgctcccttg	cccgcactgt	11700
gctgggttgg	aagctcacat	ctccatacag	ccccactcac	cgtgagtctg	ggggtgggag	11760
acacctctca	caccatgcac	cattacacag	ggctgacgga	agtgttggtc	tgtggctgtt	11820
tcaggttgat	tgcactggct	acatgagaac	aactgatggg	cttggaacag	cctgcatcca	11880
gcagtacagc	ccgctctatg	ccaccaacgg	gctcgtctac	agcaacaagt	gcaccttctg	11940
ctcggcagtg	gcgtgagtgg	tgggtcacac	cctgggtgct	ggggtctggg	tgggtggtgtt	12000
tgcagcatat	tgaggcttct	ggagtggctg	tgtgtgtctc	attcattctc	aacttgcttt	12060
cttccccaaag	gaatggagag	gacatagatc	tgctcgtgtg	tggaaaagag	cccgaggtaa	12120
agctcgaaag	tctgcgctat	gaactgttgt	tataatatat	tatacagcac	aaattcagtg	12180
agtcagaact	acgcaatagc	aatgtcttca	ctgtgctggg	gtatttgtcc	tggaaaaggg	12240

## 019CIP2 1-46 Seq list.txt

gtttgaggaa	aatgactcaa	gatatgccagg	gtcagaggac	gatgaacaaa	actcctggct	12300
cctgtgtcag	tatcacctgc	acagcccctg	acaggggttg	atgtctcagag	cattgttcag	12360
atgggtggctg	tgccagaggt	gctcaccgct	cctggtgagc	gtggggctca	tgcagcacca	12420
gctgtcatta	cttgggtggg	tggacttcat	agtgtgctgt	tggagacaca	ctgcttcctg	12480
gcagcccctc	tctgctggct	gctgaaccag	agcagagcag	gtagcgggcc	gccagccggg	12540
gagcactgct	ttggctgtgt	cgctgcttct	gagggtatct	agtagatctt	tccctctgac	12600
ttctcctttt	gtgctctgct	gggcaagagc	attagaatct	gcagagttgc	tagaacaaca	12660
ggagcctgca	tctgaaaaaa	tgtttttttt	gctttgccat	gacataaatg	taaagcgccc	12720
atgtaggaaa	atacaccaaa	caaaggcttc	tcaatacgtt	cttgctccat	tacctacaga	12780
ttgactgcag	tgaattcaag	agcactgatg	cctactgcac	tgaagagtac	atgccccttt	12840
gcggctctga	cggcgtaacg	tatgggaaca	aatgccactt	ctgcattgca	gttttgtaag	12900
tacagtgctc	cccatgcagc	catgaaacca	ctgctgtgcc	ggagtatgaa	ggcagaagct	12960
gccaggaagc	ctttgtgctc	ccgttatccc	cttggtaaat	ccgtcccat	ccccaacctg	13020
atcccagctc	tacctctgct	gtgccttccc	caagcactgc	agatcttgaa	cacaggtgag	13080
tcttctccct	ccctcaccat	taaattcaga	ttctcatttg	cgggctcata	gcgctcctga	13140
tccatccctg	cgagagtaat	ttgagtggta	actgtagaag	gagtatccaa	aattacaggg	13200
tttgtcccag	atctctctaa	catgacaaaa	cgtgtaacct	ggggaatcag	gagacgggtg	13260
aagggtgcaac	tgggacagca	tggagcattg	gcttgcccat	gcaaagtcag	cagtggcacc	13320
atcagggcta	taaaaccacc	ttccatgtca	gtgattttgg	cctcctcctt	tctctgcagg	13380
aagagtcattg	gatctctgtc	tctgcagcac	cgtggagaat	gctgaatgct	ggatcgtaac	13440
ctttaccctc	atccatcttt	cacttccaaa	gcctgcaatt	ccaacacgct	cttccccgct	13500
ccctgctgta	cattgctttc	tgccttgacc	cgccagtaaa	tcacagacag	caactctctt	13560
cgccatgggc	tgggtgtgta	tttattttatt	tattttattta	ttgttggtat	tattttttcc	13620
agggcagagg	taaaagtctt	caggctttca	ggcacttatc	tgtcaggcag	gagaagtctt	13680
gaaataaacc	acaataaagg	ccaaagtgca	acacccatca	cacaaaagcc	ataagccctc	13740
acgaaagtgc	gtcaccccat	tccaaaccat	cagaagagga	aatgttgcta	taaaacacat	13800
gctgctctcc	ccagtctctg	gtcttacagc	acataaatgg	atgttgctta	agagtcagga	13860
tgtggccttg	tagaagcacg	gagccctgga	ggaagcagtc	cttttgggag	ccttggtatg	13920
gaggaaagat	ggctttgata	cacctgagca	aggggcaagt	ctggcggcac	gttacaagga	13980
ggcttatggc	aaagggagga	gactatctca	cagggaagaa	aattaggaac	tggtgcttcc	14040
ttgaaggggtg	tgtcccttga	gagtgtggtg	atcagcagaa	aattgcagcc	agctgggcaa	14100
ggctgtaatg	agcctaata	ggaccagagg	agaaaccaga	ttgggctcag	gcttcttgga	14160

## 019CIP2 1-46 Seq list.txt

```

aaagagatct gaaaagctgc actgggagcg tttgaggcag aggaaagaga aaggactctt 14220
caggaaaagg tttgggagtc ttcatgccta gaaaagaaag gacagaagga gtgcttggtta 14280
gctccaaggt cgtttctgtc tgcagtgaaa ggtgatgtgt ggatgatgagc tgtgagcggtt 14340
cacagtgatg tgccatctct ttgggagcgt caaggaatga gtatgcaaac aacaggtgaa 14400
aagtcccaag tgcctccact catgccacct tccccttcct ttctccacct cccatcctct 14460
cattacgtag gaagacattc agctgttcag gctgatattg aggacaaaat ctgtgacttc 14520
caagcttttc tctggcttta tttcctgaaa taggctgtat cttgacctag aaatcttatg 14580
ggtgcttcct gccagaagat gggaagctgt cctttaatag cgtgtcaggg cagtgtccg 14640
tcctaggaag acagatggaa ctttgaaatg tttattctat tagcacaggc agtataaagc 14700
acagtgtgcc tctgtgcctg ctggtgagaa aaggcaagct gcagagccgt gaggggtgctc 14760
cctgctaate tgcctagaag ggaaaagagt agacaagaaa tagcatatgc tactactgaa 14820
tgtgagcaga agacctttag tgaaggacac agctcagctg taatgtcctg ttggccagga 14880
ggtttggtga gttatcgag agcggtagag ttctggtcag agcaggaagg tgccttcaac 14940
agcaagatcc catggtaggc ctcttctgca gtgtgtggtg acaagcctgg tacctgtcta 15000
ggagcaaaaa aaggcttttg aaaagctcaa agaagggtg atgtcttaca gggaaagga 15060
gggcaaaagg caagtgcaga gcatatggct gtacagacaa aaacccttca gaaaatggaa 15120
aagggtttta tcaagtaagc ccagaagttg gccagtgca ggtaaacact tggctaggta 15180
acagtgaggc tctgccagc cataccatt cctctgtaag gcaaattcca ggtgcctttg 15240
tcttgtctgg tcctgttctg ttcctatatt tctgagaaat cagacagaaac ttccccacct 15300
acagcatcaa gcagctactt tataggtgaa gaagtgcata gagaagcaat aaggataatc 15360
accacttggc taatttagtc tcttcctctc agcccacaaa ggactgggtcc ctgtggtaca 15420
ttttctaagg cttttccag tcagctgtgc ttagcaaat gaaatgtttg gctagataaa 15480
gagctgaggt attagtgtg gggcgagcag cagtgtctgg agcaagaaaa ggcaaacgag 15540
ggattctgag agtggcagaa ctaagcctga ttttgatgg cgttgtggct ggcggacttg 15600
taaattatat gagaggctgt gctgtgagct caccctaata gacatctgag aactcacctg 15660
tcaatcgagg ttcctctgct gtgtgggttt tatgggtgtc agtgagctgc aagctctaata 15720
gctttccag gtgcagggca gttgtggcat tgctctccta cagaaactct cacttgctgg 15780
ctgaggatgt ttaggaagtc cttgggtgct agaaaaata tattgaagtg ctttttttgt 15840
ttgtttgttt tccattcttg tgtgaaattt gtgtggaatc acagaatcat agagggtgaa 15900
agagaaactc tggaaattat caagttcaac cccttgctaa agcaggcttc atacagtagg 15960
ttgcagttac aacatttgct ggggaaatga atatgaagat ctgtctataa agagtgttcc 16020

```

019CIP2 1-46 Seq list.txt

catagcactt	gtttcttttag	gaaagcatgc	tgaaattcta	aaggctgtgc	ctatctgaag	16080
agatactttg	caagtgggtgc	aactaaatgc	tgctcttggg	ggagagatgg	ctggagatgg	16140
atcgatgggt	gggtgatctt	cgtgggtctt	tccaacttta	atgattctat	gattctatac	16200
tctttacaca	gaatcagctg	ggaatagagt	gagagtctcc	tgattcccca	ccaaattcct	16260
ttgattgatg	cttgggtgtg	aagcagagct	ctgggacacg	ttgggtgagt	tgaaaactgg	16320
aaaacattga	cagctatagt	ttaaatagtt	cagggaggag	aggcagccat	cctatgtggg	16380
actctgcaca	cggctatgag	agcatcagtg	cgcttctcca	ccccaacca	acaaatttag	16440
agccatcctc	caaaatagcc	aggaacaac	gcataattgg	tttcacagac	aacacattct	16500
catgctgtga	tttatttcgt	aatgtctggg	gagtgtcatc	acgccgtgct	caaagcctgg	16560
agctggcatt	cagcgaggac	ccagagaatg	aaaattacca	gcttccccga	tgaatcacca	16620
ctttgaaaat	tcacccttgt	gagaatcctg	tgactattca	gaaaaaaaa	aaaaaaagaa	16680
gaagaagaag	aagaagatat	tacaggccca	agtctatcag	tcatgtaatt	agccctttct	16740
aggtttgatg	tggacagggc	ggcattccta	aagcaccata	aacacggccg	ggaccaataa	16800
tggctctaga	atcgaagcgg	agaagttctc	acaattaagg	tgaggaatga	ggccagcagc	16860
ggataggtac	ataaatacac	ggaggcaggg	ccgtgagcac	gctgtgggct	tgtggctgag	16920
acaacacctc	ccaaaccggt	cgcttgccgg	ggactaaaag	agcagcatga	aggcaacagg	16980
cacctcggtg	ctcctcagcc	tgctgctgct	gctgtcgttc	ttctcgggta	agttatatatt	17040
ctgtagccta	gaaagaaact	ttatgacgag	agcaacttca	gagagccttg	atcaacggat	17100
gacaggcttg	aagagaaagc	tgagcaagta	gaaaatatct	gcgggactcg	cttgcttgtg	17160
tcacatcttt	ccattcctcg	tgtgcctccg	cagtgaataa	cactgtggag	gtgtcactgg	17220
gagacagaat	gagcaaattg	taagcagctc	gttcagcaga	ggcaccaaag	cagagcgtaa	17280
ttatgagttt	tgggtggaaat	gtttgctgga	gagctttgct	gaaccagtta	gagaagaaac	17340
tcataacctca	gggtcatcag	ctcctgttct	gatgctaagc	acttgggggt	tgggtgttctc	17400
ctcagagatg	tggcagcgta	attagatgaa	agtttcagct	tccaaatacg	ttgcagagga	17460
gggctcgaaa	attaaattca	gatgtcctcg	aggaacccga	acaaagaggg	caaattgaaa	17520
gggtccagcg	tttattttatc	ttgaggttta	cacgtctctc	tgttgggtctg	gggagggtgg	17580
ctgatgggtt	gggggtgtgt	agggcacacc	ggggtgctca	aatgctcgcg	tgcggccgat	17640
gcgaatgtgg	aagcgttgcg	gtggccatta	ctgaagactg	cagaccaagg	attattttata	17700
cttgtttttc	tgtgaataat	ttgaataaag	aattcgcttg	agaaaatcgc	aggctgtgca	17760
tggagagaag	aggtgaatta	ctttgtacac	atcattaatt	atgaaatatt	catctgtctt	17820
taattgagtc	ttaattgggg	ctgggttccg	tcagagtgtc	aaagcttctt	tccaaggcca	17880
ggcagaatag	cagcaaactc	tgtgatctca	aataagataa	acagatgcca	agagacgttc	17940

## 019CIP2 1-46 Seq list.txt

tcacaaagtc	ttgtgtagct	gcatgtaata	tttataaaaa	ttatctaata	agctgttttg	18000
taaataatat	gcagatagcc	ctaacggcgg	cttccctgtc	cagcctagct	gaggatgtga	18060
cagatacagc	agtggcaagg	atcaaact	gaaaggcatc	gcagcaggca	gaagctgggt	18120
gggggtgatgg	atgggtccgc	tgagcgtgat	gctgcaatgc	tcccagcctg	caccctaacc	18180
aaaggggatgc	cccattgcaa	tgcgccccag	cccctgcagc	gctgtgtgca	gcccactccc	18240
tgtccccgac	accacaggat	ccatcccgtg	gctgtgacct	ggcccatgc	aaagtgtgca	18300
ggcaggaaat	agcaaagagg	atggactgat	tgtctccagg	cccagagcct	gtgcctgcag	18360
caggatatttt	tgctctgctg	ctgtctggca	ctgcctgttc	tgccccagat	cacgccaggc	18420
tatccctttg	tatctcatcc	ggatgaggct	gttctgggag	cctcggtgtg	gctgtactgc	18480
agacggctct	gatgctgact	gcgggggtctc	ctccatctcc	cctgtgtgct	tttgttaccg	18540
tactggccag	ttttgtaatt	cagaggtgca	agagcctaaa	agccataaga	ctcaatgaag	18600
ctttaaaatc	tctgctgaga	gaggctcagc	tcttacatag	ctccccgctt	ccccggcggt	18660
ggctgcctgc	caggagatg	ggtttatgtg	tctgtgggtgc	agttagcagc	tgaatgactg	18720
attacatggg	attttagtaa	catttttcaa	atagcaaaat	actgaaaagc	aattccgata	18780
atgtatttcc	taccctcct	ccaccacaca	gaacggcaga	ggagggaaaa	cctgggtgtgt	18840
gctgtgctgc	agtttgcaaa	gggatttgtg	acttcgggtc	agtcctctca	gaaaataatg	18900
ctaagtgtga	taaaatcttt	ttttttgttg	caattctagg	tgtagcagct	caagacattg	18960
aagagggttag	tgcagctctt	tctgctttct	gaatctgcat	tttctcctgg	ctctggaaga	19020
atgcttttct	aacagatctt	ggtgcattgg	tgcattgctga	actgctttgg	gttttgctgg	19080
gatcagggtg	gtcctgcaa	ggtgccccaa	tgcttcggag	tgctcacaca	gtacaggggt	19140
gttagctatg	gccacagtag	caaacaagtt	ggggatgatt	tagctgggtt	agcacatgct	19200
ccccatggtc	tgatccagca	cagggtgtgc	tgagtatcgc	cttctgtctg	ctttgtctct	19260
ccacgaaaca	aatgtgatat	caggagtgat	atactccttt	aaaccataatc	cataactggg	19320
gcttggtcaa	aagcctgttc	acttcataga	atcattaagg	ttggaaagac	cactatgggtc	19380
atcgagtgc	accactccat	gcccagatcc	ctgtgtatgg	cagccccagg	ccacgtgggtg	19440
gtgtgagctg	catggtaccg	ggcactgata	tggggctgca	tcagtgtgca	tgctctcctg	19500
ttgaaccac	tcatgttctt	ggaacaccag	agctgtctcc	tgggtggtgac	agcttccctc	19560
ctctgccaca	gggcagaaat	tccccattt	cagccagttc	tgacaggcct	ttgtttttca	19620
agtaagcagg	ccgtgcctcg	ttgctgcttt	tggcctctgg	gtgggaagaa	gatcacatta	19680
gagatcttct	ttcctgtttg	gaaagcgaaa	cccagcggtt	tattgctgtt	attatttttg	19740
atttcttttg	cagatctgca	aagagttctt	aaacaggagc	gtgttctgca	ccagggagtc	19800

019CIP2 1-46 Seq list.txt

caaccctcac	tgcggcacgg	atggcgtgac	gtacggcaac	aagtgtgcct	tctgcaaggc	19860
cgtgctgtaa	gtgggggacg	tgggatacgg	acccacacag	ggatgggtcca	cttccaaccc	19920
cgcgctgctg	ctccccctcac	acagagcaat	ccctggccat	agaatcatag	aactagagaa	19980
tggttaagggt	tggaaaagac	caataagtgc	atctagttca	aatggcagct	cctcaccgcc	20040
acgcttggga	atattttcagc	ttaatgttga	ttcatTTtcta	ggcttagtgt	gatgctcata	20100
gccgtacaga	gatggcacag	agcctgggag	gccattgtac	ctgcctgtac	cttctgcgtg	20160
ggctaaattg	atgcacattt	tcctctgtgt	gccacaggct	gaagctctcc	ctgtccacac	20220
ctctggatgc	tgaagtgtgt	ggaggaacgc	aggcttatgc	atgccaaatt	attagaggaa	20280
agtcatagac	tcgtagaatc	atagattcgt	ttgagtcgaa	tgggaccttt	gaaggctatc	20340
tgggtccagca	tccctgcaac	gagcagggaa	agtgtctgaaa	tgaaagtctg	aatggactta	20400
gtggaaaagt	acacaaaatc	tcagaggaag	ggctgcagtt	tctcctctcc	tgtctcctct	20460
aaaggagctg	taataggagc	caacacctct	ggactgaagg	cctgcaaaaa	ttgattttatc	20520
cttatcaatc	ctgcactctg	gaggctgcct	tatcctaagg	gaaattagag	aagagggaaa	20580
gatggcttga	tgctccctgt	gaggcaccag	agtgaggcaa	atgatcgtgc	tcggagggac	20640
aagctccctg	tcccagccgc	tgtgtctgtg	ctggatgcca	tacactgctt	tgtttccata	20700
ccgctccttt	tacaggagga	gtggagggaa	gatacgattg	aagcacatgg	ggaagtgtgt	20760
agcctgagca	ccaagcactg	atcttcgtcg	gtcacagggtg	caggagcctg	ggcacggcag	20820
cagctgtcct	catctctgcc	atatctgctc	aataaagtaa	agctcagcac	acctccttga	20880
ctggattcct	ttttccataa	cacccggata	agccttccat	gcagccgtgc	tagcagctaa	20940
aatgtttgcc	gactgtgtgt	gttacatctt	agaatcacag	aatcaggcac	catgctgcct	21000
gagcaggagc	aatgattccc	acagctcttc	catgccatgc	catgccatgc	catgccatgc	21060
catgccatgc	catgccatgc	catgccatgc	catgccatgc	catgccatgc	catcccatcc	21120
catcccatcc	catcccatcc	cactgacaaa	tggacacatg	gccaccagc	ttgactgtcc	21180
catgggtggg	tgacagcatg	caacgttgcc	tctcagcagc	ctccccatat	gtgtccctct	21240
cgctgagggtg	tgagcatgaa	ggtggcagag	agctatgagt	ggtgtggctg	tgatgcctc	21300
atctgcttgg	gaagccagaa	gcaaacaggc	tgaggctgag	gagtgttgct	gcatgtaagc	21360
ctgcaccggg	aagggtggcag	gggaagctgg	ctttaggcag	aaacacaaag	gctttgcttt	21420
ccttggtgtgt	cctaagagag	gactttgcct	caaagactgt	caactcgcca	gcatcagggtt	21480
gcagttgcac	acaaacttga	tttctttctt	tagttttcac	actgctgctc	tctctctcct	21540
tgatgctggc	tggaaaatcc	ttctttgctg	cagcgaggga	aaataaagcc	tatagtctct	21600
ccccattcgc	tgtacaaaat	atacacaggg	aaatgcttgt	ggcatcccct	cgttaaaacg	21660
ttggcagcac	atcaatggga	ctctactcac	ttaatgttga	acacttaagt	ttcaaaggga	21720



## 019CIP2 1-46 Seq list.txt

gctttagatt	ttatcgtgag	gtcagccaac	tcattttgca	aacacctcta	tgctgagcat	21780
ctcagctcct	ggatgggtgtt	tggacagagc	tgagtgtttg	cctgtggtgc	cacgctgcag	21840
gctttgaagt	gaattgggac	attatatattt	gtagccaagg	agagttgcag	tttgctttgt	21900
tccaattcag	atgtttcttt	agtaaacaca	acagctagac	ctccagaaca	tggataagct	21960
tgaggggagg	aaaaagcacc	tcctgcacga	ggacagctga	tcacaaagga	ccccagtggt	22020
cagtgggaga	accttcatca	tcctctctac	cgcctggatc	aggatgagcc	ctgcataccc	22080
tttccaactg	gagttaccct	gtgagccaac	ttgtggctct	ggagtagtgc	tgtatctcaa	22140
tacagtttct	cagatgggaa	gaggcatttc	aatgagaggg	gggatatggg	acatttctat	22200
gcctgagatg	gctctcggag	actccaaaag	cctcacggcg	tatccccatg	cctaattcctt	22260
tttaaatctg	aggctgaaat	aacaaggaca	gatcacaaga	gaacagaagc	ggcgagactt	22320
ctctgcttta	taatcagcct	gcattttgct	ctttcagtgc	aaacagcaaa	tagaaccgcc	22380
tctgtacccc	tccagaccca	accaccatcc	ccagcaacac	tgtggcaggc	tggagaaggg	22440
tggctctgcc	cctccttgcc	tcaactgggt	gtgtcagcac	gaccataacc	agagctctcc	22500
ttggccccag	ctgggcttat	ccatgtaaac	ctctcagtgc	cccaggagct	ggctggtggt	22560
cctgtccatt	tcactttcct	ccagcagggt	ttccctttaa	caagcatcca	agtgcctgga	22620
gcaggagcag	gactgcaga	agatgagctc	aggcaaggac	atggcatgtg	gggatccatg	22680
ctgttggtga	atgcagatga	cgttagatac	gtgcaaagca	gatctcagca	atcacccaac	22740
gactcataac	tgcaatcatg	gaacgcaatt	gcattctggaa	gtataaaaagc	acagtgatac	22800
caggaagctc	ttgttaatgg	cacagccatt	ttggagcaat	ttgcccagggt	ggggagagcc	22860
ctcacagcgc	cttcagtcac	agggagtggt	gtgagtgtcc	ccatggctgc	tcccagcccc	22920
cagccctggg	tgatgggggt	cacttggtctg	taaccctctg	aacacaggga	cagtgcagaca	22980
gccctctggc	ctggctgagc	tcttggtctac	gtccagctgc	agtcctgggc	acatactgaa	23040
ccagaaagca	agcattcagc	tggtattttt	cctttaattt	ccttcctcca	cattttaagt	23100
tgtgggattt	tttttttttt	tttttgacag	ctttgagaga	tgagtgagtc	acgaagcact	23160
cgagatctct	attagataac	agagcatctc	tgcagctctt	cctggggagg	gagttccttg	23220
gaccaagggc	caaggctggg	tgagaattgt	cccagcatca	cagtggctgc	tccatcacct	23280
gacacagccc	ctctgcagtg	aaacaaggga	agcattacat	ctttgcacgg	ctgctttcac	23340
tgaacaaaaa	gcgctgcttc	acagctgagc	accatgatga	aggggaagga	gcattctccat	23400
gatgaagggg	aaggagcatc	tccacatctc	catcacgagc	tctgctctgc	tgggtgatgcg	23460
gctgacacca	tgggtgtgcc	tgactcctgg	cccatttaac	tgctgtgcac	cagtgcctcc	23520
tccccagcat	agccctgtgt	ccctgccaca	actcattgca	atcctttgtc	ctacttcttc	23580

019CIP2 1-46 Seq list.txt

ccttgacatt	cacagctctt	gataaggctt	tttgagccac	tcctggctga	tgtgggctgg	23640
tggttcctgc	tgcagggttc	ccaccacca	gctgggcagc	attcggttgt	tgttccagtt	23700
cccaggggat	tgggacagat	tggaagggtc	tttgggactg	tggaagagta	tctcctgaag	23760
tcagggcaga	ctgctcagcg	ctttgtccca	tccagacttg	aaaacatcca	agggtggaga	23820
acacacagac	tccctgggct	gccagtccca	gagtttgact	gtcatcacgt	tgaagacttt	23880
ttgccttgtc	tccatttgca	acctctttcc	tttcagctgc	cccatctctc	agccatgcac	23940
cactggggag	cccagctctg	tctggtcagg	aacagagccc	ttacagagcc	acagcatcct	24000
cctgaagtgt	ccatctcacc	actcagcctc	agcaagtgtc	ccagccctca	actcccatth	24060
tccattatct	ttctatcact	ggatatggga	gggaaggcag	agctgtgggg	ccaagagaaa	24120
cgattgctca	ggaggcagtt	gggagaactt	tattgcaaag	cactgaagag	atataaagtg	24180
acatttgacg	gaaaaagtag	aagggtatct	gtgtgtgttg	gttcctttta	ggattagaga	24240
gcagctgagc	tttgggatga	gagggtctcc	agatgctgtg	aatcagctaa	cagatccctc	24300
caccccgctc	ttgggtggtg	agttaaatag	gggccagggg	gaaacatcag	ggttggtttt	24360
ctttttacgg	actccagagc	aaggagaagg	tgaggggggt	gtgctttgga	atgggagtga	24420
aagagtttgt	tggtgttttc	ctctccccag	aataagtagt	gtggtgtagg	agcgtctcat	24480
aggagtagct	gcgttaattg	tggctggtgt	tagcatccta	taatgttgct	ccagaaatgc	24540
tggagcaggc	ttataatgat	gtgtatgtat	taccataata	catgaaggga	gaatgggggg	24600
ggggggggta	gatttaagat	gtatgccctt	agaaaggcgg	gtgtcactta	aagaagtact	24660
tgctttatag	ctccagtgat	agaattcatt	gagatactct	gaacctatgg	ggcatgaagt	24720
gaccagatct	tcagtttggt	cagctctggg	ggtttctggg	gggagcgggg	atagagcctc	24780
aatccaggtc	tgaagacaa	ggctgagatg	tgctgggcct	ggggtgctgc	cctgagcaac	24840
gtggggctgg	ccctagagag	cagcattagt	gcctgcagca	gggctggccc	ttgtgcccag	24900
tgtgtggggg	aagggtggga	acgtagggtg	tgcataatgt	ggtgcttctg	atctaaaact	24960
gctctgttaa	ttgggagtga	ccagagatgg	ccctatggct	ttcttcccaa	agagctctgt	25020
gtccttctct	gcagggtaat	ctgtgataaa	aacatcgctt	atgctctgcc	ctgcagatgc	25080
aggggttttt	gtcatcctcc	ttctcgagac	atactctaata	ccttacgcaa	gcagggagct	25140
ccaagctttt	ggtgataacc	tctcaaggag	gagctggaag	ggcagctctg	ccgagcagtg	25200
actgcgctgc	acggggcgca	tcctgcagga	ggcgggtggtg	taagcgggac	tccgctcgth	25260
cccggctatg	gggctcccc	tgctgaccgc	cgggcgggtg	ccaggagacc	tcggggccgc	25320
tgctgcccct	cggtggtgct	tttcgggaca	gctttcagga	tggggcagcc	cagctgctct	25380
cgcggggaat	taagcggctc	ggtgcagggc	ggcacggcgc	tgagctgccc	cagcaaagcg	25440
ccgctcgtcc	cgcggcacct	tcggtagatg	ctctctgctt	ggcagctcct	tggctgthct	25500

## 019CIP2 1-46 Seq list.txt

cttggccggt	ggccacccca	gcatcgctcg	gggctcggtg	ccatcccccc	cagggcctgc	25560
ggaggtgccg	gtgcccgtcc	cgggggtggc	ggacgggagg	tgaggtaccg	atgctgggag	25620
ctgggtgctg	ccgcagaccg	agcggcgctg	cgcggctccg	gggcgctcct	ggagtgagag	25680
ctgagcaacc	tggtagaaaa	ataagtgttg	tcccgtagata	aacgtcatcg	tgctgagctc	25740
tcagactctg	ccagaggcct	gaatgaagct	gcgtcagggg	agaatcaggt	tggggctaag	25800
gaaaggtcct	gccccagagg	gcgggtgggt	tagaaggggt	gcccagggga	gtgggtgcag	25860
tgctgggctc	ccagagctgg	aggagcgtct	ggacagtgtc	caggtttgga	tggtgggtgg	25920
ttttctgaag	ggacggattc	tgggctcggt	tatcctgagg	gtcccttcca	acttgggttg	25980
ttctattcaa	tgaatattgt	ttatgttcat	tctattctat	gatcttggtc	aggctctcac	26040
tgctgcctcc	aaggggtcag	ctccccaga	gctggcaggg	cttcagccac	ttgcttacag	26100
tgctcatttc	atgcctggcc	catggcttct	gcctgagcct	tggtgggagat	cagctgctgc	26160
cagaaaccca	gccctcagca	ctccacttgc	ccagcttgct	gccttagtag	tctaacttgg	26220
cagtgggtctg	acatgacttg	agggtgtttt	ttatttccaa	ggtgccactg	acttttttcc	26280
ttccatagtt	tctggaagca	tttccttcct	acttgactga	gtcgtgctct	gtggatctgt	26340
aattatccac	cttggtctatg	tgtcctttac	gggattttat	atgttaacct	ccaagatca	26400
ttttgctgct	ctcatcttag	tggctgctgt	gagctccacc	agcaccacac	tggatgagct	26460
gcaggctgag	gccgggcacc	tctcctgact	ctgctcttct	ctgacccag	agctgtgcag	26520
ttgggatcct	aacaccatgc	agatgtcca	ggacctgcac	cgagccccag	cactggcact	26580
catctcttct	ttccaccctt	ctgagagcaa	caagtggctc	tgcaatggca	atgtaagtga	26640
aaccgggagg	gtatcttaga	gcacctggaa	gcttgcatgc	ctgcagggtc	actctagagg	26700
atccccgggt	accgagctcg	aattccaggt	accgtcgacg	atgtaggtca	cggctctcga	26760
gccgcgggtg	gggtgccagg	gcgtgccctt	gggctccccg	ggcgcgtagt	ccacctcacc	26820
catctggtcc	atcatgatga	acgggtcgag	gtggcggtag	ttgatccccg	cgaacgcgag	26880
gcgcaccggg	aagccctcgc	cctcgaaacc	gctgggcgag	gtggtcacgg	tgagcacggg	26940
acgtgcgacg	gcgtcgggcg	gtgcggatac	gcggggcagc	gtcagcgggt	tctcgacggg	27000
cacggcgggc	atgtcgacag	ccaagccgaa	ttcgccctat	agtgagtcgt	attacaattc	27060
actggccgct	gttttacaac	gtcgtgactg	ggaaaaccct	ggcggtaccc	aacttaatcg	27120
ccttgagcga	catccccctt	tcgccagctg	gcgtaatagc	gaagaggccc	gcaccgatcg	27180
cccttcccaa	cagttgcgca	gcctgaatgg	cgaatggcgc	ctgatgcggg	attttctcct	27240
tacgcatctg	tgcggtatct	cacaccgcat	atgggtgcact	ctcagtacaa	tctgctctga	27300
tgccgcatag	ttaagccagc	cccgaacccc	gccaacaccc	gctgacgcga	acccttgcg	27360

019CIP2 1-46 Seq list.txt

gccgcatcga	atataacttc	gtataatgta	tgctatacga	agttatttagc	gatgagctcg	27420
gacttccatt	gttcattcca	cggacaaaaa	cagagaaagg	aaacgacaga	ggccaaaaag	27480
ctcgctttca	gcacctgtcg	tttcctttct	tttcagaggg	tattttaaat	aaaaacatta	27540
agttatgacg	aagaagaacg	gaaacgcctt	aaaccggaaa	attttcataa	atagcgaaaa	27600
cccgcgaggt	cggcgccccg	taacctgtcg	gatcaccgga	aaggacccgt	aaagtgataa	27660
tgattatcat	ctacatatca	caacgtgctg	ggaggccatc	aaaccacgtc	aaataatcaa	27720
ttatgacgca	ggtatcgtat	taattgatct	gcatcaactt	aacgtaaaaa	caacttcaga	27780
caatacaaat	cagcgacact	gaatacgggg	caacctcatg	tccgagctcg	cgagctcgtc	27840
gacagcgaca	cacttgcac	ggatgcagcc	cggttaacgt	gccggcacgg	cctgggtaac	27900
caggtatttt	gtccacataa	ccgtgcgcaa	aatgtttgtg	ataagcagga	cacagcagca	27960
atccacagca	ggcatacaac	cgcacaccga	ggttactccg	ttctacaggt	tacgacgaca	28020
tgtcaatact	tgcccttgac	aggcattgat	ggaatcgtag	tctcacgctg	atagtctgat	28080
cgacaataca	agtgggaccg	tggtcccaga	ccgataatca	gaccgacaac	acgagtggga	28140
tcgtggtccc	agactaataa	tcagaccgac	gatacgagtg	ggaccgtggt	cccagactaa	28200
taatcagacc	gacgatacga	gtgggaccgt	ggttccagac	taataatcag	accgacgata	28260
cgagtgggac	cgtggtccca	gactaataat	cagaccgacg	atacgagtgg	gaccatggtc	28320
ccagactaat	aatcagaccg	acgatacgag	tgggaccgtg	gtcccagtct	gattatcaga	28380
ccgacgatac	gagtgggacc	gtggtcccag	actaataatc	agaccgacga	tacgagtggg	28440
accgtggtcc	cagactaata	atcagaccga	cgatacgagt	gggaccgtgg	tcccagtctg	28500
attatcagac	cgacgataca	agtggaacag	tgggcccaga	gagaatattc	aggccagtta	28560
tgctttctgg	cctgtaacaa	aggacattaa	gtaaagacag	ataaacgtag	actaaaacgt	28620
ggtcgcac	gggtgctggc	ttttcaagtt	ccttaagaat	ggcctcaatt	ttctctatac	28680
actcagttgg	aacacgagac	ctgtccaggt	taagcaccat	tttatcgccc	ttatacaata	28740
ctgtcgtccc	aggagcaaac	tgatgtcgtg	agcttaaact	agttcttgat	gcagatgacg	28800
ttttaagcac	agaagttaaa	agagtgataa	cttcttcagc	ttcaaataatc	acccagctt	28860
ttttctgctc	atgaaggtta	gatgcctgct	gcttaagtaa	ttcctcttta	tctgtaaagg	28920
ctttttgaag	tgcatacct	gaccgggcag	atagttcacc	ggggtgagaa	aaaagagcaa	28980
caactgattt	aggcaatttg	gcggtgttga	tacagcgggt	aataatctta	cgtgaaatat	29040
tttccgcac	agccagcgca	gaaatatctt	cagcaaattc	attctgcaat	cggcttgcat	29100
aacgctgacc	acgttcataa	gcacttggtg	ggcgataatc	gttaccgaat	ctggataatg	29160
cagccatctg	ctcatcatcc	agctcgccaa	ccagaacacg	ataatcactt	tcggtaagtg	29220
cagcagcttt	acgacggcga	ctcccatcgg	caatttctat	gacaccagat	actcttcgac	29280

## 019CIP2 1-46 Seq list.txt

cgaacgccgg tgtctgttga ccagtcagta gaaaagaagg gatgagatca tccagtgcgt 29340  
 cctcagtaag cagctcctgg tcacgttcat tacctgacca taccgagag gtcttctcaa 29400  
 cactatcacc ccggagcact tcaagagtaa acttcacatc ccgaccacat acaggcaaag 29460  
 taatggcatt accgcgagcc attactccta cgcgcgcaat taacgaatcc accatcgggg 29520  
 cagctgggtgt cgataacgaa gtatcttcaa ccggttgagt attgagcgta tgtttttgaa 29580  
 taacaggcgc acgcttcatt atctaattct ccagcgtggg ttaatcagac gatcgaaaat 29640  
 ttcatcgcag acagggtccc aaatagaaaag agcatttctc caggcaccag ttgaagagcg 29700  
 ttgatcaatg gcctgttcaa aaacagttct catccggatc tgacctttac caacttcac 29760  
 cgtttcacgt acaacatttt ttagaaccat gcttccccag gcatcccgaa ttgtctctc 29820  
 catccacggg gactgagagc cattactatt gctgtatttg gtaagcaaaa tacgtacatc 29880  
 aggctcgaac cctttaagat caacgttctt gagcagatca cgaagcatat cgaaaaactg 29940  
 cagtgcggag gtgtagtcaa acaactcagc aggcgtggga acaatcagca catcagcagc 30000  
 acatacgaca ttaatcgtgc cgatacccag gttaggcgcg ctgtcaataa ctatgacatc 30060  
 atagtcatga gcaacagttt caatggccag tcggagcatc aggtgtggat cgggtgggcag 30120  
 ttaccttca tcaaatttgc ccattaactc agtttcaata cgggtgcagag ccagacagga 30180  
 aggaataatg tcaagccccg gccagcaagt gggctttatt gcataagtga catcgtcctt 30240  
 ttccccaaga tagaaaggca ggagagtgtc ttctgcatga atatgaagat ctggtaccca 30300  
 tccgtgatac attgaggctg ttccctgggg gtcgttacct tccacgagca aaacacgtag 30360  
 ccccttcaga gccagatcct gagcaagatg aacagaaact gaggttttgt aaacgccacc 30420  
 tttatgggca gcaacccga tcaccggtgg aaatacgtct tcagcacgtc gcaatcgcgt 30480  
 accaaacaca tcacgcatat gattaatttg ttcaattgta taaccaacac gttgctcaac 30540  
 ccgtcctcga atttccatat ccgggtgcgg tagtcgccct gctttctcgg catctctgat 30600  
 agcctgagaa gaaaccccaa ctaaatccgc tgcttcacct attctccagc gccgggttat 30660  
 tttctcgtc tccgggtgt catcattaaa ctgtgcaatg gcgatagcct tcgtcatttc 30720  
 atgaccagcg tttatgcact ggttaagtgt ttccatgagt ttattctga acatccttta 30780  
 atcattgctt tgcgtttttt tattaatat tgcaatttac tgcaaagcaa caacaaaatc 30840  
 gcaaagtcac caaaaaaccg caaagttgtt taaaataaga gcaacactac aaaaggagat 30900  
 aagaagagca catacctcag tcacttatta tcaactagcg tcgccgcagc cgtgtaaccg 30960  
 agcatagcga gcgaactggc gaggaagcaa agaagaactg ttctgtcaga tagctcttac 31020  
 gctcagcgca agaagaaata tccaccgtgg gaaaaactcc aggtagaggt acacacgcgg 31080  
 atagccaatt cagagtaata aactgtgata atcaaccctc atcaatgatg acgaactaac 31140

019CIP2 1-46 Seq list.txt

ccccgatatc	aggtcacatg	acgaagggaa	agagaaggaa	atcaactgtg	acaaactgcc	31200
ctcaaatttg	gcttccttaa	aaattacagt	tcaaaaagta	tgagaaaatc	catgcaggct	31260
gaaggaaaca	gcaaaactgt	gacaaattac	cctcagtagg	tcagaacaaa	tgtgacgaac	31320
cacctcaaaa	tctgtgacag	ataaccctca	gactatcctg	tcgtcatgga	agtgatatcg	31380
cggaaggaaa	atacgatatg	agtcgtctgg	cggcctttct	ttttctcaat	gtatgagagg	31440
cgcattggag	ttctgctggt	gatctcatta	acacagacct	gcaggaagcg	gcggcggaag	31500
tcaggcatac	gctggtaact	ttgaggcagc	tggtaacgct	ctatgatcca	gtcgattttc	31560
agagagacga	tgcttgagcc	atccggctta	cgatactgac	acagggattc	gtataaacgc	31620
atggcatacg	gattggtgat	ttcttttgtt	tcactaagcc	gaaactgcgt	aaaccggttc	31680
tgtaacccga	taaagaaggg	aatgagatat	gggttgatat	gtacactgta	aagccctctg	31740
gatggactgt	gcgcacgttt	gataaaccaa	ggaaaagatt	catagccttt	ttcatcgccg	31800
gcacctcttt	cagggcgata	aaaaaccact	tccttccccg	cgaaactctt	caatgcctgc	31860
cgtatatcct	tactggcttc	cgcagaggtc	aatccgaata	tttcagcata	tttagcaaca	31920
tggtatctgc	agataccgtc	atgttcctgt	agggtgccat	cagattttct	gatctggtca	31980
acgaacagat	acagcatacg	tttttgatcc	cgggagagac	tatatgccgc	ctcagtgagg	32040
tcgtttgact	ggacgattcg	cgggctatct	ttacgtttct	tgtgattgat	aaccgctggt	32100
tccgccatga	cagatccatg	tgaagtgtga	caagttttta	gattgtcaca	ctaaataaaa	32160
aagagtcaat	aagcagggat	aactttgtga	aaaaacagct	tcttctgagg	gcaatttgtc	32220
acaggggttaa	gggcaatttg	tcacagacag	gactgtcatt	tgagggtgat	ttgtcacact	32280
gaaagggcaa	tttgtcaca	caccttctct	agaaccagca	tgataaagg	cctacaaggc	32340
gctctaaaaa	agaagatcta	aaaactataa	aaaaaataat	tataaaaata	tccccgtgga	32400
taagtggata	acccaagggt	aagttttttc	aggcatcgtg	tgtaagcaga	atatataagt	32460
gctgttcctt	ggtgcttcct	cgctcactcg	agggttcgct	cctgtcgctc	gactgcggcg	32520
agcactactg	gctgtaaaag	gacagaccac	atcatgggtc	tgtgttcatt	aggttgttct	32580
gtccattgct	gacataatcc	gctccacttc	aacgtaacac	cgcacgaaga	tttctattgt	32640
tcctgaaggc	atattcaaat	cgttttcgtt	accgcttgca	ggcatcatga	cagaacacta	32700
cttcctataa	acgctacaca	ggctcctgag	attaataatg	cggatctcta	cgataatggg	32760
agattttccc	gactgtttcg	ttcgcttctc	agtggataac	agccagcttc	tctgtttaac	32820
agacaaaaac	agcatatcca	ctcagttcca	catttccata	taaaggccaa	ggcattttatt	32880
ctcaggataa	ttgtttcagc	atcgcaaccg	catcagactc	cggcatcgca	aactgcaccc	32940
ggtgccgggc	agccacatcc	agcgcaaaaa	ccttcgtgta	gacttccggt	gaactgatgg	33000
acttatgtcc	catcaggctt	tgcaagaactt	tcagcggtat	accggcatac	agcatgtgca	33060

## 019CIP2 1-46 seq list.txt

tcgcatagga	atggcggaac	gtatgtggtg	tgaccggaac	agagaacgtc	acaccgtcag	33120
cagcagcggc	ggcaaccgcc	tccccaatcc	aggtcctgac	cgttctgtcc	gtcacttccc	33180
agatccgcgc	tttctctgtc	cttctctgtc	gacggttacg	ccgctccatg	agcttatcgc	33240
gaataaatac	ctgtgacgga	agatcacttc	gcagaataaa	taaatcctgg	tgtccctggt	33300
gataccggga	agccctgggc	caacttttgg	cgaaaatgag	acgttgatcg	gcacgtaaga	33360
ggttccaact	ttcaccataa	tgaaataaga	tcactaccgg	gcgtatTTTT	tgagttatcg	33420
agatTTTcag	gagctaagga	agctaaaatg	gagaaaaaaa	tcactggata	taccaccgtt	33480
gatatatccc	aatggcatcg	taaagaacat	tttgaggcat	ttcagtcagt	tgctcaatgt	33540
acctataacc	agaccgttca	gctggatatt	acggcctttt	taaagaccgt	aaagaaaaat	33600
aagcacaagt	tttatccggc	ctttattcac	attcttgccc	gcctgatgaa	tgctcatccg	33660
gaatttacat	ctggaattac	gtatggcaat	gaaagacggt	gagctgggtga	tatgggatatg	33720
tgttcaccct	tgttacaccg	ttttccatga	gcaaactgaa	acgttttcat	cgctctggag	33780
tgaataccac	gacgatttcc	ggcagtttct	acacatatat	tcgcaagatg	tggcgtgtta	33840
cggtgaaaac	ctggcctatt	tccctaaagg	gtttattgag	aatatgtttt	tcgtctcagc	33900
caatccctgg	gtgagtttca	ccagttttga	tttaaactgt	gccaatatgg	acaacttctt	33960
cgcccccggt	ttcaccatgg	gcaaataatta	tacgcaaggc	gacaagggtgc	tgatgccgct	34020
ggcgattcag	gttcatcatg	ccgtttgtga	tggcttccat	gtcggcagaa	tgcttaatga	34080
attacaacag	tactgcatg	agtggcaggg	cggggcgtaa	tttttttaag	gcagttattg	34140
gtgcccttaa	acgcctgggt	gctacgcctg	aataagtgat	aataagcgga	tgaatggcag	34200
aaattcgatg	ataagctgtc	aaacatgaga	attggtcgac	ggcccggggcg	gccgcaaggg	34260
gttcgcggtg	gccgattcat	taatgcagct	ggcacgacag	gtttcccgac	tggaaaagcgg	34320
gcagtgagcg	caacgcaatt	aatgtgagtt	agctcactca	ttaggcaccc	caggctttac	34380
actttatgct	tccggctcgt	atgttgtgtg	gaattgtgag	cggataacaa	tttcacacag	34440
gaaacagcta	tgaccatgat	tacgccaagc	tatttaggtg	acactataga	atactcaagc	34500
tttgtgcttt	ctgcctgaat	aaaagaaacc	tgaactctgt	tcaccagtc	cctgtcaggc	34560
aattactgac	agagcaccta	tggtctgtgt	ttggccagaa	cataggctaa	ggaagatacc	34620
tcctgtttat	aaagcacgcc	tttggcatct	ggcaagtaat	tagtgatggc	gcatgagagc	34680
tctgactagg	gcagggtgtg	ggacaggctg	gctctaattg	tgccctgttt	atcttggtga	34740
tgcacacggc	tggtttcttt	caccacagc	tgtctctcta	gacaacatac	ctttatggag	34800
aggaacgtgt	cttttccaat	cttgggtttt	cattcagaat	tggagtgaac	tggtctccat	34860
cagatagcat	tggctgcggt	gatttattct	tttactctc	ctagttaagc	aggataactc	34920

019CIP2 1-46 Seq list.txt

tctggctctg	ctgtgtctag	gcaattttaa	tgattttata	agcatagctg	ttttaaggaa	34980
atcttttttt	aaacatttga	cttgccaatg	tgtggtccta	aaggcagaag	gactgttcca	35040
gagtgtcagg	cagagaccta	ccctggattt	cgttgttcag	ctaccatttc	agtgtggctt	35100
ttggcaagga	attctctgga	cctgacttcc	ctacctgcag	agctgggata	agctatcaaa	35160
ccatctcctc	cacacactgt	gaggggtgga	aaaaaaccca	aacccttaaa	agtgtctgtat	35220
aaaggcgcct	taaggctcag	tatagcatgt	gtgctgctga	tgccccagac	ctgtttgcgg	35280
gtcctgaagg	tcataggaga	actgctcaga	agagacagaa	atgcttaaga	aggttttact	35340
acaaaagtct	tgtgatgtta	acacataata	tcacattgtg	cagaaggtac	aaatgcccc	35400
tcctatccct	gcacacctgg	aagctcaagg	tatggaaggg	tttgttgtct	gcagcctctt	35460
cgctgccctc	tgctttttta	gacctgggt	agtgtgctca	gtgtgtgccc	tcagcagttt	35520
gggaaacgga	catcttcatt	caaaattaag	caagggaagt	ttgcttttat	actcagagta	35580
gaatctaagt	tcttcaggca	ggctcttgtg	tgccgcctct	attagaaata	aaactcccc	35640
ggatcagaag	atgaatgtgc	tcagctaaga	acacagattt	atttgcttta	caatgcgtgc	35700
tatggtttaa	gaaaaacaca	tcaggcaaac	aatttatggg	ttgccactga	gttgtgcctg	35760
aaggaaacac	aactgttaga	gatgtaattg	attgggcggg	gacgctgtgt	ggattcatgg	35820
gagatgcatt	ttgggtcagc	tgtctgtgtg	aaaccacatt	tctgggtgctg	ctgcaggacg	35880
agtgccggga	gttccgggat	ctgttcaaga	atgggaagct	ttcctgcacg	agggagaatg	35940
atcccgtccg	ggattcctcg	gggaagcagc	acagcaataa	gtgcatcatg	tgtgcggaga	36000
agttgtgagt	agaggaagcc	aatgtttggt	atcgagagtg	gcaatggggc	cgggggtggg	36060
tcctacagca	atgttctcct	cactttctca	tccttctctt	tcagcaaaag	ggagaatgag	36120
cagaaggcga	cctcaaccag	agggaaacaa	aagggtgaggt	taaagtattg	ggttcatata	36180
caagtctata	ggattcttac	ccaatattac	cacacttgat	ttctttgtca	ctctggggat	36240
ccatgtggct	tttcctgctt	gtatctcggt	gatgctcttt	catgccctga	gagaatagtt	36300
tgtctgaacg	ctgcagtcta	tcccactgac	cgcagtgaca	tgggagcaaa	ccccatcgca	36360
ataagaagct	gagcagaact	gccctgacat	ctggcacaa	ggcaagaagg	cactgtctgt	36420
gagagcgcta	atgagggtta	aaagaaaatc	tgggtgagaa	gctttaaatg	tgagctctga	36480
gatgctcaaa	agttcattat	gtcgtgggag	gagagttcag	ccctgtgctg	tccctggggg	36540
ggctcgggtt	cagctttccc	tgattggaaa	cctcactctc	atgatgcagc	tgctgtgccc	36600
ttgtgcaccg	atacttctct	ggtgagagca	attcagcaag	gggaaggaaa	aagaagcact	36660
aagtaaatct	tgccatttct	gtcttgcgag	gaactgggtac	ggccccctta	agcctcattc	36720
ttggggataa	tcctgtttca	gtgcttttcc	taatgacagt	ggcacaaaaa	aatggaagc	36780
gttaatgaaa	cttgctgatg	gcaaagctgg	gagggaggat	cagcagatca	ctcaggacta	36840



## 019CIP2 1-46 Seq list.txt

attggatagc	actgaggcct	ggagtaatag	aaacaagata	aatgtaata	acagagagt	36900
caagatcaca	caggcagtga	ttaacgagaa	ttcctgctca	tcaattagaa	atgacaaagg	36960
ataagaaagc	tctgcattta	ttagtgggtc	acggatgcgg	caggcctgag	aaggaggcaa	37020
atgcacatct	cagcaaggct	tgtgcagcag	aggtcgggct	ggcagcaaat	ctccagaaat	37080
actgctttga	agagagaggg	tttgagagac	gctgttaggg	agaagcagct	ctgccacagc	37140
aggtctgggg	ttcacctggg	gtttgggtca	ttgcctccct	gtgtccctcc	tccacgctgc	37200
cagtgtgca	ctgggaagg	gtgggtaaga	agcaatggct	aagggatctg	gttatacacc	37260
tcctgtatct	gctatttggg	attggctact	gcagggcctc	aggtccctga	cttaaaagt	37320
gggacttcga	agcatgtttg	cattgtgctg	tcgtgcctta	gatgttgctg	ctgggtcctc	37380
aaagtcctgt	tggttgtggg	gtggggggga	cttcttgctt	cctatgtgaa	gttttctgag	37440
ctgcaacttc	agcaacagct	gtaagagtgc	attaagggca	gtgggagaag	tgggagggac	37500
cccattacct	catcggttat	cgctggcatg	ctttggatag	ccccacgtgg	agcgtgacaa	37560
ttagagcacg	gcagagagct	ccaacacgt	gccatgcagg	cagaggcacc	cgccgctctt	37620
ctgactcact	ctgtttgtag	ccatgaggct	gtgccacgtg	ccctcttctc	tctctcacac	37680
ctgggctctc	ctggggcgcg	tttgggaagc	ctctggagga	tcggagggat	gtggcaggg	37740
gccctgactg	ctgtctcttc	cgcaggatga	ctgcagttag	taccgctccc	agtttgaggc	37800
tggcggacgc	ctgtcctgca	cgcgggagaa	cgaccccgtc	agggattcct	ctggcaagca	37860
gcacaccaac	aagtgcctca	tgtgtgccga	gaagctgtga	gtacagttcc	tggcaacagc	37920
aaagagggaa	acctcacatt	gcgaaactgc	agcttctgcc	tgtgtggctg	cgctggggg	37980
agtcccagat	cccagcggcc	ccccaggagc	tgctcctgct	gtagggctgt	ggctactgcc	38040
cctcttccca	cctccccct	aaccctcag	ggagcagagg	agaagcaggg	ttgatagaga	38100
gcagcccttt	ccttggggca	gctcccaagg	aaagtttccc	acgcgtgtac	tttgccttcc	38160
agatgctctc	tctactccca	tagagcatat	gcagaagcag	ccctgatatg	aaagcagcca	38220
cctggagccg	ggatgtagca	tacagtggga	atggtgagga	gaagggagaa	ggcttagggg	38280
tgggaattag	gtgcagggcc	accagggatg	gggaggctgg	tgccaatga	catgatgctg	38340
gcttgcaggg	cagccccagg	tcctggcagc	gttcgcactg	ccatagtgtc	cctttcttct	38400
tcctctccct	tttttccagc	aaaaaagaag	ctcaaagagg	aggtcagtct	ggtggaactg	38460
cccagcgcaa	caagcagtcc	actgcagagt	gtgcaaacca	ggtgagactg	agctcagagc	38520
ctcaccaggc	ttgggaaaag	gggttggtgg	atctggggac	cccgatggtc	aagggtgccc	38580
tgtggctctg	gtgtttgggg	tgcaggagcc	tgctggtgat	ggcagagagg	caggttgcat	38640
tgcaagccct	gctagttcat	gggatgggtt	tgtgtatgag	cggtcatagt	gggcagttct	38700

019CIP2 1-46 Seq list.txt

ggactcctct	atggggcacg	catcagagct	atttcttcag	aaagagcccc	atggttccta	38760
gggtccaggg	ggatgagagg	gaaggacagg	agctgcttta	atctcactgc	tttactgctt	38820
ggttgtcaaa	cacgatcctg	ccccttttcc	agaagagctg	cagtggctca	gggttacagc	38880
ggggtgtaaa	tgagagacgg	ccgttctcca	caaacagagg	gtgagtacag	cagcactggg	38940
atcccagcct	ggccccacaa	gtcctggggg	cttgacactg	agaagaaaca	cataaaatag	39000
ggcatataca	accctttctc	ctttccaaag	acattcttgc	ttcccctgca	cacgaagcac	39060
tggtgactgc	tacactcaaa	atccctcccc	agccttgccc	cctgaatcct	gcctcctggc	39120
aggcacacac	ttgtcctgct	gcctgggtcca	gcgcatactc	atctgctgac	ctgaggcagt	39180
gctgtgtgtg	caccatgtgc	tgtctgggca	ctgagcgact	cctctggggt	tttagggctg	39240
ccaggctctg	gcagggtgca	gatgctgtgt	tatctaagcc	ttgaggaact	ctcttagtct	39300
tcctgttttt	gttgggtgagg	cccattcatc	tgcccccagt	cagcactgcc	agcagacaaa	39360
cagtgcacag	ctctccatgg	cagcaatggc	tgtagcatat	gtagggggcca	ggtttctggg	39420
atcatctctg	tgacggacat	ctcttgctga	ccgcccataa	ggactcaaaa	gtcccgttgc	39480
agggagtgcc	tccatcccat	ggcaagccaa	gtgccctgtt	gaaaaaaca	ggtgcagaat	39540
aatggcaatg	gaccttagtg	cagtttaatt	ccaccctggg	gtgatgatgt	ggctgagtgg	39600
gtctgcatac	ccttggtgtg	gccatgagct	ctgtgctttc	tctccctgcc	agcccacaag	39660
gagacttggc	tcaggactgc	agcccggcac	ctggccgcca	gggacagagc	ggaggcacca	39720
acacctacca	gccgggtatgc	ccagctcatg	tgggtcaggc	acagcctttc	ccagcagctg	39780
ccccagtttc	cattgtcaac	ctaaagcctc	acaatgggac	ctgtatcctt	ggagggggtt	39840
aaatgggtgg	tagagtccgt	accctgatgc	tgtcccctgg	cctcaaagag	gagttagggct	39900
gcacacgtcc	aaacgggagt	cactgaagcc	agtgtgctg	ctgggtgttg	ctcactgtag	39960
aagtatgtca	ggatatgagag	agcatcctcc	aggagggtgat	ggtggtgtcc	cttcctgcat	40020
gctgagatgt	tgggttgaag	actgtggcca	gagcagggtg	ctggggctga	gcgggggata	40080
aggacaaggc	tgataagagg	aggggagagg	gagtagtggg	ggaggacacg	gtgagcaata	40140
gataacgact	gtttgtggaa	tcatgtggga	gggagaagag	ggtgtatgct	ctctccatct	40200
ccacaaaaag	aaaatttgtt	attttcaacc	aagctaaagc	agaaattatg	aaactaatag	40260
gagaaaataa	gttactataa	aaaggatgac	taacctgtgg	atcttgctgt	cacgggggtgt	40320
tgccaagagc	tacagtgatt	aaaaaaaaatg	acttgccact	tatagtccat	acagcaattt	40380
aggtaacatt	ttggaagggg	taggaaatgc	ctttctgtgg	ggctggaggg	acctgagtgc	40440
agactgcctt	aactctctct	gaagtctctg	tactgactg	cccttagaaa	aatgatatta	40500
gaatagaaaa	accagggagg	cggttcaggt	atggcagttt	taatgcattc	cagaggaagc	40560
attaggcata	ataatgccag	tctgcttcag	ggcttagtgg	tatttcctgg	tagctccggt	40620

## 019CIP2 1-46 Seq list.txt

```

gaaggagtg atgctgatca gcctgactga cgaggggtga ttcagagagc agatctgtgt 40680
ctctcctcgc tgcagggcca cccgtgggct ctgtcccagg gagatgctgt cctgaaggag 40740
agggtggcagt cactgtgagg actgtggggg actgttgggtg tggcggcggg tgcacacgcg 40800
tgggtcacac cgtgggcagt ggtgtctggt gtgtgggaag gcatctggca gggaaactgca 40860
aagggtcagcg ctgtctgtct ttgtgtcatc gttaattacc cagggtgagg aggaagcagc 40920
acattaatga aattagcaag tgatgtttta acagaggggtg ttactgcagc aacctgtgcc 40980
actgaacccc ctgcattgcc cagctgggaa acctttcttc tccatggtgc tttcaacccc 41040
atagtgtctg tgaccccagc aaagcaatga gccattgctt agtgctgaat ggggtttttt 41100
ttctccaagt gggacaggag gtgagatgtc ctctctgcag ctcttctcca attgcaccat 41160
ttgcagtcac tgcaacattt tttataggac ctggagaagg ggatgggaac agagaattca 41220
ctccttttgt ctctgcatct tttttttttt ggcctttggt gcagaggtgg gcagtgaggc 41280
tgaggaagag agggggctgt aggatctctg acctctgctg tctgaaactt gccatgattc 41340
tgcaggcacc tgtgccagaa tgctcatggg ctgataatct aatcatgagg agtcttgctc 41400
ctcctgctcc gagctctttc tagctgtgcc acgtctgctt tgtaggaaat tcgatgccta 41460
gatgctcctg ctgttatgct ggagaataaa acgagagggc acgcttaatt agtcagagct 41520
tttcatacat gtttgcatct cttcattccg tgggtgtcaa gttgtgctgt gtgtcgggct 41580
gcccttgggc agctggactc aattgtcaag gttttccctt tgtttctgcc aagtggcttg 41640
cagaagcaac aggtgtgaaa gctctgataa aggacaaagg acaggtagca gaagtttatt 41700
gtattctcgt ggatttgag ggagaagtaa aagtgccctg gactgagatg tcagggtgga 41760
tcagatgagt gtatccatgc ctggcaatgg ggtcagggca gctttgtccc cacatcgtgg 41820
ctggttggcc caataggagg cgttacctct ttgctgaagg tgtgatggag ctcagggcaa 41880
cgcctgggtt gtgagtgtct tgagcgggtg gcaggagggg cttgcaagag aaccagcacc 41940
aaatgtgatt tctttctctc ttcagctgga ctgtgatcga attctgcacg gggtaaaggg 42000
tggaaggatt ttctgcagcg aatcctcaca acccgctgtg ggcactgatg ggaaaacata 42060
cagaaatgaa tgtgacttgt gttcagctgc catgtgagta ggcggagaga tttcagtaat 42120
acagggccat ccaccattcc cgagtgtctt ttgcagcaca gtgtttgttt tgatatacca 42180
tgactcacta tcaagtgtgt ccttggtgcc tcgctgttaa gcaaacatag atcaaatgtc 42240
tgagattaat atgatgacag ctaattaaga tacacaactt tccagagtcc cttattccct 42300
ttctgtcaa tcataggatt gtttggggag taataaatgc catcaaattg gaagtagcat 42360
caaaggttta aggagccac agaggaccac cgtgacgatg tcaggagct gtggcactgg 42420
aagtgaataa gcaatgtctt gttctccctt tgcaggagag catcagttta catcacggta 42480

```

019CIP2 1-46 Seq list.txt

aactaccgag	gtgaatgccg	aaagactgtc	cctgaaatgg	taagtgcctc	cctgctgtgg	42540
catcccattt	cttgttcttg	gtgtgtgctg	gagaccagc	ctggatcccg	tatctgtggt	42600
gggatcatca	gagccctggt	agcaggggtgc	ttgtggttca	catgcgtaaa	tacacttcag	42660
gcttggaattt	aaggcatttt	gaggcataat	ctccacgttt	tttccaggct	gtgtggtagg	42720
ggagtgcacat	gtctgggaaa	acatgtggct	ttcctcctgg	gattttggtg	aggccaagaa	42780
aagattgcaa	tcgcacaaac	cataaggggcc	taatttccca	aatgatatacc	aggcagttgg	42840
ttgggaagga	aatatatattc	ctaagtggta	tccttttggg	aaaggctctg	aatcttgtgt	42900
gattgccttg	tagtagatga	gtcaaagatt	tgtagtggt	gctttgtctt	cccgtcgtg	42960
gcagctcagc	ggcattcaga	gctttggttt	ggagccaggg	tgtcccagtt	tgtgtgtctt	43020
gagtgtatgg	gactgacctt	agtgttgga	tggactgttg	gaaagctgag	tattcatttc	43080
cccaggga	caccgacatc	tatccccatt	ccaaacttgg	aatgaatcaa	aatatcaaat	43140
cagccaaatg	gagaagttgt	gcaagttttt	tttgcaatga	gagagatggc	ttctgaatat	43200
gaatttgctg	acagtttgta	ggtaaaacag	tattgcccgt	tgaaaagctt	tagagcaaaa	43260
ttaccatcat	agggtcttta	ctctcctctg	cttattgaca	ggatgcccac	ccatccccac	43320
aacattagaa	atgaggcatc	cccattcctc	ttcctctctt	ctgtgaagta	ccagagtgtc	43380
ctcaacgctg	tttaaagctg	aagaaaaaat	gcagagaaag	agttttgctt	gtgatcgtgc	43440
tggaggtctt	tgtgtctcgc	cctttggtgc	gatggagcca	ttgctgggtt	gtgtatgctg	43500
ggagtggagg	cactatgcat	acctgctggt	ggctgtgcta	atgatgctgg	agacagacaa	43560
ggttgggtgt	accacggcaa	ctgaaaacca	gagaggactc	cctcagagtt	gtgcctggct	43620
gggattcctc	accattttgt	gttttaccaa	gacgttttac	cagctctcca	gtctttgcag	43680
ttagaggaat	atgccatata	ctaaaagtca	gacaatttgt	agctattcca	aggagagctg	43740
gaagcaatta	aagggaaggt	gataagggtt	ttccactggg	gaaaatcccc	cacaaaaaac	43800
accctccaa	acaagactt	attatttcgt	tctttatgta	tattgtgtca	cctgaagaat	43860
cagattggaa	atttatggaa	gcccatttcc	ttagcaaacc	ccttgtgtcc	atcaaagact	43920
tccctttttt	ttctcagttg	gaagcttatg	aacaatgtac	tgaccagtgt	tattttatgc	43980
ctctgaaatt	catgctaaca	ttcagcttaa	tgcatacttc	tgaaggccca	ggcactcgtc	44040
gtgtgaagga	gatcacagtg	cctttggcgt	cagaaatgat	ttcaggctgt	tgcaatacgc	44100
agcacgaaga	tgcaaaggcc	caaagacttg	agccttgga	aaagatagga	gattgctgcc	44160
cgaaaatgta	gtttgtcctt	gagttgtgtt	ttgaaattag	ccacggtaat	gctgtgttgc	44220
ctgccaaaat	gtgtgtccaa	gctcagagcc	tgcagccatt	cctgctagca	aagcccctcc	44280
tggatttcca	gcagtttgtg	gcagtccttc	cctagcagtg	gctggattgc	catcagggag	44340
ggatggctgt	aggaaggggac	aggagaaatg	tggttggaga	gagatctgac	attaaagggg	44400

## 019CIP2 1-46 Seq list.txt

```

gcatccggac agcctgcact gatgtggtgg aaaaccttcc tgcagagaga gccctggggc 44460
tggtctggcag ctggggccct gctgcctgtg tgagctctgt gccacaacca gcctcctctg 44520
atcctgttct gctttactgc agatgaatgt agctgagtct agggtttaga tttctatgtt 44580
tatttttaac aaggcagctg gcctctgcgt cctccatgct gtgacataca gctgtattaa 44640
tggtgggtct ttccagaatg tttcactttc aatgctgtat tttttttat tttgcagttt 44700
ctctttttgt tcagatgctt tttcacacat ctcccatgtg acagatacca gtctgtccat 44760
gttagttgac aggtcaggca aaaaaaaaaa agggatatcc agtttctcct ttttaatctg 44820
ttttctaaag aacaaagaac tcccagcttt ctaatgggca aggccatttt cttacagtgc 44880
tctttttgtc atacctttct taagaatgta gtagaaggga aaagaaacaa acaaaaaacc 44940
caggaccttt tccagcttga tattgggttt ggaaagcaca cagatccagg ctgaaatctg 45000
tttgttttct gagtctggca gtgacctatc cactgcccc a tcccacctgg ttcctgtggc 45060
cactgagctg cccaaagggg ctgtcatgta gccctaatg ctctgccagc gtaacagcag 45120
tggtatgtact tgtggatcca cttatatttt gctctttctt tccagaaata atggagtcca 45180
gactgccagc aaataccagg gatcagctgt gaccaaaggt acagtgggtgc ggtgatttgc 45240
tccctcttgg acaacttgtc cgcatttcac aagggtttgg gtgtcagacc ttgcctgggc 45300
aggctgctgg gtatgtctgg ggcaaagggc tctgcaacac acccttcctt attgccacag 45360
cacaagaatg aggcgtgtgt cttttgcaga agtagcaagg tgatgggaag cccctgccaa 45420
gggggctgag ccctttgggg tgtgcaaact tcatgaggac ctctcatct ctcaggggtg 45480
ggccttgccc gttccttttc cctcagatat ccctgcagag ggggaaggat gctggcagag 45540
cagagtactg cagtccctcc tcacaaggag gtggaggtgg cccaaagcaa cctggccttg 45600
agctttcctt gtggttcttc tgtgtccctt gccttttgga gccatagtaa taaacccgtc 45660
tgccccctgt ttctctagga caagtaaagg aagatctgat gtcaggcacc agggaaagctg 45720
ctgagttccc cagtgtgtgt ggatccacct tcatctcctt ctgcagccaa cgggcctgtc 45780
cttgctcagg tggaggggtga agggctgtgg ggaccagtg gtggcttccc acgttgggcc 45840
cacgcatgtt gttgtagtgc ctgctcggct cgggctctgc cgctcgctg tgtcttagca 45900
tgtttctaca ataaagataa ctccacagcg tcctgtcgct tttcttact gagcctcacg 45960
ggagggacgt gtgagtcccc gctccggctg ctcgccagc gtcccttgag ctctaaagca 46020
ccaaaccaa gcggagatgt cagacgcaga gaagaagaac gtggtctggg ttctgttagc 46080
agggaccagc agttgggttc tctgactcgc tgtgtagggc tttgggtgta tctctttgtc 46140
tcccttcagc ctttttctct tgctgtaaa aacggacatt aaaggatgct tacctacctc 46200
agaggggtgt ttggagatgt taattgggtt acgttagaga gccacgggt ggaattctgt 46260

```

019CIP2 1-46 seq list.txt

tcctatgtgc	caatgctggt	gtgcaggagg	tttaactgtt	gcagtcattg	cctcttccag	46320
ccaacacccg	atgggcccgt	tgtatttcct	gttctttcgt	ttatggctgt	tacttaaagc	46380
aaatatgttc	ttatttgtat	aaactttatt	gcaggacatt	tccagaagac	cttgagtga	46440
cgtacagtgt	ttgagtccac	tttagctgtg	acctgatctg	caaatacact	ctgctgtaga	46500
taaggctgga	gtaactttca	gattttggca	gggtttcgct	caatgccaat	taatttggct	46560
ccctccacag	atattgattt	ttttttttct	tttcaattaa	gttatcgaga	tctttttttc	46620
ttaatgcagc	taatgaaaat	cgattttttac	tctcataaag	tacttccgca	tgtgtcacat	46680
tgatctgtct	atggcttgat	tatcggcagg	ctttgacatg	aggttaatat	tttgtgtgct	46740
ggtttttttt	caccgtgtgc	aaacactgtg	gtttagaaat	atgttaccgc	tgcttatttc	46800
tacgtggaaa	atcccacggc	gtggttatgc	atggcagaag	tcaccagttt	gatccaattt	46860
agctgtttct	agggatgcaa	gattcctctg	cctttgagcg	ggtgaatcct	cgggtgttat	46920
ttatacattc	tgagaaggat	gaacagaaga	cggtaaaaac	gtttgcta	gatgtctgct	46980
ggctgattcc	ggctaaaatc	gtgtgcaggg	acctcgacgt	gatttttata	aaggcagctc	47040
acaatttgag	gcttaaagta	agttcttgca	aatgaaaatg	ggcgcacttg	agcgcgctat	47100
tataacttgt	agtgatttca	agcacttaga	ttttgaaata	atcgccata	aaaacctgca	47160
ttaattgtgc	tccaaaacca	atgagctgat	gaggagggtg	ccctggtagc	ctcttttgct	47220
ggatttgagc	accttctgaa	tttctcctgc	caccagcaga	aattagccac	agaaatcata	47280
gctgctataa	gggtttatta	atcagattac	gaaactgcta	agaaggcaca	caacagtgc	47340
ttgctgaagc	tgctgtgct	gctgttagcg	agcctcccgt	aggtagcaat	gctaactcct	47400
tccttttagc	agtttacc	ctgcttcctt	ccatcactcc	ttccttttgt	agggcctact	47460
tttgagcttt	gatccagtgg	cttgaggca	atatctgtcc	ccagcggtgc	tctatgcagc	47520
tgacctccag	gtagggtcc	atgtgagcga	tgcaatgtgt	tatttccatg	gggttcctaa	47580
gaaggaggaa	gcaaaaagct	caggagggtgc	tccaaatata	ttatcctgtc	ctctgttttg	47640
ctctttgtgg	tgccctttta	cactgtaaag	agaccatagg	agtcctctat	gaacctggaa	47700
aggtagcagc	actatgggag	gtcttcagtt	tgctgtaaat	tatgctttat	tagaggattt	47760
tcttctgcca	agaccactg	accccatgcg	gctcacagt	ttttctaagg	ctttgcagga	47820
ctggtgttac	gaattggcac	cctccaggcc	tctcaciaat	ctctgcttc	tcacagcggt	47880
tcttcaagtt	ctcccaagca	cagctgagtt	ttgagctcaa	ctgctccctg	caggggcctt	47940
gagcctcctg	cctttttgca	taaaagggtgt	cagggtactta	tgcaatcctt	agaggcatgc	48000
aatgctgct	ctgggttatat	actgaggact	gttgattctg	gcagaaccct	ttgcagacct	48060
tgtactccct	tgctatttcc	caatccctgc	agcctagcag	ctctgcctaa	caactgccat	48120
agccaacaca	gcagcaggct	gtgcatggtg	caagggtgatg	tggaaaggga	tgattgtatg	48180

## 019CIP2 1-46 Seq list.txt

```

aaagcgtgat gctgtggtac tgcctctgca ggagactcgc actatttgtg taagaggacc 48240
ttatttgtct gctgcagagc tgtttcaagg ctgtccatac acccctgtga tgctgagccc 48300
ctccaagcaa tgcactggga aaaggaggct ggggggagac cttattgctc tcctccaata 48360
tttgaaaggt gcttacagcg agagcagggt tggctctctc tcaactggtga caggatgagg 48420
ggaaatggcc tcaagttgca ccagggtatg tttagattgg atatcaggaa acacttattt 48480
actaaaaggt tgttaagcac tggaatcagc tccccaggga ggtggttgag tcaccatccc 48540
tggatgtgtt taaaaactgt ttggatatgg tgctcaggga catgatttag cggagggttg 48600
ttagttaggg tagtgtggtt aggttgtggt tcaactcgatg gtctttaagg tcttttccaa 48660
cctgagcaat tctatgatat ggatccctgg ggctttcagt cttatctccc tggattatca 48720
caggttcagc tctatggccc atttgattta taccggggtc tgatgaacag gtttttctct 48780
tggctcttca gggatcctat ttagcacttt ttggtacatt cccctgccct acaagtctcc 48840
ctgatacaca gagctcttat ccaagacttg ggaccttccc tactccagcc ctctgcagga 48900
ggtttcttgc taaccagtc tccaaccagg actgcagtac acgacaaaga gctggaagag 48960
gtctgcaata cttccccagc atgaaggat gagcactcct tttagagtagg ttactgaaag 49020
tagtaagatg tcaatacaac caactgcaag atacaaaacc gcatgaaaat tcagtttact 49080
ttgatgctga agggctgaaa agaaatgctg tgggtgttagc acagatgcac tgctggcaaa 49140
gtgaaaatga gcaaagagga tgagatggat ggacagctga tggaaaaact cttcctaatt 49200
gctccacaga gcagcttgct cgcctgcagg gctgcagcat ggagctgctt gtgcataatg 49260
cagacacccc aagaccagtg ctgtttgtct tagccaagac acagttgcag ctgcagcaat 49320
tttttctaga tgtcagttcc ttccctatgt tgctgacagg tgtttgctgt tctgtccctt 49380
taatctgtat cctacagcaa acattccttg aatttaataa cttagctgga agacaattgc 49440
tgtgatcttg atagaacatg ctgagccaat ctattttaac tgcagattta gtttgcaaat 49500
actgtctcct tgccgataag attcagggtg catctttgtg gacattggca ggaattttct 49560
tgaccgtgac aggtttttaca gagtctggca attaagctgt caagacacat tttcctctgc 49620
caggaagcat taattgatga tagtcttggc tgcaataggc acagagagat ggatattgta 49680
atcagaatga atagagggtcc ttgtagttga gagctacgtt ggtccaaagt tttgtagtcg 49740
ttgacgtttg gtgatactga gataaggaac aaggcacgag atattagagc taaatatcag 49800
gcacagcatg agaataaaga cctctctagc tggaactgtt ggtatctggg gagattttaa 49860
ctttctggat gcatactgca aagtactaat attagtagag ctactggatg cgagagcaaa 49920
tagttttcca ttaagtaatc ccaaaaatca tgttgttgtt ggtttgcttt tcaagtgcga 49980
ggggtgttgg agatgtatct ccctcagaaa ataaacctga tatgattcaa cctgagctct 50040

```

## 019CIP2 1-46 Seq list.txt

ctctgttttaa	atcacactga	aaatagatct	gcaaatggg	attttgatta	ccgagtagacag	50100
aatatgaaag	attaaaactt	gggaaagtta	gggttctgat	tgagaaaact	tttgtttttg	50160
tggccgaccc	ttgcagctta	caaaaatctg	cctaaataaa	ggagaaaacc	acatttagaa	50220
cccatccaag	ctatgctact	tcagtactgg	gcaaaacttc	aggagacgtt	tgaagaaaac	50280
tgaagacgtg	aagtataaag	gaatgattga	tgtgcacagt	aaactttctt	ggaaggtaat	50340
cacgcatggg	ctaatatcaa	tctttacaaa	gttggctgac	ttcctagata	aaggaagtac	50400
agtagatcta	gtctaccag	gcagcaaaaa	tgtttgacct	gttgccctgt	ggggtgggtg	50460
cacctgggct	tggggagggg	ggtcaggatg	aggttacagg	ggatgtggaa	gcatactgtg	50520
gaggagcagg	tggggcaccc	acaggagtta	gcagttagca	gacagaaagg	tggatctgag	50580
gaccgaactt	cgtatttttg	ttccttgcat	taatacacaa	aaagcagaca	cacacacaga	50640
gcagattgct	gctggttttt	gttttctttt	ttaaacagca	gaagagcagg	atttttccca	50700
cagagaatgg	ggtagacctt	taggctgtga	ttgcctgggc	tcaagctgag	atgaaacgca	50760
gtgatgagga	gcacaaaacc	gtgctctgag	gttaaataat	gagggttctg	gctatcagtt	50820
cagagctcag	taaaaactgc	agaggaggag	gaagacctaa	ttgcatgtag	ccagccacag	50880
ggcaaatgag	agctgcagcg	tgctggggca	gatccgggag	cagaggggcc	gtggcacgct	50940
ccctgttcac	tggctccctt	ggagccacac	aaaaggcccc	ttcctggcaa	ttgtgcccac	51000
atcaatcatt	agctagaaac	ccagagctgg	gtaaatacgt	tttggttcc	cgtcttgatg	51060
acagattggg	tgttacatca	caagggtgga	ccacttgata	tgacaacacg	ctatatattc	51120
ccgctgctac	ctctgccctt	cctccccac	tctgagagca	agcgggctgt	gtgtgcaccg	51180
agggtgctctg	ccatgaggac	tgccaggcag	tttgtacagg	tggctctggc	cctctgctgc	51240
tttgcagggtg	agtgtttcct	gctatacccc	gtagggtgact	atagctagac	cagagactag	51300
gctatctgtg	agagtatctg	ggtattgtaa	tgtgttagag	agccttgttc	catgaaggaa	51360
tgctctttct	gacagtgtag	caaaacacca	gactgcaaga	tccaggtttc	agcaaacctc	51420
atacagacga	ctgttttcgt	cgtgggttat	aggagcaa	tgctgaggga	gcagtgctag	51480
tgcaaggcag	gagcttgac	gtgcaagcac	tgagtataac	ggcaaagcaa	agctatgtga	51540
aatggctcct	gtgtccatgt	aagcaataca	aacactgcat	cttgatcat	ctataaattt	51600
tctgtgctgt	tcctggcagc	tgagaagttt	gttgtgggaa	gaacagtgt	agtgggtcaac	51660
agccacctga	aacgtgcatg	tctgagctcc	tgcaagtcaa	atacagagtc	ttgcagaaga	51720
gtttaaactc	agtgcaggct	tgaaaatacc	tacatttctt	ccctggggca	tcttaggaac	51780
tggctaacac	atgtggcctc	ctactgaaag	tgcaagtga	cttcatttaa	taacctctga	51840
ttcattttat	ggacgtacat	cactggcata	atgtaaaatt	gcattttcct	aaacccaata	51900
agccaatcaa	caacgggtatc	taaatgtaac	tgtttcatcg	aaagatttgc	atatgtcatc	51960



## 019CIP2 1-46 Seq list.txt

tctgcatatt	aataatatgt	atttattttc	tgtctctact	tttcttttag	atattgcctt	52020
tggaattgag	gtgagttaca	gatttttttt	cccatttatt	cttttctatt	ccaggcttct	52080
ggtcaaataa	gagcagtata	taattacctg	atgagcaagt	ggattaatct	aatgaaagcc	52140
tggttgctca	aataatactt	gccagtgc	gattgaatga	tattgccaa	tcacgaaaaa	52200
gtaaaacaca	ccccgtttat	actattttcc	attcatgcaa	taaaatgaag	aaaggaagaa	52260
ttgtacgatc	ctattatggt	aacttttggg	tataactg	ttagtccaag	tcaaggggtg	52320
gtagttacct	cctcgagagg	aaagctgtct	taagatgata	agctccaaag	catcaaagac	52380
agtgattctg	gtatcttttt	ctatacagta	agacacacac	tacagtgttc	ctgcctatac	52440
ccatatcaaa	gcgaggaaag	cagcagggtc	tgtgcagtgc	atttgtctgc	aggttcttcc	52500
cacgcagtta	tgagattcct	gcaaatac	agagactgca	gcgtgattgg	aaacgatcag	52560
attttgagtt	gagcggctgt	ggagcatggc	caggctccca	attaccagct	gccttcgtta	52620
ggcgtgtct	caccacagc	tctccttct	ccatgtcatg	cttccccag	tccccgcag	52680
gaaagcgtga	tcagaagaag	attcccac	cctgactgcc	tgagcagatt	ccaaatgata	52740
cctcaggtgt	ttgtcccggc	tggagctgtg	ggtggcagga	ggtttccata	ctgtcttttg	52800
ttgtggaaac	tgaccccagg	gctgatgttg	tgctgcttcc	ataggttaat	tgcagcctgt	52860
atgccagcgg	catcggaag	gatgggacga	gttgggtagc	ctgcccagg	aacttgaagc	52920
ctgtctgtgg	cacagatggc	tccacataca	gcaatgagtg	cgggatctgc	ctctacaaca	52980
ggtgagctta	tgtggaagcc	caggggagct	gcagggcagg	agactcgagg	tgagggcggc	53040
agctctgtcc	ccaaaatatg	gtctgtgtgg	aggagtatgt	gagttagtac	caggatgctg	53100
acctccagcc	tgggggtggt	ggctgctctc	tgccatctct	gacacagatc	tgcgttcttc	53160
cagggagcac	ggggcaaacg	tggagaagga	atatgatgga	gagtgcaggc	caaagcacgt	53220
tacggtaagt	ccaacagtaa	gatgaagtct	tgctctgttg	gtgcccataa	agacttattt	53280
ttatttcata	gaatcattga	acagcttagg	ttggaaggga	ccttaaagat	cattgggctc	53340
taacccccct	ggcctggccg	ggctgccttc	aaccaaata	gtttgcccag	tcaaattgggc	53400
cttgggcacc	tccagggatg	gggcacctgc	tctgctcagc	ctgttactta	tttacttgtt	53460
tttttcccat	tctgctatc	cttacagatt	gattgctctc	cgtacctcca	agttgtaaga	53520
gatggtaaca	ccatggtagc	ctgcccagg	attctgaaac	cagtctgtgg	ctcagatagc	53580
ttcacttatg	acaacgaatg	tgggatttgc	gcctacaacg	cgtaagtctt	ttctgtggag	53640
catccttctg	ggtaattaga	gatggctaag	tcccttgga	acgcttacat	aaaacacttt	53700
ctaagccttt	cttagggtag	atgtttctgt	gggactcttt	gaagctggct	acttgtgatt	53760
ctccagccag	ctgcagattt	cttccccatc	ctctgtctgt	gctcatgaag	ggaatcacia	53820

019CIP2 1-46 Seq list.txt

aaaagacaga	ggacaaccca	cagcagagggc	atgaatagat	caaagtgttg	ctcagtgctg	53880
tgtgatatgg	aaataccatg	catttttctgc	tcacaagtgg	ttgctaccac	ctgtgggctg	53940
catccagacc	actcagcagt	tccttacctg	aaggggtggga	ccttgctttc	ttgccccagt	54000
atctaaggct	tttcacgagg	ctctctaact	aaaacagctc	tttctttcag	agaacatcac	54060
accaacattt	ccaaactgca	cgatggagaa	tgcaagctgg	agatcggctc	ggtaagtgtg	54120
acagaaataa	aaatccatct	cctagggctg	ttaacggaga	gaatcccatt	gatttttccta	54180
agaaaatgta	tgaccgggct	gatcgggggt	cccgggtccac	gctctgcttc	ctgcctgggtg	54240
aggggtggctt	ctgaaacaaa	gcggtaaagg	aagaggcccc	agattttcct	tgcatgtgtc	54300
tgtgcagatt	ggcaggtttc	tctctggagg	cgacaagcat	ttccaccctt	tgtaacaagc	54360
attcaaaatt	ctagtgtctg	tagcttggtt	agatatagtg	agattcataa	gagcaccaag	54420
catacatatt	tataggggat	agcttatgtt	atattttatac	tggggtaaga	gtccagtgcc	54480
tcaggaagaa	aagcttatat	atcttcagcac	aaaaattctg	ggatgcaggg	agtccgttct	54540
ccaacagacg	gattcctcct	ttatcacttc	aactcccgtg	cttaactgca	gggaatctga	54600
attattaagc	aatcacagca	ctggggaagg	aaggagaaaa	accaacacaa	acaaaaacaa	54660
tgtaaatcag	atctccagct	gttggaataa	atctccact	taattcaagg	ctgttggtgtc	54720
gatgagaaga	gggctgaaaa	ggctgttttc	agttcctctg	cctgaagggtt	tcatttctcta	54780
agagaggtcc	cttttcttgt	ctcctagaga	atgagggtag	tgttctgaaa	gcctatttct	54840
gatagacagt	ttagttaagt	gtagcagggc	tttgtcctgt	cacaaaaact	aggaagccgg	54900
gaatacagga	tgaaaagggtg	ttacattgac	ttctcccgtg	tagcacaggc	tccgggaggg	54960
cttatttctc	ttattttggc	aggttgactg	cagtaagtac	ccatccacag	tctctaagga	55020
tggcaggact	ttggtagcct	gccccaggat	cctgagcccc	gtttgcggca	ccgatggttt	55080
cacctatgac	aacgaatgcg	ggatctgcgc	ccacaatgcg	taagtgtctg	tcattctcca	55140
ctcctccaaa	gtagccagca	atgctttgcc	gtgctgggag	ccttccttct	acgttgctgc	55200
ttatgcctgt	ttcttcaagc	ctcttagaaa	ctgcattttt	tttggtgttg	ttcttactga	55260
gttttcttct	gatgccttct	ttgtgatcac	gaggggaaat	ctgcaagact	cagaacacag	55320
ctccttggtg	tagtctgtgg	gctgggcagt	gactgagcag	agaaagggaat	agttcagaat	55380
cttgctttta	ataacacgag	aagacgtgat	gagcttggtt	acgagcagag	taatgtagct	55440
atatcaatac	aatcgtgcag	agaggctgaa	gccctacttt	gttaggtacc	tgctttaggc	55500
tacgtctggg	tcattctgca	tgcaagtgtt	taaaccaaga	gttaaagcat	ctccttactc	55560
actttgtctc	cctctttcag	agagcagagg	acccatgtca	gcaagaagca	tgatggaaaa	55620
tgccaggcag	agattcctga	agtgagtata	caacgtaagg	tgtatttctc	cccttgccctc	55680
tgccactga	gctatttgct	gaggccacgt	ctactctgaa	agtgagctgg	cttgaagcct	55740

## 019CIP2 1-46 Seq list.txt

```

ggctctctgc acgtgtcctt tgggatgtgc caacgtgtat ccaacacaca aacagtgtgg 55800
aagttgggca gggggaactt aggtctttta aggatgatca ctaaatacat tgccagcaaa 55860
gtccttttgt gccagtgaag tcctattatg tttgccttct tttgtttcat tctatagtgc 55920
agagagaaaa ggagatgata tatctttgtt ggtttttttt ttgtttgttt gttttgcttt 55980
tctgccatat ctagcaaaact gtttcagtag gttgtgaccc ctttggatca caagtgaagc 56040
tcagtggcat ttgggattga ctgagctgtc tgccctgggtg atttggcatc tcacagatta 56100
cacagcgcca tgtagctcct cctgggcatg agagagtttc tgcagagctg actcaggctg 56160
gctttgagag aactgaagtg tagcaccagc gttgtttcag catcccagcg taaaagacat 56220
ggattgcagc aggaggcaat gctagggttt gtctttgaga gcaagggctt tttcagggtt 56280
gacgctccta ctttttgtag attgactgtg atcaataccc aacaagaaaa accactggtg 56340
gcaaactcct ggtgcgctgc ccaaggattc tgctccagct ctgtggcaca gacggattta 56400
cttatgacaa cgagtgtggc atttgtgccc ataatacgta agtactgcaa acaggacttc 56460
cttttgtagc gactagccac gttagtactg cagatggctt cccctccacc cttcatcttc 56520
ttctttcttt cttttttttt gatagcagta tgtctatatg tctcctgttc ttccttcaac 56580
ctcctgaagc tctgtgcctt cggtttcctt tcctgatgtg ctcctcaggg agctgtggga 56640
gagccagcta acagctgagt gtcctatgag ggctgtggca tttgtgcaga ggaaaaagag 56700
aatgggtctg ctacaagtag acctgagaag cctgtaactt cttaggatca tgatccctaa 56760
tggcagcctt tccctttcag acaacatggg actgagggtta agaagagcca cgatggaaga 56820
tgcaaggagc ggagcacccc ggtaagtggg gatggatgtc agatgagcgc cagctcctgt 56880
acgtgccttg tggctgcaga ggttgctaac cagggtctgt ccattcaggc agcagagaag 56940
gggaatgggc caggatttag gtaacaaaat gtcccaatac tgcaggcttc tggagggaaa 57000
catcagaggc agcccagaac agcacagcct gtttttagcac agtaggagag gaagagcaga 57060
agctgtgtta gatgcctgtg tagtcattca gtgctaggat ttccattgca gcagacaggt 57120
taaaaaatct ctgtaccgtg gtcagccaag aaaaggctgc ttgcaggaat gcacgcagaa 57180
atagctctat aaacatgcac ggtaacaata tgtgctgata atatctcagc acattttattc 57240
tgcttatgca gagcagctct aaaacactga aaataacttt gtgcatctca agggattgct 57300
gtatcttttc tgtagtaaag acacactggt atggtgctgt ctttgctata atttgctctt 57360
ggactgtgtg gggaaatatg ggtaataaga gctactacac aggggaagggt atgcaaaacg 57420
attgtgaagt gtcagaagct tagccagtgt agactgactt ccagtgccat cagtagatac 57480
ttgcttattt atcctcaaat attggaactg tttttaagta ctgtgaggat ttctgcagca 57540
gcagctgatg agctgatgga acagtttctt cttgccgttt tgaaaacgtg gaaacaaaat 57600

```

019CIP2 1-46 Seq list.txt

ctaaggctta	gctaagtcag	gcatgaccta	atgtcaaact	ggacataaca	tcaaactcct	57660
tatatcaaat	tcctttgaat	aatgcttggt	ttgaaacttg	gacatacgct	gcataaggaa	57720
gatgatcttt	ctggtctgct	attcctttgc	gttccctttg	ttagttagca	atatcaaacc	57780
caaccacaat	tagttcattt	ataatgggag	actaaactga	aatcaaccct	gatttttcct	57840
atggctcgag	gcagtctgtc	ccccagctcc	cagcacctga	ctcagcatcc	ttactgtttt	57900
ctccccagct	tgactgcacc	caatacctga	gcaataccca	aaacggtgaa	gccattaccg	57960
cctgccccct	catcctgcag	gaggtctgtg	gcaactgacg	cgtcacctac	agcaacgact	58020
gttctctgtg	tgcccacaac	atgtaagccc	tgcaggtcac	ccactcgtgt	gtcaccgcag	58080
ctgcttggtg	agctttgtca	actctgtttt	ctctctcttc	cagtgaattg	ggaaccagcg	58140
ttgccaaaaa	gcacgatggg	aggtgcagag	aggaggttcc	tgaggtaagc	gataaagaaa	58200
acaagagctt	gaggtggtgc	ttattgccta	acaagtacaa	cgctggctgg	ttttggtgat	58260
gctgggtcat	gccctcctgc	tgccatcctt	cctgcaggta	aacatcaacc	ctggcagcag	58320
ggatgctgtg	cattttctgc	atgtagtcag	ggaaagaaag	agaagaggac	gggtgaggaa	58380
tgagttatga	tgcaggtagc	ataaatgatt	taaggcggtt	cgaagaaatc	tctttcccac	58440
agcagtctat	catacctgcc	gtgggagtg	agctgtctgt	tctggcaata	tgggaaaggg	58500
acacagagca	cccgaggtta	cctgggtgcct	tctggatacc	tgtgctgtgc	aaaaggatgt	58560
tgtgcaaaga	tcagaaaact	acctgcattt	tgaatgcttt	tacctaatgt	accagaggat	58620
tcaaacacct	ctctcttcct	attgtaaatg	cgatataatg	taatgtatac	caacaatgaa	58680
tcttgtaaaa	ataccagata	aactatattt	ggccagctct	aaactattta	cgctcactgg	58740
ggaatagaaa	aacaaagcca	tctcattatc	ttgtgtttga	aagagtcaac	gtcgtgagtc	58800
agatatttca	tttctatgca	aacagactat	gaaatgtcat	tgctttgttt	cctgctgtatg	58860
ctctgtgctc	agaccaagtc	agatgcataa	atcagttagg	aagagctcac	actggagaaa	58920
ctgggatagc	tgaaactcaa	ggccagttct	tcaaattggc	taaatcattt	tgaactgctg	58980
ttggtccttc	tgtccgattg	caacacacag	aaccagcccc	tcgcaacaaa	aggcatgtca	59040
gcacatctcc	tcagttcttg	tgggccgtga	cacactcctt	ggccacactg	agcttctctt	59100
gcaggaattg	cataaatcac	gccagtttga	tttgcagatt	atttatgagc	tgctgtttgc	59160
agcgtcccag	caagtgggtc	agcaagctct	aagggcatcg	tgataaatgc	agggtgaat	59220
gagtgatacg	cgccttcaag	ctttgattca	gtcttctcca	gtataaggct	gtgacagaaa	59280
attgatagtt	ttcaatgaag	aatgagtcaa	tgcataacca	taatccatcc	tgtggcagat	59340
cttgaaaggc	agaggcgtaa	ggaagggggg	tgtgtctgag	cacccttaca	cagagcattt	59400
gctgcctttg	tttcctagct	tgactgcagc	aagtacaaaa	cctccacgct	gaaggatggc	59460
agacagggtg	tggcctgcac	catgatctac	gatcccgctt	gtgctaccaa	tgggtgcacc	59520

## 019CIP2 1-46 Seq list.txt

tatgccagcg	aatgcacgct	gtgcgctcac	aacctgtaag	tactcattca	tctccagggg	59580
gaccacacgt	ggctgtgact	ggacacatct	ttgagtgtcg	aataacatgc	aagggctctg	59640
tctaaaatct	cgtgctgcat	gggtcctgtc	tgcctatccc	cgtttccctg	gttgccatgg	59700
ttggtgtttg	agatgggcat	ttagcaaggc	ccactgcccc	cagtgaacca	gaaaaagggg	59760
tcactgcctg	ggaaagcatt	attccaaaag	acacatccct	agtccttaag	ggcatgttct	59820
tgctaattgct	tctcaggcaa	tgcttagcta	atttatctga	aattgtcctg	tgtaccacat	59880
gggaacgagg	ttgtgctctt	gtactacggt	tgtaaatggg	aagggtttct	gctaatatcc	59940
atctctcctt	cctccagggg	gcagcggacc	aatcttggca	agagaaagaa	tggaagatgt	60000
gaagaggata	taacaaaggt	gagtgtgaaa	ggatgggcac	aaagagttac	agtcgtaggg	60060
gaccgtcctc	tgctccacat	caaaaactgg	gggagcggtg	tgcagccctg	gcgaggctgc	60120
ttgggaatgt	catactgggt	atagaatagc	tgccatccat	cccatgggaa	tggaacatggc	60180
agtgaacagg	aacagtgtga	ggtcacatcc	ctcaccagga	ggaactgagc	tgattactgc	60240
cgtaattttc	cagtttcact	ctttgtgctg	ggggaataact	gtttgctccc	aggcagagac	60300
tcacatcttc	cttgtgtgtg	caggaacatt	gccgtgagtt	ccagaaagtc	tctcccatct	60360
gcaccatgga	atacgtaccc	cactgtggct	ctgatggcgt	aacatacagc	aacagatgtt	60420
tcttctgcaa	cgcataatgtg	taagtatagg	agtgaaaccc	ttcctgtaac	tgctacaaac	60480
gcagagttag	ttttataagg	agttctttac	taacacttta	tgggtgtgtg	ctagacattt	60540
cggatgcacc	gtgacgtgca	aggaggtgct	tttttgcttt	ttaagaaaaa	atgcaaagca	60600
cccacatctg	cccatgtgta	tgtggcttcc	tgttttatct	agtttcaaag	acattttgct	60660
aattttcacc	agcatagttt	gtcccacaag	ctcatcaggg	tatggggaaa	gtacttcacc	60720
aaactacctg	gagcgtttca	agtgtgtgaa	acctgtcatc	tttcctttaa	ttttcataat	60780
gaaaggaagt	ggttggcctt	ctgagactgt	tctttatctt	ctgccaacat	tatcaacatt	60840
tgggctggta	aggagaggaa	caaggctgca	gcacaaattc	tattgtgttt	aatcctttct	60900
tctcttttca	ttaggcagag	caataggact	ctcaacctcg	tgagtatggc	agcgtgttaa	60960
ctctgcactg	gagtccatcg	tggaagaa	tctgccttgc	acatgagtct	tcgtgggcca	61020
atattcccca	acggttttcc	ttcagcttgt	cttgtctccc	aagctctcaa	aacacctttt	61080
tgggtgaataa	actcacttgg	caacgtttat	ctgtcttacc	ttagtgtcac	gtttcatccc	61140
tattcccctt	tctcctcctc	cgtgtggtac	acagtgggtg	acactgggtc	ttctgttgat	61200
gttctgctct	gacagccaat	gtgggtaaag	ttcttctctg	catgtgtctg	tggtgttttc	61260
acttcaaaaa	gggccctggg	ctccccttgg	agctctcagg	catttcctta	atcatcacag	61320
tcacgctggc	aggattagtc	tctcctaaac	cttagaatga	cctgaacgtg	tgctccctct	61380

019CIP2 1-46 Seq list.txt

ttgtagtcag	tgcaaggaga	cgtttgcctc	aagatcaggg	tccatctcac	ccacagggca	61440
attcccaaga	tgaggtggat	ggtttactct	cacaaaaagt	tttcttacgt	tttgctagaa	61500
aggagagctc	actgcctacc	tgtgaattcc	cctagtcctg	gttctgctgc	caccgctgcc	61560
tgtgcagcct	gtcccatgga	gggggcagca	actgctgtca	caaaggatgat	cccaccctgt	61620
ctccactgaa	atgacctcag	tgccacgtgt	tgtataggat	ataaagtacg	ggaggggaat	61680
gccccgctcc	cttcaggggt	gcagggcaga	agtgtctgtg	tatagagtgt	gtgtcttaat	61740
ctattaatgc	aacagaacaa	cttcagtcct	ggtgttttgt	gggctggaat	tgcccatgtg	61800
gtagggacag	gcctgctaaa	tactgcaat	cgcctatgtt	ctgaaggat	ttgggaaaga	61860
aagggatattg	ggggattgcc	tgtgattggc	tttaattgaa	tggcaaatca	caggaaagca	61920
gttctgctca	acagttgggt	gtttcagcca	attcttgacg	ccaaagagcc	gggtgcccag	61980
cgatataata	gttgtcactt	gtgtctgtat	ggatgacagg	gaggtagggg	gacctgagga	62040
ccaccctcca	gcttctgcca	gcgtaggtac	agtcaccacc	tccagctcca	cacgagtccc	62100
atcgtgggtt	accaaagaaa	cacaattatt	tggaccagtt	tggaaagtca	cccgggtgtat	62160
tgtgaggcta	gattaatagg	ctgaaggcaa	atgttcccaa	cttgagagata	ctgttggtat	62220
tgtatcaggg	aacagggccca	tagcacctcc	atgctattag	attccggctg	gcatgtactt	62280
ttcaagatga	tttgtaacta	acaatggcct	attgtgcttg	tcttaagtct	gtgtccta	62340
gtaaagtgtc	ctttggttta	tataaccttc	ttgccgtttg	ctcttcaggt	gttcttgacg	62400
aacactggct	gctttaatct	agtttaactg	ttgcttgatt	attcttaggg	ataagatctg	62460
aataaacttt	ttgtggcttt	ggcagacttt	agcttgggct	tagctccac	attagctttt	62520
gcagcctttt	ctgtgaagct	atcaagatcc	tactcagtga	cattagctgg	gtgcagggtgt	62580
accaaatacct	gctctgtgga	acacattgtc	tgatgatacc	gaaggcaaac	gtgaactcaa	62640
agaggcacag	agttaagaag	aagtctgtgc	aattcagagg	aaaagccaaa	gtggccatta	62700
gacacacttt	ccatgcagta	tttgccagta	ggtttcatat	aaaactacaa	aatggaataa	62760
accactacaa	atgggaaaaa	cctgatactg	gaatttaaat	attcaccag	gctcaagggg	62820
tgtttcatgg	agtaacatca	ctctataaaa	gtagggcagc	caattattca	cagacaaagc	62880
tttttttttt	ttctgtgctg	cagtgtgtgt	tttcggctga	tccagggtta	cttattgtgg	62940
gtctgagagc	tgaatgattt	ctccttgtgt	catgttggtg	aaggagatat	ggccaggggg	63000
agatgagcat	gttcgagagg	aaacgttgca	ttttgggtggc	ttgggagaaa	ggtagaacga	63060
tatcaggtct	acagtgtcac	taagggatct	gaaggatggt	tttacagaac	agttgacttg	63120
gctgggtgca	ggcttggtg	taaatggatg	gaaggatgga	cagatgggtg	gacagagatt	63180
tctgtgcagg	agatcatctc	ctgagctcgg	tgcttgacag	actgcagatc	catcccataa	63240
ccttctccag	catgagagcg	cggggagcct	tgggtactgtt	cagtctgctg	cttgttgctt	63300

## 019CIP2 1-46 Seq list.txt

```

cctgggtgca cagtggatgat tttcttactc acacagggca aaaacctgag cagcttcaaa 63360
gtgaacagggt tgctctcata ggccattcag ttgtcaagat gaggtttttg gtttcttggt 63420
ttgtaagggtg ggaagaagca ctgaaggatc gggtgagagg gcagggggtt agcactgttc 63480
agagaagtct tattttaact cctctcatga acaaaaagag atgcaggtgc agattctggc 63540
aaggatgcag tgaaggagaa agccctgaat ttctgatata tgtgcaatgt tgggcaccta 63600
acattccctg ctgaagcaca gcagctccag ctccatgcag tactcacagc tgggtgcagcc 63660
ctcggctcca gggctctgagc agtgctggga ctcatgaggt tccatgtctt tcacactgat 63720
aatggtccaa tttctggaat ggggtgcccac ccttggagggt cccaaggcc aggttggtg 63780
cgtctccgag cagcccgatc tgggtggtag tagccagccc atggcaggag ttagagcctg 63840
atggtcttta aggtcccttc caacctaagc catcctacga ttctaggaat catgacttgt 63900
gagtgtgtat tgcagaggca atatttttaa gttataaatg ttttctcccc ttccttggtt 63960
gtcaaagtta tcttgatcgc cttatcaatg cttttggagt ctccagtcac ttttcttaca 64020
acaaaaagag gaggaagaat gaagagaatc atttaatttc ttgattgaat agtaggattc 64080
agaaagctgt acgtaatgcc gtctctttgt atcgagctgt aaggtttctc atcatttatc 64140
agcgtggtac atatcagcac ttttccatct gatgtggaaa aaaaaatcct tatcatctac 64200
agtctctgta cctaaacatc gctcagactc tttacccaaa aagctatagg ttttaaaact 64260
acatctgctg ataatttgcc ttgttttagc tcttcttcca tatgctgcgt ttgtgagagg 64320
tgctggtgat ggcctaaact ctcatgtgct gagcttgatg ggtgcttaag aatgaagcac 64380
tactgctga aactgttttc atttcacagg aatgttttag tggcattggt tttataacta 64440
catattcctc agataaatga aatccagaaa taattatgca aactcactgc atccgttgca 64500
caggtcttta tctgctagca aaggaaataa tttggggatg gcaaaaacat tccttcagac 64560
atctatatatt aaaggaatat aatcctggta cccacccact tcatccctca ttatgttcac 64620
actcagagat actcattctc ttgttggtat catttgatag cgttttcttt gggtctttgc 64680
cacgctctgg gctatggctg cacgctctgc actgatcagc aagtagatgc gagggagca 64740
gcagtgcagc gggctgccct cagctggcac ccagccgctc agcctaggag gggaccttgc 64800
ctttccacca gctgaggtgc agccctacaa gcttacacgt gctgcgagca ggtgagcaaa 64860
gggagtcctc atgggtgtgtt tcttgctgcc cggaagcaaa actttacttt cattcattcc 64920
ccttgaagaa tgaggaatgt ttggaaacgg actgctttac gttcaatttc tctcttcctt 64980
ttaaggctca gccaggggccc attgctgagg acggcatcgg ggccccctgg accaaatctg 65040
tggcacagat ggtttcactt acatcagtggt atgtgggatc tgcgcctgta atgtgtcctt 65100
ctgaaggaag gaacgtgcct tccaagtgcc agccccacag ccccagccc ctccctgtgc 65160

```

## 019CIP2 1-46 seq list.txt

tgctccaatt	catctcctct	tcctccttct	ccctttgctg	tttgtgctcg	ggtagaaatc	65220
atgaagattt	agaagagaaa	acaaaataac	tggagtggaa	accaggtga	tgcagttcat	65280
tcagctgtca	taggtttgtc	attgctatag	gtctgtatca	gagatgctaa	caccactttg	65340
ctgtcgggtg	ttaactcggg	tgaactctcc	ttcactcgca	tcatttgctg	gccttattta	65400
catccccagc	atccatcacc	ctctgggaaa	atgggcacac	tggatctcta	atggaagact	65460
ttccctcttt	cagagcctgt	gggatgtgca	gtgacaagaa	acgtggaggg	gctgagcagc	65520
agcactgccc	ccaggagagca	ggagcggatg	ccatcggtgg	cagcatccca	aatgatgtca	65580
gcggatgctg	agcaggcagc	ggacgaacag	acagaagcga	tgcgtacacc	ttctgttgac	65640
atggcatttg	gcagcgattt	aacactcgct	tcctagtcct	gctattctcc	acaggctgca	65700
ttcaaatgaa	cgaagggaag	ggaggcaaaa	agatgcaaaa	tccgagacaa	gcagcagaaa	65760
tatttcttcg	ctacggaagc	gtgcgcaaac	aaccttctcc	aacagcacca	gaagagcaca	65820
gcgtaacctt	tttcaagacc	agaaaaggaa	attcacaag	cctctgtgga	taccagcgcg	65880
ttcagctctc	ctgatagcag	atttcttgtc	aggttgcaaa	tggggtatgg	tgccaggagg	65940
tgcagggacc	atatgatcat	atacagcaca	gcagtcattg	tgcattgtatt	aatatatatt	66000
gagtagcagt	gttactttgc	caaagcaata	gttcagagat	gagtcctgct	gcataacctct	66060
atcttaaaaac	taacttataa	atagtaaaaac	cttctcagtt	cagccacgtg	ctcctctctg	66120
tcagcaccaa	tggtgcttcg	cctgcaccca	gctgcaagga	atcagcccgt	gatctcatta	66180
acactcagct	ctgcaggata	aattagattg	ttccactctc	ttttgttggt	aattacgacg	66240
gaacaattgt	tcagtgtctga	tggtcctaata	tgctagctac	agaaaacgtc	tccatgcagt	66300
tccttctgct	ccagcaaact	gtccaggcta	tagcaccgtg	atgcatgcta	cctctcactc	66360
catccttctt	ctctttccca	ccaggagagag	ctgtgtgttt	tcactctcag	ccgctctgaa	66420
caataccaaa	ctgctacgca	ctgcctccct	cggaaagaga	atccccctgt	tgctttttta	66480
tttacaggat	ccttcttaaa	aagcagacca	tcattcactg	caaaccaga	gcttcctgcc	66540
tctccttcca	caaccgaaaa	cagccggcctt	catttgtctt	ttttaaatgc	tgttttccag	66600
gtgaattttg	gccagcgtgt	tggtctgagat	ccaggagcac	gtgtcagctt	tctgctctca	66660
ttgctcctgt	tctgcattgc	ctctttctg	ggcttccaag	agggggggag	actttgcacg	66720
gggatgagat	aatgccccct	ttcttaggg	ggctgctggg	cagcagagt	gctctgggtc	66780
actgtggcac	caatgggagg	caccagtggg	ggtgtgtttt	gtgcaggag	gaagcattca	66840
cagaatgggg	ctgatcctga	agcttgagct	ccaaggcttt	gtctgtgtac	ccagtgaat	66900
ccttcctctg	ttacataaag	cccagatagg	actcagaaat	gtagtcattc	cagccccct	66960
cttcctcaga	tctggagcag	cacttggttt	cagccagtcc	tccccaaaat	gcacagacct	67020
cgccgagtgg	aggagatgt	aaacagcgaa	ggttaattac	ctccttgtca	aaaacacttt	67080



## 019CIP2 1-46 Seq list.txt

```

gtggtccata gatgtttctg tcaatcttac aaaacagaac cgagggcagc gagcactgaa 67140
ggcgtgttcc catgctgagt taatgagact tggcagctcg ctgtgcagag atgatccctg 67200
tgcttcatgg gaggctgtaa cctgtctccc catcgccctc acaccgcagt gctgtcctgg 67260
acacctcacc ctccataagc tgtaggatgc agctgcccag ggatcaagag acttttccta 67320
aggctcttag gactcatctt tgccgctcag tagcgtgcag caattactca tcccaactat 67380
actgaatggg tttctgccag ctctgcttgt ttgtcaataa gcattttttc attttgcctc 67440
taagtttctc tcagcagcac cgctttgggt gacttcagtg gccgcctgga acccgagggg 67500
cacagccacc acctccctgt tgctgctgct ccggggactc acgtgctgct ggatgggggg 67560
aagcatgaag ttccctcacc agacacctgg gttgcaatgg ttgcagtgtg ctcttcttgg 67620
tatgcagatt gtttctagcc attacttgta gaaatgtgct gtggaagccc tttgtatctc 67680
tttctgtggc ccttcagcaa aagctgtggg aaagctctga ggctgctttc ttgggtcgtg 67740
gaggaattgt atgttccttc ttaacaaaa attatcctta ggagagagca ctgtgcaagc 67800
attgtgcaca taaacaaatt caggttgaaa gggctctctg gaggtttcca gcctgactac 67860
tgctcgaagc aaggccaggt tcaaagatgg ctccagatgc tgtgtgcctt cctgattatc 67920
tgtgccacca atggaggaga ttcacagcca ctctgcttcc cgtgccactc atggagagga 67980
atattccctt atattcagat agaatgtcat ccttttagctc agccttccct ataaccccat 68040
gagggagctg cagatcccca tactctctc ttctctgggg tgaaggccgt gtccctccagc 68100
cccccttccc acctgtgcc ctgagcagcc cgctggcctc tgctggatgt gtgcccatat 68160
gtcaatgcct gtccttgca tccagcctgg aacatttaat tcatcaccag ggtaatgtgg 68220
aactgtgtca tcttcccctg caggggtacaa agttctgcac ggggtccttt cggttcagga 68280
aaaccttcgc tgggtgctacc tgaatcaagc tctatttaat aagttcataa gcacatggat 68340
gtgttttcct agagatacgt ttaaatggta tcagtgattt ttatttgctt tgttgcttac 68400
ttcaaacagt gcctttgggc aggaggtgag ggacgggtct gccgttggct ctgcagtgat 68460
ttctccaggc gtgtggctca ggtcagatag tggtcactct gtggccagaa gaaggacaaa 68520
gatggaaatt gcagattgag tcatgttaag caggcatctt ggagtgattt gaggcagttt 68580
catgaaagag ctacgaccac ttattgttgt tttccccttt tacaacagaa gttttcatca 68640
aaataacgtg gcaaagccca ggaatgtttg ggaaaagtgt agttaaatgt tttgtaattc 68700
atgtgtcgga gtgttaccag ctaagaaaa agtcctacct ttggtatggt agtcctgcag 68760
agaatacgac atcaatatta gtttgaaaa aaacaccacc accaccagaa actgtaatgg 68820
aaaatgtaaa ccaagaaatt cttgggtaa gagagaaagg atgtcgtata ctggccaagt 68880
cctgcccagc tgtcagcctg ctgaccctct gcagctcagg accatgaaac gtggcactgt 68940

```

019CIP2 1-46 Seq list.txt

aagacgtgtc	cctgcctttg	cttgctcaca	gatctctgcc	ctcgtgctga	ctcctgcaca	69000
caagagcatt	tccctgtagc	caaacagcga	ttagccataa	gctgcacctg	actttgagga	69060
ttaagagttt	gcaattaagt	ggattgcagc	aggagatcag	tggcagggtt	gcagatgaaa	69120
tcctttctag	gggtagctaa	gggctgagca	acctgtccta	cagcacaagc	caaaccagcc	69180
aagggttttc	ctgtgctggt	cacagaggca	gggccagctg	gagctggagg	aggttgtgct	69240
gggactcttc	tccctgtgct	gagaatggag	tgatttctgg	gtgctgttcc	tgtggcttgc	69300
actgagcagc	tcaagggaga	tcggtgctcc	tcatgcagtg	ccaaaactcg	tgtttgatgc	69360
agaaagatgg	atgtgcacct	ccctcctgct	aatgcagccg	tgagcttatg	aaggcaatga	69420
gccctcagtg	cagcaggagc	tgtagtgcac	tcctgtaggt	gctagggaaa	atctctgggt	69480
cccagggatg	cattcataag	gacaatatat	cttgaggctg	tgccaaatct	ttctgaaata	69540
ttcatgcatg	ttcccttaat	ttatagaaac	aaacacagca	gaataattat	tccaatgcct	69600
cccctcgaag	gaaaccata	tttccatgta	gaaatgtaac	ctatatacac	acagccatgc	69660
tgcatccttc	agaacatgcc	agtgtctatc	tcccatggca	aaatactaca	ggatttctca	69720
ctatgtttga	cctgtgaaag	gaaccatggg	aagaaactca	ggttaaagggt	atggctgcaa	69780
aactactcat	acaaaaacag	cagagctcca	gacctcctct	taggaaagag	ccacttggag	69840
agggatgggtg	tgaaggctgg	agggtgagaga	cagagcctgt	cccagttttc	ctgtctctat	69900
tttctgaaat	gtctgcagga	ggaaaggaca	actgtacttt	caggcatagc	tgggtgccctc	69960
acgtaaataa	gttccccgaa	cttctgtgtc	atttgttctt	aagatgcttt	ggcagaacac	70020
tttgagtcaa	ttcgcttaac	tgtgactagg	tctgtaaata	agtgtccct	gctgataagg	70080
ttcaagtgac	atTTTTtagtg	gtatttgaca	gcatttacct	tgctttcaag	tcttctacca	70140
agctcttcta	tacttaagca	gtgaaaccgc	caagaaaccc	ttccttttat	caagctagtg	70200
ctaaatacca	ttaacttcat	aggttagata	cgggtgctgcc	agcttcacct	ggcagtgggt	70260
ggtcagttct	gctgggtgaca	aagcctccct	ggcctgtgct	tttacctaga	ggatgaatatc	70320
caagaatgca	gaactgcatg	gaaagcagag	ctgcaggcac	gatgggtgctg	agccttagct	70380
gcttcttgct	gggagatgtg	gatgcagaga	cgaatgaagg	acctgtccct	tactcccctc	70440
agcgttctgt	gctatttagg	gttctaccag	agtccttaag	aggttttttt	ttttttttgg	70500
tccaaaagtc	tgtttgtttg	gttttgacca	ctgagagcat	gtgacacttg	tctcaagcta	70560
ttaaccaagt	gtccagccaa	aatcaattgc	ctgggagacg	cagaccatta	cctggagggtc	70620
aggacctcaa	taaatattac	cagcctcatt	gtgccgctga	cagattcagc	tggctgctct	70680
gtgttccagt	ccaacagttc	ggacgccacg	tttgtatata	tttgcaggca	gcctcggggg	70740
gacctctca	ggagcagagc	accggcagcc	gcctgcagag	ccgggcagta	cctcaccatg	70800
gcatggcag	gcgtcttcgt	gctgttctct	ttcgtgcttt	gtggcttcct	cccagggtgag	70860

## 019CIP2 1-46 Seq list.txt

taactcccag	agtgtctgcag	aagctttgtg	cctgccagtc	ctggctctcc	ttagcagaac	70920
atggtggtga	ccatcagaga	gagactcccc	tacaaagtgc	ctgcaaaggc	tgccctcagta	70980
catcagtatt	aaacggatta	ctgtttgtgt	gggtgtctgt	tgggttctgt	gctcccaaca	71040
catttcttac	gctctcagct	ctgttacact	gcttgcattt	gctgcacagt	tgcatagaat	71100
ggataaatgc	ttgaaacaag	gccataacga	ggtggtcaga	cctccaggaa	ctagttaggg	71160
aatattgtc	atggcccaag	caagctctgt	gcaggaaact	ggcagctttc	ctgcaatgct	71220
tttgctgcta	atggagaaac	aagagatgca	aacaagccag	gatctgatgt	tctccttctg	71280
tatttacatc	tcatgaaatt	acaaagtcaa	agacaagcgt	ggttttatttc	ttacactcag	71340
cttctttaaa	atgtatatcc	ctgacaacag	atgctgtgta	tgtttgctta	tcctgtatgt	71400
gactatttgc	atttgcattt	atctctattg	actcaggttt	cttttcagat	atgtgataga	71460
tgttttctag	ggacaaaacg	gatgtgtgaa	tagataagga	aggaaaagat	attcattttt	71520
caattaataa	atctacctat	ctcttaactt	tttttttttt	ttaagaacag	agctattcaa	71580
gaactcgttt	catcagccag	caataagaag	ctaaattatg	tttatcagca	ttaaacaaaa	71640
atcatatata	gtttgcttag	ttcaagaatc	gaatcgggtg	aatcactca	gtttggttct	71700
ctgtgtcggg	gttttgccac	cacatttcag	ctagctgtgg	tctcactgat	cagactgcct	71760
ttgtttccca	tttttgtccc	ctttttttcc	ccagatgctg	cctttggggc	tgagggtgagt	71820
aagagagttc	ttcttgtcca	cttttctctt	ttctcttttc	tctctctctc	tttttttccc	71880
cccgtcttaa	ttagtatcac	tataatcaga	tcccagagtg	taaaatgtta	aattatgcag	71940
ttctgagctc	tacatctatg	ctgcatgtaa	gtaatgtagc	agtgatataa	aactgttaga	72000
tgaattaatt	tctgaccaac	tctgaactgg	tctaagcttt	aagttgatca	tatgttctac	72060
taaataatac	agtggtttgg	gttggaaggg	tcctttaaga	tcatctactt	ccaacccttc	72120
tgctataggg	agggacaact	cccactagac	aagattgctc	aaagctccat	ccatatgatc	72180
agctgtagac	tgatggctgt	agactatagc	attaaaaact	accccaaagc	agcctactga	72240
aagaagaaag	tactgtgagg	tgctacagct	tccaaatccc	atgttggttag	acctgttctt	72300
ttgaataaac	gtgtttgtac	gttgagaatg	aatgagtaac	aatggcagaa	cactggaggg	72360
gccaactctc	aggctttgca	aaatggtgcc	tggggggcat	gatagatccc	tgctggttta	72420
tcacatgggg	agctgcatgg	ctataacccc	attgccagct	tctctccac	tgcatggaga	72480
gaaggctgga	tctggtcgct	gccctgctga	aatggcaga	tgtaactaca	aatgtcact	72540
ttgtcctgtt	actgtgtgtt	tctttgtcag	gtggactgca	gtaggtttcc	caacgctaca	72600
gacaaggaag	gcaaagatgt	attggtttgc	aacaaggacc	tccgccccat	ctgtggtacc	72660
gatggagtca	cttacaccaa	cgattgcttg	ctgtgtgcct	acagcatgtg	tgtactgcag	72720

019CIP2 1-46 Seq list.txt

agagagctca	tactgcaagc	aagcagctgt	gcttagggct	cctgacagca	cccccttcca	72780
acaaacagtg	atctgtcaca	tgtcacttat	gtcaactctt	tcagggaaag	cttgagtatc	72840
actgcgtagc	actcggttgc	ctagacatca	ctttggttac	tgtgtctttt	ttggtgatgt	72900
aattttattca	ggttttttctc	ctccatctcg	gggatgaggc	agatgacagc	ccctagggca	72960
tattttcatcc	cagcaaaaaa	ggagcaaaag	gatggagagg	tgctccagtc	tgaatgggtcc	73020
aaaacagtcc	taaagatttc	agagtcttta	gatccctgcc	agccactcag	tatggcacta	73080
ccctctccaa	tacaaatata	tatatataca	aagatgactt	agccagactc	agcctcattg	73140
cattaggtac	atattcccaa	taacgagaag	ctgagcttcc	taatacctgt	tttccctctt	73200
cagagaattt	ggaaccaata	tcagcaaaag	gcacgatgga	gaatgcaagg	aaactgttcc	73260
tgtaagtga	accaagttca	tcctttgtgc	agccaaaact	gcttattgac	ttgcccaata	73320
aataatgtaa	atgctgacta	agaggccatg	tgagatgtca	gaatcttgta	ttgatcatct	73380
tcagggtgaag	tttcatcaca	ataacacaaa	aaaagacttt	atttcttgct	gagggtggcat	73440
tttaggagac	ccaacgcacg	cgctccgctg	gtctacgtgg	tccttgtaag	ccctcaccag	73500
cgctttgctg	tgtgctcctt	ccacagatga	actgcagtag	ttatgccaac	acgacaagcg	73560
aggacggaaa	agtgatggtc	ctctgcaaca	gggccttcaa	ccccgtctgt	ggtactgatg	73620
gagtcaccta	cgacaatgag	tgtctgctgt	gtgccacaaa	agtgtaagta	ccgagctgtg	73680
ctcccttggc	aggaatgggt	cctgcgctcc	tggcagccac	tctttgagca	ctgggatttc	73740
caatgagggt	ttttctgtat	ggctcttgga	ctccgtccct	cctctccctg	ataacctcat	73800
gctgttttcc	tttgtgatta	gaaagagaac	tgtggctttg	atcttgagag	agaagcagag	73860
agctgggtgg	ggacttaaga	gaagcactct	gttctgtgtt	aactaagtta	aaagggctctg	73920
tgtggcacac	actgccttgc	agaggacagc	agtgaacctc	tgctgcacct	atattgtaaa	73980
acaacctagc	tcctaggcca	tgacagcctg	tcacctctcc	tcctttgcat	catgcaatac	74040
tgcaacactg	tggcacatag	taccacctcc	cataaggact	gatatgttga	accagtgtgt	74100
cagagaccag	tagcatctct	gtcttcagga	tcatcaggta	gcattctata	tacaggggtgt	74160
tgcccaggac	tccgagtccc	atgaagtatg	gcagggggtt	tggaactgga	tgaccttcga	74220
ggtcacttcc	aaccaagcc	attctattat	tctgtgaaag	ccagggaggt	gggggtgctt	74280
gcagggctgg	tatcttgagc	agtgtgggca	caaactaggc	tgggcatctg	cagcccatca	74340
gcaactgcggg	gatgtggagt	tcagcacagc	aggatgcagg	cacagctccc	taacatggat	74400
ttttttcctt	tcagagagca	ggggggccagc	gttgacaaga	ggcatgatgg	tggatgtagg	74460
aaggaacttg	ctgctgtgag	tgtgagtagc	acaatgaagg	agcaggttct	ggtccctactg	74520
atgtcaaggg	aaacatggcc	agcatcttta	gtagcctcag	gagcatcagt	tgtgcttcag	74580
cacagagaag	attttacttt	ctacacacgt	aatacacatt	atccacagta	atgtcaggaa	74640

## 019CIP2 1-46 Seq list.txt

gggaagagga	tgactgcaca	ggcagggatc	agtaaaagac	cataagcaga	aataacccat	74700
gagggcagaa	ctgagaataa	gaactgagac	tagatccagg	gggtcagacc	aatgggccat	74760
caaacccatg	atggtttgat	gcagagtcca	ctctttcagc	attcataaga	attgagtagg	74820
ggggagtaag	ggtgggggtga	gtacgtacgg	atcttcccaa	acacccttcc	aacctacagc	74880
tatgcacctc	agccagggtgt	gattttctgtg	tagttcacaa	gcctcagtgg	atttctctcc	74940
catgggattc	tccagcctct	ttctggacct	gtatacacgg	tagttggggt	ggtttttttt	75000
ttctgtctct	ctttttttcc	ccccactaca	atgtccctca	gcaaacatag	tcctcatctc	75060
tcaaacaaac	aaatctcatt	ctctaagtac	ccagataaga	gctgattttt	gctttaagcc	75120
tgtgggggag	atgctggact	attataaagg	tatcagtgtc	gcctcttctc	cagacaccaa	75180
tgttttttcc	atttaatttc	ctgaacaggt	caggaacacg	gtgcaacatg	attgtaagca	75240
cagcacgttc	atggagcgag	ctgctgtctc	agctcagaaa	tgcagcagtc	agattgtgat	75300
atgcatctct	tacacaggaa	attatgctct	atttttatat	tattaaatct	agcatacgag	75360
aaaggacatc	cagttttatat	cagatcgtgc	aaggaagtta	attattttta	gtttgatcat	75420
tatcatcggc	actgcagctg	tagctaggga	ggggttgaag	ctcttcagct	atcgactcct	75480
tcatatcctc	cacgttacaa	ttgtgttttt	gcaggttgac	tgcagcgagt	accctaagcc	75540
tgactgcacg	gcagaagaca	gacctctctg	tggctccgac	aacaaaacat	atggcaacaa	75600
gtgcaacttc	tgcaatgcag	tcgtgtacgt	acagccctga	ttgcattcac	gttgtcggct	75660
gcctcctaca	ggcaccagct	tgcacagttc	ctgctttcgt	tgctgattgc	tgaccaggat	75720
ctgggggag	aaaagaacac	cgggcatcac	gccagccatt	catttgattt	ttcaccagag	75780
cttgtctggg	ttgttaggat	ggatgttttg	aacgccatta	accttaaggg	aagttttcct	75840
tgtgcgaag	aaaatcagat	ttgggtgttc	attatagttt	tcagaagggg	ttaaacgatt	75900
tcactcatct	cctaataatc	aggtagctga	ggagatgctg	agtctgccag	ttcttgggct	75960
ctgggcagga	tcccatctcc	tgccttctct	aggacagagc	tcagcaggca	gggctctgtg	76020
gctctgtgtc	taaccacttc	cttcctctcc	tcgctttcag	ggaaagcaac	gggactctca	76080
ctttaagcca	ttttggaaaa	tgtgaatat	cagagctgag	agaattccgc	ccctctccct	76140
ccccccccc	taacgttact	ggccgaagcc	gcttgaata	aggccggtgt	gcgtttgtct	76200
atatgttatt	ttccaccata	ttgccgtctt	ttggcaatgt	gagggcccgg	aaacctggcc	76260
ctgtcttctt	gacgagcatt	cctaggggtc	tttcccctct	cgccaaagga	atgcaaggct	76320
tgttgaaatg	cgtgaaggaa	gcagttcctc	tggaaagctt	ttgaagacaa	acaacgtctg	76380
tagcgaccct	ttgcaggcag	cggaaacccc	cacctggcga	caggtgcctc	tgcggccaaa	76440
agccacgtgt	ataagataca	cctgcaaagg	cggcacaacc	ccagtgccac	gttgtgagtt	76500

## 019CIP2 1-46 Seq list.txt

ggatagttgt ggaaagagtc aaatggctct cctcaagcgt attcaacaag gggctgaagg 76560  
 atgcccagaa ggtaccccat tgtatgggat ctgatctggg gcctcgggtgc acatgcttta 76620  
 catgtgttta gtcgagggtta aaaaaacgtc taggcccccc gaaccacggg gacgtgggttt 76680  
 tcctttgaaa aacacgatga taagcttgcc acaaccatgg gtgtactgct cacacagagg 76740  
 acgctgctca gtctggctct tgcactcctg ttccaagca tggcgagcat ggcaatgcac 76800  
 gtggcccagc ctgctgtggt actggccagc agccgaggca tcgccagctt tgtgtgtgag 76860  
 tatgcatctc caggcaaagc cactgaggctc cgggtgacag tgcttcggca ggctgacagc 76920  
 cagggtgactg aagtctgtgc ggcaacctac atgatgggga atgagttgac cttcctagat 76980  
 gattccatct gcacgggcac ctccagtggg aatcaagtga acctcactat ccaaggactg 77040  
 agggccatgg acacgggact ctacatctgc aagggtggagc tcatgtaccc accgccatac 77100  
 tacctgggca taggcaacgg aaccagatt tatgtaattg atccagatac cgtgccaga 77160  
 ttctgatcag gagcccaaat cttctgacaa aactcacaca tccccaccgt cccagcacc 77220  
 tgaactcctg ggtggatcgt cagtcttcct cttccccca aaaccaagg acaccctcat 77280  
 gatctcccg accctgagg tcacatgcgt ggtggtggac gtgagccacg aagaccctga 77340  
 ggtcaagttc aactggtacg tggacggcgt ggaggtgcat aatgccaaga caaagccgcg 77400  
 ggaggagcag tacaacagca cgtaccgggt ggtcagcgtc ctcaccgtcc tgcaccagga 77460  
 ctggctgaat ggcaaggagt acaagtgaac ggtctccaac aaagccctcc cagcccccat 77520  
 cgagaaaacc atctccaag ccaaaggga gccccgagaa ccacaggtgt acaccctgcc 77580  
 cccatcccg gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt 77640  
 ctatcccagc gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa 77700  
 gaccacgcct cccgtgctgg actccgacgg ctcttctctc ctctacagca agctcaccgt 77760  
 ggacaagagc aggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct 77820  
 gcacaaccac tacacgcaga agagcctctc cctgtctccg ggtaaattgag ga 77872

<210> 45  
 <211> 780  
 <212> DNA  
 <213> SV40

<400> 45  
 cccagagctg tgcagttggg atcctaacac catgcagatg ctccaggacc tgcaccgagc 60  
 cccagcactg gcactcatct cttctttcca cccctctgag agcaacaagt ggctctgcaa 120  
 tggcaatgta agtgaaaccg ggcgggtatc ttagagcacc tggaagcttg catgcctgca 180  
 ggtcgaactc agaggatccc cgggtaccga gctcgaattc caggtaccgt cgacgatgta 240  
 ggtcacggtc tcgaagccgc ggtgcgggtg ccagggcgtg cccttgggct ccccgggcgc 300

## 019CIP2 1-46 Seq list.txt

gtactccacc	tcacccatct	gggccatcat	gatgaacggg	tcgaggtggc	ggtagttgat	360
cccggcgaac	gcgcggcgca	ccgggaagcc	ctcgccctcg	aaaccgctgg	gcgcgggtgg	420
cacggtgagc	acgggacgtg	cgacggcgctc	ggcgggtgcg	gatacgcggg	gcagcgctcag	480
cgggttctcg	acggtcacgg	cgggcatgtc	gacagccaag	ccgaattcgc	cctatagtga	540
gtcgtattac	aattcactgg	ccgtcgtttt	acaacgtcgt	gactgggaaa	accctggcgt	600
tacccaactt	aatcgccctg	cagcacatcc	ccctttcggc	agctggcgta	atagcgaaga	660
ggcccgacc	gatcgccctt	cccaacagtt	gcgcagcctg	aatggcgaat	ggcgccctgat	720
gcggtatttt	ctccttacgc	atctgtgcgg	tatttcacac	cgcatatggt	gcactctcag	780

<210> 46  
 <211> 1957  
 <212> DNA  
 <213> human

<400> 46	
ataatcaggt	agctgaggag atgctgagtc tgccagttct tgggctctgg gcaggatccc 60
atctcctgcc	ttctctagga cagagctcag caggcagggc tctgtggctc tgtgtctaac 120
ccacttcttc	ctctcctcgc tttcagggaa agcaacggga ctctcacttt aagccatttt 180
ggaaaatgct	gaatatcaga gctgagagaa ttccgcccct ctccctcccc cccccctaac 240
gttactggcc	gaagccgctt ggaataaggc cgggtgtgcgt ttgtctatat gttattttcc 300
accatattgc	cgtcttttgg caatgtgagg gcccggaaac ctggccctgt cttcttgacg 360
agcattccta	ggggctcttt ccctctcgcc aaaggaatgc aaggctctgtt gaatgtcgtg 420
aaggaagcag	ttcctctgga agcttcttga agacaaacaa cgtctgtagc gaccctttgc 480
aggcagcgga	acccccacc tggcgacagg tgcctctgcg gccaaaagcc acgtgtataa 540
gatacacctg	caaaggcggc acaaccccag tgccacgttg tgagttggat agttgtggaa 600
agagtcaa	aat ggctctcctc aagcgtattc aacaaggggc tgaaggatgc ccagaaggta 660
ccccattgta	tgggatctga tctggggcct cgggtgcacat gctttacatg tgtttagtcg 720
aggttaaaaa	aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca 780
cgatgataag	cttgccacaa ccatgggtgt actgctcaca cagaggacgc tgctcagtct 840
ggtccttgca	ctcctgtttc caagcatggc gagcatggca atgcacgtgg cccagcctgc 900
tgtgggtactg	gccagcagcc gaggcacgc cagctttgtg tgtgagtatg catctccagg 960
caaagccact	gaggtccggg tgacagtgtc tcggcaggct gacagccagg tgactgaagt 1020
ctgtgcggca	acctacatga tggggaatga gttgaccttc ctagatgatt ccatctgcac 1080
gggcacctcc	agtggaaatc aagtgaacct cactatccaa ggactgaggg ccatggacac 1140
gggactctac	atctgcaagg tggagctcat gtaccaccgc ccatactacc tgggcatagg 1200

019CIP2 1-46 seq list.txt

caacggaacc cagatttatg taattgatcc agataccgtg cccagattct gatcaggagc	1260
ccaaatcttc tgacaaaact cacacatccc caccgtcccc agcacctgaa ctctgggtg	1320
gatcgtcagt ctctctcttc cccccaaaac ccaaggacac cctcatgatc tcccggaccc	1380
ctgaggtcac atgcgtggtg gtggacgtga gccacgaaga ccctgaggtc aagttcaact	1440
ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa gccgcgggag gagcagtaca	1500
acagcacgta ccgggtggtc agcgtcctca ccgtcctgca ccaggactgg ctgaatggca	1560
aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc ccccatcgag aaaaccatct	1620
ccaaagccaa agggcagccc cgagaaccac aggtgtacac cctgccccca tcccgggatg	1680
agctgaccaa gaaccaggtc agcctgacct gcctggtcaa aggcttctat cccagcgaca	1740
tcgccgtgga gtgggagagc aatgggcagc cggagaacaa ctacaagacc acgcctcccg	1800
tgctggactc cgacggctcc ttcttctctt acagcaagct caccgtggac aagagcaggt	1860
ggcagcaggg gaacgtcttc tcatgctccg tgatgcatga ggctctgcac aaccactaca	1920
cgcagaagag cctctccctg tctccgggta aatgagg	1957